

Package: CLAMPData (via r-universe)

October 10, 2026

Type Package

Title Experiment data for CLAMP package

Version 0.99.5

Description Curated CLAMP resources (latent variables, loadings, priors, and example matrices) for use with the CLAMP package, distributed via ExperimentHub.

License MIT + file LICENSE

Encoding UTF-8

LazyData false

Depends R (>= 4.5.0)

Imports ExperimentHub, utils

Suggests ExperimentHubData, knitr, rmarkdown, BiocStyle, rhdf5, testthat (>= 3.0.0)

VignetteBuilder knitr

biocViews ExperimentHub, ExperimentData, RNASeqData, ExpressionData

BugReports <https://github.com/pivlab/CLAMPData/issues>

URL <https://github.com/pivlab/CLAMPData>

Config/roxygen2/version 8.0.0

Config/pak/sysreqs libicu-dev libpng-dev libssl-dev zlib1g-dev

Repository <https://bioc.r-universe.dev>

Date/Publication 2026-06-08 16:47:53 UTC

RemoteUrl <https://github.com/bioc/CLAMPData>

RemoteRef HEAD

RemoteSha 869b63175129f0ce747f4de8b75bda905d31d8dc

Contents

clamp_h5_schema	2
GSE164416_DP_htseq_counts_txt_gz	2
human_gene_v2_5_alz_h5	3
islets_metadata_csv	3
list_clamp_data	4
read_clamp_alz_expression	4
read_islet_counts	5
read_islet_metadata	5
validate_clamp_h5	6
Index	7

clamp_h5_schema	<i>Expected HDF5 schema for CLAMP expression files</i>
-----------------	--

Description

Returns a data frame of the paths, types, and purpose of each dataset required in a CLAMP HDF5 expression file.

Usage

```
clamp_h5_schema()
```

Value

A data frame with columns path, type, and description.

Examples

```
clamp_h5_schema()
```

GSE164416_DP_htseq_counts_txt_gz	<i>GSE164416_DP_htseq_counts_txt_gz</i>
----------------------------------	---

Description

Retrieves the raw count matrix (path to gzipped file) for the GSE164416 dataset from ExperimentHub.

Usage

```
GSE164416_DP_htseq_counts_txt_gz()
```

Value

A character string representing the local file path to the downloaded resource.

Examples

```
if (interactive()) {
  counts_path <- GSE164416_DP_htseq_counts_txt_gz()
  print(counts_path)
}
```

```
human_gene_v2_5_alz_h5
```

```
human_gene_v2_5_alz_h5
```

Description

Retrieves the H5 file (path) containing gene sets and pathway priors from ExperimentHub.

Usage

```
human_gene_v2_5_alz_h5()
```

Value

A character string representing the local file path to the downloaded resource.

Examples

```
if (interactive()) {
  h5_path <- human_gene_v2_5_alz_h5()
  print(h5_path)
}
```

```
islets_metadata_csv
```

```
islets_metadata_csv
```

Description

Retrieves the metadata CSV file (path) for the islets example from ExperimentHub.

Usage

```
islets_metadata_csv()
```

Value

A character string representing the local file path to the downloaded resource.

Examples

```
if (interactive()) {
  metadata_path <- islets_metadata_csv()
  print(metadata_path)
}
```

list_clamp_data	<i>List available CLAMPData datasets</i>
-----------------	--

Description

Returns a data frame of all datasets in the package, one row per resource. The accessor column names the function that returns the local file path for each resource.

Usage

```
list_clamp_data()
```

Value

A data.frame with columns name, accessor, description, type, species, eh_id, and version.

Examples

```
datasets <- list_clamp_data()
datasets[, c("name", "type", "eh_id")]
```

read_clamp_alz_expression	<i>Load the Alzheimer expression matrix</i>
---------------------------	---

Description

Downloads the Alzheimer HDF5 file via ExperimentHub, validates it against [clamp_h5_schema](#), and returns the expression matrix oriented as genes x samples with gene symbols and sample identifiers as row and column names

Usage

```
read_clamp_alz_expression()
```

Value

A numeric matrix with gene symbols as row names and sample identifiers as column names.

Examples

```
if (interactive()) {  
  expr <- read_clamp_alz_expression()  
  dim(expr)  
}
```

read_islet_counts	<i>Load islet count table</i>
-------------------	-------------------------------

Description

Downloads the GSE164416 HTSeq count file via ExperimentHub and reads it as a data frame

Usage

```
read_islet_counts()
```

Value

A data frame with an `ensembl` gene-ID column and one count column per sample.

Examples

```
if (interactive()) {  
  counts <- read_islet_counts()  
  dim(counts)  
}
```

read_islet_metadata	<i>Load islet sample metadata</i>
---------------------	-----------------------------------

Description

Downloads the islet sample metadata CSV via ExperimentHub and reads it as a data frame

Usage

```
read_islet_metadata()
```

Value

A data frame with one row per sample.

Examples

```
if (interactive()) {  
  meta <- read_islet_metadata()  
  head(meta)  
}
```

validate_clamp_h5	<i>Validate a CLAMP HDF5 file</i>
-------------------	-----------------------------------

Description

Checks that an HDF5 file contains the datasets CLAMP expects (see [clamp_h5_schema](#)).

Usage

```
validate_clamp_h5(path)
```

Arguments

path	Path to an HDF5 file.
------	-----------------------

Value

TRUE invisibly if the file is valid; otherwise stops with a message listing the missing datasets.

Examples

```
if (interactive()) {  
  validate_clamp_h5(human_gene_v2_5_alz_h5())  
}
```

Index

clamp_h5_schema, [2](#), [4](#), [6](#)

GSE164416_DP_htseq_counts_txt_gz, [2](#)

human_gene_v2_5_alz_h5, [3](#)

islets_metadata_csv, [3](#)

list_clamp_data, [4](#)

read_clamp_alz_expression, [4](#)

read_islet_counts, [5](#)

read_islet_metadata, [5](#)

validate_clamp_h5, [6](#)