

Package: FLAMES (via r-universe)

July 10, 2024

Type Package

Title FLAMES: Full Length Analysis of Mutations and Splicing in long read RNA-seq data

Version 1.11.0

Date 2023-03-27

Description Semi-supervised isoform detection and annotation from both bulk and single-cell long read RNA-seq data. Flames provides automated pipelines for analysing isoforms, as well as intermediate functions for manual execution.

biocViews RNASeq, SingleCell, Transcriptomics, DataImport, DifferentialSplicing, AlternativeSplicing, GeneExpression, LongRead

BugReports <https://github.com/mritchielab/FLAMES/issues>

License GPL (>= 3)

Encoding UTF-8

Imports basilisk, bambu, Biostrings, BiocGenerics, circlize, ComplexHeatmap, cowplot, dplyr, DropletUtils, GenomicRanges, GenomicFeatures, txdbmaker, GenomicAlignments, GenomeInfoDb, ggplot2, ggbio, grid, gridExtra, igraph, jsonlite, magrittr, Matrix, parallel, reticulate, Rsamtools, rtracklayer, RColorBrewer, SingleCellExperiment, SummarizedExperiment, scater, S4Vectors, scuttle, stats, scran, stringr, MultiAssayExperiment, tidyr, utils, withr, zlibbioc, future, methods, tibble, tidyselect, IRanges

Suggests txdbmaker, BiocStyle, GEOquery, knitr, rmarkdown, markdown, BiocFileCache, R.utils, ShortRead, uwot, testthat (>= 3.0.0), xml2

LinkingTo Rcpp, Rhtslib, zlibbioc, testthat

SystemRequirements GNU make, C++17, samtools (>= 1.19), minimap2 (>= 2.17)

RoxygenNote 7.3.1

VignetteBuilder knitr

URL <https://github.com/OliverVoogd/FLAMES>

Config/testthat/edition 3

Depends R (>= 4.1.0)

LazyData true

StagedInstall no

Repository <https://bioc.r-universe.dev>

RemoteUrl <https://github.com/bioc/FLAMES>

RemoteRef HEAD

RemoteSha 7d0c2633b4febd54c0dbf3f9b8307fea12d0573

Contents

| | |
|--|----|
| annotation_to_fasta | 3 |
| blaze | 3 |
| bulk_long_pipeline | 4 |
| combine_sce | 7 |
| create_config | 8 |
| create_sce_from_dir | 10 |
| create_se_from_dir | 11 |
| cutadapt | 12 |
| demultiplex_sockeye | 12 |
| filter_annotation | 13 |
| find_barcode | 13 |
| find_isoform | 15 |
| find_variants | 16 |
| FLAMES | 18 |
| flexplex | 18 |
| get_GRangesList | 19 |
| minimap2_align | 20 |
| minimap2_realign | 21 |
| parse_gff_tree | 22 |
| plot_coverage | 23 |
| plot_demultiplex | 24 |
| quantify_gene | 25 |
| quantify_transcript | 26 |
| scmixology_lib10 | 27 |
| scmixology_lib10_transcripts | 27 |
| scmixology_lib90 | 28 |
| sc_DTU_analysis | 28 |
| sc_heatmap_expression | 30 |
| sc_long_multisample_pipeline | 31 |
| sc_long_pipeline | 33 |
| sc_mutations | 36 |
| sc_reduce_dims | 37 |
| sc_umap_expression | 38 |
| sys_which | 39 |

annotation_to_fasta *GTF/GFF to FASTA conversion*

Description

convert the transcript annotation to transcriptome assembly as FASTA file. The genome annotation is first imported as TxDb object and then used to extract transcript sequence from the genome assembly.

Usage

```
annotation_to_fasta(isoform_annotation, genome_fa, outdir, extract_fn)
```

Arguments

| | |
|--------------------|---|
| isoform_annotation | Path to the annotation file (GTF/GFF3) |
| genome_fa | The file path to genome fasta file. |
| outdir | The path to directory to store the transcriptome as transcript_assembly.fa. |
| extract_fn | (optional) Function to extract GRangesList from the genome TxDb object. E.g. <code>function(txdb){GenomicFeatures::cdsBy(txdb, by="tx", use.names=TRUE)}</code> |

Value

Path to the outputted transcriptome assembly

Examples

```
fasta <- annotation_to_fasta(system.file("extdata/rps24.gtf.gz", package = "FLAMES"), system.file("extdata/rps24.gtf.gz", package = "FLAMES"), system.file("extdata/rps24.fasta", package = "FLAMES"), function(txdb){GenomicFeatures::cdsBy(txdb, by="tx", use.names=TRUE)})
cat(readChar(fasta, nchars = 1e3))
```

blaze *BLAZE Assign reads to cell barcodes.*

Description

Uses BLAZE to generate barcode list and assign reads to cell barcodes.

Usage

```
blaze(expect_cells, fq_in, ...)
```

Arguments

| | |
|--------------|--|
| expect_cells | Integer, expected number of cells. Note: this could be just a rough estimate. E.g., the targeted number of cells. |
| fq_in | File path to the fastq file used as a query sequence file |
| ... | Additional BLAZE configuration parameters. E.g., setting ‘output-prefix’=‘some_prefix’ is equivalent to specifying ‘-output-prefix some_prefix’ in BLAZE; Similarly, ‘overwrite=TRUE’ is equivalent to switch on the ‘-overwrite’ option. Note that the specified parameters will override the parameters specified in the configuration file. All available options can be found at https://github.com/shimlab/BLAZE . |

Value

A data.frame summarising the reads aligned. Other outputs are written to disk. The details of the output files can be found at <https://github.com/shimlab/BLAZE>.

Examples

```
temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
fastq1_url <- 'https://raw.githubusercontent.com/shimlab/BLAZE/main/test/data/FAR20033_pass_51e510db_100.fastq'
fastq1 <- bfc[[names(BiocFileCache::bfcadd(bfc, 'Fastq1', fastq1_url))]]
outdir <- tempfile()
dir.create(outdir)
## Not run:
blaze(expect_cells=10, fastq1, overwrite=TRUE)

## End(Not run)
```

bulk_long_pipeline *Pipeline for Bulk Data*

Description

Semi-supervised isoform detection and annotation for long read data. This variant is meant for bulk samples. Specific parameters relating to analysis can be changed either through function arguments, or through a configuration JSON file.

Usage

```
bulk_long_pipeline(
  annotation,
  fastq,
  outdir,
  genome_fa,
  minimap2 = NULL,
  k8 = NULL,
  config_file = NULL
)
```

Arguments

| | |
|-------------|--|
| annotation | The file path to the annotation file in GFF3 format |
| fastq | The file path to input fastq file |
| outdir | The path to directory to store all output files. |
| genome_fa | The file path to genome fasta file. |
| minimap2 | Path to minimap2, if it is not in PATH. Only required if either or both of do_genome_align and do_read_realign are TRUE. |
| k8 | Path to the k8 Javascript shell binary. Only required if do_genome_align is TRUE. |
| config_file | File path to the JSON configuration file. If specified, config_file overrides all configuration parameters |

Details

By default FLAMES use minimap2 for read alignment. After the genome alignment step (do_genome_align), FLAMES summarizes the alignment for each read by grouping reads with similar splice junctions to get a raw isoform annotation (do_isoform_id). The raw isoform annotation is compared against the reference annotation to correct potential splice site and transcript start/end errors. Transcripts that have similar splice junctions and transcript start/end to the reference transcript are merged with the reference. This process will also collapse isoforms that are likely to be truncated transcripts. If isoform_id_bambu is set to TRUE, bambu::bambu will be used to generate the updated annotations. Next is the read realignment step (do_read_realign), where the sequence of each transcript from the update annotation is extracted, and the reads are realigned to this updated transcript_assembly.fa by minimap2. The transcripts with only a few full-length aligned reads are discarded. The reads are assigned to transcripts based on both alignment score, fractions of reads aligned and transcript coverage. Reads that cannot be uniquely assigned to transcripts or have low transcript coverage are discarded. The UMI transcript count matrix is generated by collapsing the reads with the same UMI in a similar way to what is done for short-read scRNA-seq data, but allowing for an edit distance of up to 2 by default. Most of the parameters, such as the minimal distance to splice site and minimal percentage of transcript coverage can be modified by the JSON configuration file (config_file).

The default parameters can be changed either through the function arguments or through the configuration JSON file config_file. the pipeline_parameters section specifies which steps are to be executed in the pipeline - by default, all steps are executed. The isoform_parameters section affects isoform detection - key parameters include:

- Min_sup_cnt which causes transcripts with less reads aligned than it's value to be discarded
- MAX_TS_DIST which merges transcripts with the same intron chain and TSS/TES distance less than MAX_TS_DIST
- strand_specific which specifies if reads are in the same strand as the mRNA (1), or the reverse complemented (-1) or not strand specific (0), which results in strand information being based on reference annotation.

Value

if do_transcript_quantification set to true, bulk_long_pipeline returns a SummarizedExperiment object, containing a count matrix as an assay, gene annotations under metadata, as well

as a list of the other output files generated by the pipeline. The pipeline also outputs a number of output files into the given outdir directory. These output files generated by the pipeline are:

- transcript_count.csv.gz - a transcript count matrix (also contained in the SummarizedExperiment)
- isoform_annotated.filtered.gff3 - isoforms in gff3 format (also contained in the SummarizedExperiment)
- transcript_assembly.fa - transcript sequence from the isoforms
- align2genome.bam - sorted BAM file with reads aligned to genome
- realign2transcript.bam - sorted realigned BAM file using the transcript_assembly.fa as reference
- tss_tes.bedgraph - TSS TES enrichment for all reads (for QC)

if `do_transcript_quantification` set to false, nothing will be returned

See Also

[sc_long_pipeline\(\)](#) for single cell data, [SummarizedExperiment\(\)](#) for how data is outputted

Examples

```
# download the two fastq files, move them to a folder to be merged together
temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
file_url <-
  "https://raw.githubusercontent.com/OliverVoogd/FLAMESData/master/data"
# download the required fastq files, and move them to new folder
fastq1 <- bfc[[names(BiocFileCache::bfcadd(bfc, "Fastq1", paste(file_url, "fastq/sample1.fastq.gz", sep = "/")))]
fastq2 <- bfc[[names(BiocFileCache::bfcadd(bfc, "Fastq2", paste(file_url, "fastq/sample2.fastq.gz", sep = "/")))]
annotation <- bfc[[names(BiocFileCache::bfcadd(bfc, "annot.gtf", paste(file_url, "SIRV_isoforms_multi-fasta-anno
genome_fa <- bfc[[names(BiocFileCache::bfcadd(bfc, "genome.fa", paste(file_url, "SIRV_isoforms_multi-fasta_17061
fastq_dir <- paste(temp_path, "fastq_dir", sep = "/") # the downloaded fastq files need to be in a directory to be me
dir.create(fastq_dir)
file.copy(c(fastq1, fastq2), fastq_dir)
unlink(c(fastq1, fastq2)) # the original files can be deleted

outdir <- tempfile()
dir.create(outdir)
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  se <- bulk_long_pipeline(
    annotation = annotation, fastq = fastq_dir, outdir = outdir, genome_fa = genome_fa,
    config_file = system.file("extdata/SIRV_config_default.json", package = "FLAMES")
  )

  se_2 <- create_se_from_dir(outdir = outdir, annotation = annotation)
}
```

 combine_sce

Combine SCE

Description

Combine long- and short-read SingleCellExperiment objects

Usage

```
combine_sce(
  short_read_large,
  short_read_small,
  long_read_sce,
  remove_duplicates = FALSE
)
```

Arguments

short_read_large

The SCE object, or path to the HDF5 file, or folder containing the matrix file, corresponding to the larger short-read sample

short_read_small

The SCE object, or path to the HDF5 file, or folder containing the matrix file, corresponding to the smaller short-read sample

long_read_sce The SCE object of the transcript counts, from the long-read pipelines.

remove_duplicates

determines whether cells with duplicated barcodes are kept in the smaller library (they are always removed from the larger library)

Details

Takes the long-read SCE object from the long-read pipeline and the short-read SCE object, creates a MultiAssayExperiment object with the two SingleCellExperiment objects. Cells with duplicated barcodes are removed from the larger library.

Value

A MultiAssayExperiment object, with 'gene_counts' and 'transcript_counts' experiments.

Examples

```
library(SingleCellExperiment)
a <- SingleCellExperiment(assays = list(counts = matrix(rpois(100, 5), ncol = 10)))
b <- SingleCellExperiment(assays = list(counts = matrix(rpois(100, 5), ncol = 10)))
long_read <- SingleCellExperiment(assays = list(counts = matrix(rpois(100, 5), ncol = 10)))
colData(a)$Barcode <- paste0(1:10, '-1')
colData(b)$Barcode <- paste0(8:17, '-1')
colnames(long_read) <- as.character(2:11)
```

```
rownames(a) <- as.character(101:110)
rownames(b) <- as.character(103:112)
rownames(long_read) <- as.character(1001:1010)
combine_sce(short_read_large = a, short_read_small = b, long_read_sce = long_read)
```

create_config

Create Configuration File From Arguments

Description

Create Configuration File From Arguments

Usage

```
create_config(outdir, type = "sc_3end", ...)
```

Arguments

| | |
|--------|--|
| outdir | the destination directory for the configuration file |
| type | use an example config, available values: <ul style="list-style-type: none"> • "sc_3end" - config for 10x 3' end ONT reads • "SIRV" - config for the SIRV example reads |
| ... | Configuration parameters. <ul style="list-style-type: none"> • seed - Integer. Seed for minimap2. • threads - Number of threads to use. • do_barcode_demultiplex - Boolean. Specifies whether to run the barcode demultiplexing step. • do_genome_alignment - Boolean. Specifies whether to run the genome alignment step. TRUE is recommended • do_gene_quantification - Boolean. Specifies whether to run gene quantification using the genome alignment results. TRUE is recommended • do_isoform_identification - Boolean. Specifies whether to run the isoform identification step. TRUE is recommended • bambu_isoform_identification - Boolean. Whether to use Bambu for isoform identification. • multithread_isoform_identification - Boolean. Whether to use FLAMES' new multithreaded Cpp implementation for isoform identification. • do_read_realignment - Boolean. Specifies whether to run the read realignment step. TRUE is recommended • do_transcript_quantification - Boolean. Specifies whether to run the transcript quantification step. TRUE is recommended • barcode_parameters - List. Parameters for barcode demultiplexing passed to find_barcode (except fastq, barcodes_file, stats_out, reads_out) and threads, which are set by the pipeline, see ?find_barcode for more details. |

- generate_raw_isoform - Boolean. Whether to generate all isoforms for debugging purpose.
- max_dist - Maximum distance allowed when merging splicing sites in isoform consensus clustering.
- max_ts_dist - Maximum distance allowed when merging transcript start/end position in isoform consensus clustering.
- max_splice_match_dist - Maximum distance allowed when merging splice site called from the data and the reference annotation.
- min_fl_exon_len - Minimum length for the first exon outside the gene body in reference annotation. This is to correct the alignment artifact
- max_site_per_splice - Maximum transcript start/end site combinations allowed per splice chain
- min_sup_cnt - Minimum number of read support an isoform decrease this number will significantly increase the number of isoform detected.
- min_cnt_pct - Minimum percentage of count for an isoform relative to total count for the same gene.
- min_sup_pct - Minimum percentage of count for an splice chain that support a given transcript start/end site combination.
- strand_specific - 0, 1 or -1. 1 indicates if reads are in the same strand as mRNA, -1 indicates reads are reverse complemented, 0 indicates reads are not strand specific.
- remove_incomp_reads - The strengte of truncated isoform filtering. larger number means more stringent filtering.
- use_junctions - whether to use known splice junctions to help correct the alignment results
- no_flank - Boolean. for synthetic spike-in data. refer to Minimap2 document for detail
- use_annotation - Boolean. whether to use reference to help annotate known isoforms
- min_tr_coverage - Minimum percentage of isoform coverage for a read to be aligned to that isoform
- min_read_coverage - Minimum percentage of read coverage for a read to be uniquely aligned to that isoform

Details

Create a list object containing the arguments supplied in a format usable for the FLAMES pipeline. Also writes the object to a JSON file, which is located with the prefix 'config_' in the supplied outdir. Default values from `extdata/config_sclr_nanopore_3end.json` will be used for unprovided parameters.

Value

file path to the config file created

Examples

```
# create the default configuration file
outdir <- tempdir()
config <- create_config(outdir)
```

```
create_sce_from_dir    Create SingleCellExperiment object from FLAMES output folder
```

Description

Create SingleCellExperiment object from FLAMES output folder

Usage

```
create_sce_from_dir(outdir, annotation)
```

Arguments

outdir The folder containing FLAMES output files
 annotation (Optional) the annotation file that was used to produce the output files

Value

a list of SingleCellExperiment objects if multiple transcript matrices were found in the output folder, or a SingleCellExperiment object if only one were found

Examples

```
outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(filename = system.file("extdata/bc_allow.tsv.gz", package = "FLAMES"), destname = bc_allow, remove = TRUE)
R.utils::gunzip(filename = system.file("extdata/rps24.fa.gz", package = "FLAMES"), destname = genome_fa, remove = TRUE)
annotation <- system.file("extdata/rps24.gtf.gz", package = "FLAMES")

if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  sce <- FLAMES::sc_long_pipeline(
    genome_fa = genome_fa,
    fastq = system.file("extdata/fastq", package = "FLAMES"),
    annotation = annotation,
    outdir = outdir,
    barcodes_file = bc_allow
  )
  sce_2 <- create_sce_from_dir(outdir, annotation)
}
```

create_se_from_dir *Create SummarizedExperiment object from FLAMES output folder*

Description

Create SummarizedExperiment object from FLAMES output folder

Usage

```
create_se_from_dir(outdir, annotation)
```

Arguments

outdir The folder containing FLAMES output files
 annotation (Optional) the annotation file that was used to produce the output files

Value

a SummarizedExperiment object

Examples

```
# download the two fastq files, move them to a folder to be merged together
temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
file_url <-
  "https://raw.githubusercontent.com/OliverVoogd/FLAMESData/master/data"
# download the required fastq files, and move them to new folder
fastq1 <- bfc[[names(BiocFileCache::bfcadd(bfc, "Fastq1", paste(file_url, "fastq/sample1.fastq.gz", sep = "/")))]
fastq2 <- bfc[[names(BiocFileCache::bfcadd(bfc, "Fastq2", paste(file_url, "fastq/sample2.fastq.gz", sep = "/")))]
annotation <- bfc[[names(BiocFileCache::bfcadd(bfc, "annot.gtf", paste(file_url, "SIRV_isoforms_multi-fasta-anno
genome_fa <- bfc[[names(BiocFileCache::bfcadd(bfc, "genome.fa", paste(file_url, "SIRV_isoforms_multi-fasta_17061
fastq_dir <- paste(temp_path, "fastq_dir", sep = "/") # the downloaded fastq files need to be in a directory to be me
dir.create(fastq_dir)
file.copy(c(fastq1, fastq2), fastq_dir)
unlink(c(fastq1, fastq2)) # the original files can be deleted

outdir <- tempfile()
dir.create(outdir)
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  se <- bulk_long_pipeline(
    annotation = annotation, fastq = fastq_dir, outdir = outdir, genome_fa = genome_fa,
    config_file = system.file("extdata/SIRV_config_default.json", package = "FLAMES")
  )

  se_2 <- create_se_from_dir(outdir = outdir, annotation = annotation)
}
```

| | |
|----------|-------------------------|
| cutadapt | <i>cutadapt wrapper</i> |
|----------|-------------------------|

Description

trim TSO adaptor with cutadapt

Usage

```
cutadapt(args)
```

Arguments

args arguments to be passed to cutadapt

Value

Exit code of cutadapt

Examples

```
## Not run:
cutadapt("-h")

## End(Not run)
```

| | |
|---------------------|--|
| demultiplex_sockeye | <i>Demultiplex reads using Sockeye outputs</i> |
|---------------------|--|

Description

Demultiplex reads using the cell_umi_gene.tsv file from Sockeye.

Usage

```
demultiplex_sockeye(fastq_dir, sockeye_tsv, out_fq)
```

Arguments

fastq_dir The folder containing FASTQ files from Sockeye's output under ingest/chunked_fastqs.
sockeye_tsv The cell_umi_gene.tsv file from Sockeye.
out_fq The output FASTQ file.

Value

returns NULL

| | |
|-------------------|---|
| filter_annotation | <i>filter annotation for plotting coverages</i> |
|-------------------|---|

Description

Removes isoform annotations that could produce ambiguous reads, such as isoforms that only differ by the 5' / 3' end. This could be useful for plotting average coverage plots.

Usage

```
filter_annotation(annotation, keep = "tss_differ")
```

Arguments

| | |
|------------|---|
| annotation | path to the GTF annotation file, or the parsed GenomicRanges object. |
| keep | string, one of 'tss_differ' (only keep isoforms that all differ by the transcription start site position), 'tes_differ' (only keep those that differ by the transcription end site position), 'both' (only keep those that differ by both the start and end site), or 'single_transcripts' (only keep genes that contains a single transcript). |

Value

GenomicRanges of the filtered isoforms

Examples

```
filtered_annotation <- filter_annotation(system.file('extdata/rps24.gtf.gz', package = 'FLAMES'), keep = 'tes_differ')
filtered_annotation
```

| | |
|--------------|----------------------------|
| find_barcode | <i>Match Cell Barcodes</i> |
|--------------|----------------------------|

Description

demultiplex reads with flexiplex

Usage

```
find_barcode(
  fastq,
  barcodes_file,
  max_bc_editdistance = 2,
  max_flank_editdistance = 8,
  reads_out,
  stats_out,
```

```

threads = 1,
pattern = c(primer = "CTACACGACGCTCTCCGATCT", BC = paste0(rep("N", 16), collapse =
  ""), UMI = paste0(rep("N", 12), collapse = ""), polyT = paste0(rep("T", 9), collapse
  = "")),
TSO_seq = "",
TSO_prime = 3,
full_length_only = FALSE
)

```

Arguments

| | |
|------------------------|---|
| fastq | input FASTQ file path |
| barcodes_file | path to file containing barcode allow-list, with one barcode in each line |
| max_bc_editdistance | max edit distances for the barcode sequence |
| max_flank_editdistance | max edit distances for the flanking sequences (primer and polyT) |
| reads_out | path of output FASTQ file |
| stats_out | path of output stats file |
| threads | number of threads to be used |
| pattern | named character vector defining the barcode pattern |
| TSO_seq | TSO sequence to be trimmed |
| TSO_prime | either 3 (when TSO_seq is on 3' the end) or 5 (on 5' end) |
| full_length_only | boolean, when TSO sequence is provided, whether reads without TSO are to be discarded |

Value

invisible()

Examples

```

outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
R.utils::gunzip(filename = system.file("extdata/bc_allow.tsv.gz", package = "FLAMES"), destname = bc_allow, remove = TRUE)
find_barcode(
  fastq = system.file("extdata/fastq", package = "FLAMES"),
  stats_out = file.path(outdir, "bc_stat"),
  reads_out = file.path(outdir, "demultiplexed.fq.gz"),
  barcodes_file = bc_allow
)

```

| | |
|--------------|-------------------------------|
| find_isoform | <i>Isoform identification</i> |
|--------------|-------------------------------|

Description

Long-read isoform identification with FLAMES or bambu.

Usage

```
find_isoform(annotation, genome_fa, genome_bam, outdir, config)
```

Arguments

| | |
|------------|---|
| annotation | Path to annotation file. If configured to use bambu, the annotation must be provided as GTF file. |
| genome_fa | The file path to genome fasta file. |
| genome_bam | File path to BAM alignment file. Multiple files could be provided. |
| outdir | The path to directory to store all output files. |
| config | Parsed FLAMES configurations. |

Value

The updated annotation and the transcriptome assembly will be saved in the output folder as `isoform_annotated.gff3` (GTF if bambu is selected) and `transcript_assembly.fa` respectively.

Examples

```
temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
file_url <- "https://raw.githubusercontent.com/OliverVoogd/FLAMESData/master/data"
fastq1 <- bfc[[names(BiocFileCache::bfcadd(bfc, "Fastq1", paste(file_url, "fastq/sample1.fastq.gz", sep = "/")))]
genome_fa <- bfc[[names(BiocFileCache::bfcadd(bfc, "genome.fa", paste(file_url, "SIRV_isoforms_multi-fasta_17061
annotation <- bfc[[names(BiocFileCache::bfcadd(bfc, "annot.gtf", paste(file_url, "SIRV_isoforms_multi-fasta-anno
outdir <- tempfile()
dir.create(outdir)
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  config <- jsonlite::fromJSON(system.file("extdata/SIRV_config_default.json", package = "FLAMES"))
  minimap2_align(
    config = config,
    fa_file = genome_fa,
    fq_in = fastq1,
    annot = annotation,
    outdir = outdir
  )
}
## Not run:
find_isoform(
  annotation = annotation, genome_fa = genome_fa,
  genome_bam = file.path(outdir, "align2genome.bam"),
```

```

        outdir = outdir, config = config
    )

    ## End(Not run)
}

```

find_variants

bulk variant identification

Description

Treat each bam file as a bulk sample and identify variants against the reference

Usage

```

find_variants(
  bam_path,
  reference,
  annotation,
  min_nucleotide_depth = 100,
  homopolymer_window = 3,
  annotated_region_only = FALSE,
  names_from = "gene_name",
  threads = 1
)

```

Arguments

| | |
|-----------------------|--|
| bam_path | character(1) or character(n): path to the bam file(s) aligned to the reference genome (NOT the transcriptome!). |
| reference | DNASTringSet: the reference genome |
| annotation | GRanges: the annotation of the reference genome. You can load a GTF/GFF annotation file with <code>anno <- rtracklayer::import(file)</code> . |
| min_nucleotide_depth | integer(1): minimum read depth for a position to be considered a variant. |
| homopolymer_window | integer(1): the window size to calculate the homopolymer percentage. The homopolymer percentage is calculated as the percentage of the most frequent nucleotide in a window of <code>-homopolymer_window</code> to <code>homopolymer_window</code> nucleotides around the variant position, excluding the variant position itself. Calculation of the homopolymer percentage is skipped when <code>homopolymer_window = 0</code> . This is useful for filtering out Nanopore sequencing errors in homopolymer regions. |
| annotated_region_only | logical(1): whether to only consider variants outside annotated regions. If TRUE, only variants outside annotated regions will be returned. If FALSE, all variants will be returned, which could take significantly longer time. |

| | |
|------------|---|
| names_from | character(1): the column name in the metadata column of the annotation (mcols(annotation)[, names_from]) to use for the region column in the output. |
| threads | integer(1): number of threads to use. Threading is done over each annotated region and (if annotated_region_only = FALSE) unannotated gaps for each bam file. |

Details

Each bam file is treated as a bulk sample to perform pileup and identify variants. You can run `sc_mutations` with the variants identified with this function to get single-cell allele counts. Note that reference genome FASTA files may have the chromosome names field as `'>chr1 1'` instead of `'>chr1'`. You may need to remove the trailing number to match the chromosome names in the bam file, for example with `names(ref) <- sapply(names(ref), function(x) strsplit(x, " ")[[1]][1])`.

Value

A tibble with columns: `seqnames`, `pos`, `nucleotide`, `count`, `sum`, `freq`, `ref`, `region`, `homopolymer_pct`, `bam_path` The homopolymer percentage is calculated as the percentage of the most frequent nucleotide in a window of `homopolymer_window` nucleotides around the variant position, excluding the variant position itself.

Examples

```
outdir <- tempfile()
dir.create(outdir)
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(filename = system.file("extdata/rps24.fa.gz", package = "FLAMES"), destname = genome_fa, remove =
download.file("https://raw.githubusercontent.com/mritchielab/FLAMES/devel/tests/testthat/demultiplexed.fq",
  destfile = file.path(outdir, "demultiplexed.fq")
) # can't be bothered to run demultiplexing again
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  minimap2_align( # align to genome
    config = jsonlite::fromJSON(system.file("extdata/SIRV_config_default.json", package = "FLAMES")),
    fa_file = genome_fa,
    fq_in = file.path(outdir, "demultiplexed.fq"),
    annot = system.file("extdata/rps24.gtf.gz", package = "FLAMES"),
    outdir = outdir
  )
}
variants <- find_variants(
  bam_path = file.path(outdir, "align2genome.bam"),
  reference = genome_fa,
  annotation = GenomicRanges::GRanges("chr14", IRanges::IRanges(1, 1)),
  min_nucleotide_depth = 10
)
head(variants)
}
```

| | |
|--------|---|
| FLAMES | <i>FLAMES: full-length analysis of mutations and splicing</i> |
|--------|---|

Description

FLAMES: full-length analysis of mutations and splicing

| | |
|-----------|-------------------------------|
| flexiplex | <i>Rcpp port of flexiplex</i> |
|-----------|-------------------------------|

Description

demultiplex reads with flexiplex, for detailed description, see documentation for the original flexiplex: <https://davidsongroup.github.io/flexiplex>

Usage

```
flexiplex(
  reads_in,
  barcodes_file,
  bc_as_readid,
  max_bc_editdistance,
  max_flank_editdistance,
  pattern,
  reads_out,
  stats_out,
  bc_out,
  n_threads
)
```

Arguments

| | |
|------------------------|---|
| reads_in | Input FASTQ or FASTA file |
| barcodes_file | barcode allow-list file |
| bc_as_readid | bool, whether to add the demultiplexed barcode to the read ID field |
| max_bc_editdistance | max edit distance for barcode ' |
| max_flank_editdistance | max edit distance for the flanking sequences ' |
| pattern | StringVector defining the barcode structure, see [find_barcode] |
| reads_out | output file for demultiplexed reads |
| stats_out | output file for demultiplexed stats |
| bc_out | WIP |
| n_threads | number of threads to be used during demultiplexing |

Value

integer return value. 0 represents normal return.

| | |
|-----------------|---------------------------------|
| get_GRangesList | <i>Parse FLAMES' GFF output</i> |
|-----------------|---------------------------------|

Description

Parse FLAMES' GFF outputs into a Genomic Ranges List

Usage

```
get_GRangesList(file)
```

Arguments

file the GFF file to parse

Value

A Genomic Ranges List

Examples

```
temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
file_url <- "https://raw.githubusercontent.com/OliverVoogd/FLAMESData/master/data"
fastq1 <- bfc[[names(BiocFileCache::bfcadd(bfc, "Fastq1", paste(file_url, "fastq/sample1.fastq.gz", sep = "/")))]
genome_fa <- bfc[[names(BiocFileCache::bfcadd(bfc, "genome.fa", paste(file_url, "SIRV_isoforms_multi-fasta_17061
annotation <- bfc[[names(BiocFileCache::bfcadd(bfc, "annot.gtf", paste(file_url, "SIRV_isoforms_multi-fasta-anno
outdir <- tempfile()
dir.create(outdir)
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  config <- jsonlite::fromJSON(system.file("extdata/SIRV_config_default.json", package = "FLAMES"))
  minimap2_align(
    config = config,
    fa_file = genome_fa,
    fq_in = fastq1,
    annot = annotation,
    outdir = outdir
  )
  find_isoform(
    annotation = annotation, genome_fa = genome_fa,
    genome_bam = file.path(outdir, "align2genome.bam"),
    outdir = outdir, config = config
  )
  grlist <- get_GRangesList(file = file.path(outdir, "isoform_annotated.gff3"))
}
```

| | |
|----------------|---------------------------------|
| minimap2_align | <i>Minimap2 Align to Genome</i> |
|----------------|---------------------------------|

Description

Uses minimap2 to align sequences against a reference database. Uses options '-ax splice -t 12 -k14 -secondary=no fa_file fq_in'

Usage

```
minimap2_align(
  config,
  fa_file,
  fq_in,
  annot,
  outdir,
  minimap2 = NA,
  k8 = NA,
  samtools = NA,
  prefix = NULL,
  threads = 1
)
```

Arguments

| | |
|----------|--|
| config | Parsed list of FLAMES config file |
| fa_file | Path to the fasta file used as a reference database for alignment |
| fq_in | File path to the fastq file used as a query sequence file |
| annot | Genome annotation file used to create junction bed files |
| outdir | Output folder |
| minimap2 | Path to minimap2 binary |
| k8 | Path to the k8 Javascript shell binary |
| samtools | path to the samtools binary, required for large datasets since Rsamtools does not support CSI indexing |
| prefix | String, the prefix (e.g. sample name) for the outputted BAM file |
| threads | Integer, threads for minimap2 to use, see minimap2 documentation for details, FLAMES will try to detect cores if this parameter is not provided. |

Value

a data.frame summarising the reads aligned

See Also

[minimap2_realign()]

Examples

```

temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
file_url <- 'https://raw.githubusercontent.com/OliverVoogd/FLAMESData/master/data'
fastq1 <- bfc[[names(BiocFileCache::bfcadd(bfc, 'Fastq1', paste(file_url, 'fastq/sample1.fastq.gz', sep = '/')))]
genome_fa <- bfc[[names(BiocFileCache::bfcadd(bfc, 'genome.fa', paste(file_url, 'SIRV_isoforms_multi-fasta_17061
annotation <- bfc[[names(BiocFileCache::bfcadd(bfc, 'annot.gtf', paste(file_url, 'SIRV_isoforms_multi-fasta-anno
outdir <- tempfile()
dir.create(outdir)
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  minimap2_align(
    config = jsonlite::fromJSON(system.file('extdata/SIRV_config_default.json', package = 'FLAMES')),
    fa_file = genome_fa,
    fq_in = fastq1,
    annot = annotation,
    outdir = outdir
  )
}

```

minimap2_realign

*Minimap2 re-align reads to transcriptome***Description**

Uses minimap2 to re-align reads to transcriptome

Usage

```

minimap2_realign(
  config,
  fq_in,
  outdir,
  minimap2,
  samtools = NULL,
  prefix = NULL,
  threads = 1
)

```

Arguments

| | |
|----------|--|
| config | Parsed list of FLAMES config file |
| fq_in | File path to the fastq file used as a query sequence file |
| outdir | Output folder |
| minimap2 | Path to minimap2 binary |
| samtools | path to the samtools binary, required for large datasets since Rsamtools does not support CSI indexing |
| prefix | String, the prefix (e.g. sample name) for the outputted BAM file |

threads Integer, threads for minimap2 to use, see minimap2 documentation for details, FLAMES will try to detect cores if this parameter is not provided.

Value

a `data.frame` summarising the reads aligned

See Also

[`minimap2_align()`]

Examples

```
temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
file_url <- 'https://raw.githubusercontent.com/OliverVoogd/FLAMESData/master/data'
fastq1 <- bfc[[names(BiocFileCache::bfcadd(bfc, 'Fastq1', paste(file_url, 'fastq/sample1.fastq.gz', sep = '/')))]
genome_fa <- bfc[[names(BiocFileCache::bfcadd(bfc, 'genome.fa', paste(file_url, 'SIRV_isoforms_multi-fasta_17061
annotation <- bfc[[names(BiocFileCache::bfcadd(bfc, 'annot.gtf', paste(file_url, 'SIRV_isoforms_multi-fasta-anno
outdir <- tempfile()
dir.create(outdir)
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  fasta <- annotation_to_fasta(annotation, genome_fa, outdir)
  minimap2_realign(
    config = jsonlite::fromJSON(system.file('extdata/SIRV_config_default.json', package = 'FLAMES')),
    fq_in = fastq1,
    outdir = outdir
  )
}
```

parse_gff_tree

Parse Gff3 file

Description

Parse a Gff3 file into 3 components: chromosome to gene name, a transcript dictionary, a gene to transcript dictionary and a transcript to exon dictionary. These components are returned in a named list.

Usage

```
parse_gff_tree(gff_file)
```

Arguments

`gff_file` the file path to the gff3 file to parse

Value

a named list with the elements "chr_to_gene", "transcript_dict", "gene_to_transcript", "transcript_to_exon", containing the data parsed from the gff3 file.

Examples

```
temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
file_url <-
  "https://raw.githubusercontent.com/OliverVoogd/FLAMESData/master/data"
gff <- bfc[[names(BiocFileCache::bfcadd(bfc, "GFF", paste(file_url, "SIRV_isoforms_multi-fasta-annotation_C_1706
## Not run: parsed_gff <- parse_gff_tree(gff)
```

| | |
|---------------|----------------------------|
| plot_coverage | <i>plot read coverages</i> |
|---------------|----------------------------|

Description

Plot the average read coverages for each length bin or a particular isoform

Usage

```
plot_coverage(
  bam,
  isoform = NULL,
  length_bins = c(0, 1, 2, 5, 10, Inf),
  weight_fn = "read_counts"
)
```

Arguments

| | |
|-------------|---|
| bam | path to the BAM file (aligning reads to the transcriptome), or the (GenomicAlignments::readGAlignments) parsed GAlignments object |
| isoform | string vector, provide isoform names to plot the coverage for the corresponding isoforms, or provide NULL to plot average coverages for each length bin |
| length_bins | numeric vector to specify the sizes to bin the isoforms by |
| weight_fn | "read_counts" or "sigmoid", determines how the transcripts should be weighted within length bins. |

Value

a ggplot2 object of the coverage plot(s)

Examples

```

temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
file_url <- 'https://raw.githubusercontent.com/OliverVoogd/FLAMESData/master/data'
fastq1 <- bfc[[names(BiocFileCache::bfcadd(bfc, 'Fastq1', paste(file_url, 'fastq/sample1.fastq.gz', sep = '/')))]
genome_fa <- bfc[[names(BiocFileCache::bfcadd(bfc, 'genome.fa', paste(file_url, 'SIRV_isoforms_multi-fasta_17061
annotation <- bfc[[names(BiocFileCache::bfcadd(bfc, 'annot.gtf', paste(file_url, 'SIRV_isoforms_multi-fasta-anno
outdir <- tempfile()
dir.create(outdir)
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  fasta <- annotation_to_fasta(annotation, genome_fa, outdir)
  minimap2_realign(
    config = jsonlite::fromJSON(system.file('extdata/SIRV_config_default.json', package = 'FLAMES')),
    fq_in = fastq1,
    outdir = outdir
  )
  plot_coverage(bam = file.path(outdir, 'realign2transcript.bam'))
}

```

plot_demultiplex

Plot Cell Barcode demultiplex statistics

Description

produce a barplot of cell barcode demultiplex statistics

Usage

```
plot_demultiplex(outdir, stats_file)
```

Arguments

| | |
|------------|---|
| outdir | folder containing the matched_barcode_stat file, or matched_barcode_stat.SAMPLE files. Ignored if stats_file is provided. |
| stats_file | matched_barcode_stat file(s) from which the statistics to be plotted. |

Value

a ggplot object of the barcode plot

Examples

```

outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
R.utils::gunzip(filename = system.file("extdata/bc_allow.tsv.gz", package = "FLAMES"), destname = bc_allow, remov
find_barcode(
  fastq = system.file("extdata/fastq", package = "FLAMES"),
  stats_out = file.path(outdir, "bc_stat"),

```

```

    reads_out = file.path(outdir, "demultiplexed.fq.gz"),
    barcodes_file = bc_allow
)
plot_demultiplex(stats_file = file.path(outdir, "bc_stat"))

```

quantify_gene

Gene quantification

Description

Calculate the per gene UMI count matrix by parsing the genome alignment file.

Usage

```
quantify_gene(annotation, outdir, n_process, pipeline = "sc_single_sample")
```

Arguments

| | |
|------------|---|
| annotation | The file path to the annotation file in GFF3 format |
| outdir | The path to directory to store all output files. |
| n_process | The number of processes to use for parallelization. |
| pipeline | The pipeline type as a character string, either <code>sc_single_sample</code> (single-cell, single-sample), <code>bulk</code> (bulk, single or multi-sample), or <code>sc_multi_sample</code> (single-cell, multiple samples) |

Details

After the genome alignment step (`do_genome_align`), the alignment file will be parsed to generate the per gene UMI count matrix. For each gene in the annotation file, the number of reads whose mapped ranges overlap with the gene's genome coordinates will be assigned to the gene. For reads can be assigned to multiple gene, the read will be assigned to the gene with the highest number of overlapping nucleotides. If the read can be assigned to multiple genes with the same number of overlapping nucleotides, the read will be not be assigned.

After the read-to-gene assignment, the per gene UMI count matrix will be generated. Specifically, for each gene, the reads with similar mapping coordinates of transcript termination sites (TTS, i.e. the end of the the read with a polyT or polyA) will be grouped together. UMIs of reads in the same group will be collapsed to generate the UMI counts for each gene.

Finally, a new fastq file with deduplicated reads by keeping the longest read in each UMI.

Value

The count matrix will be saved in the output folder as `transcript_count.csv.gz`.

quantify_transcript *Transcript quantification*

Description

Calculate the transcript count matrix by parsing the re-alignment file.

Usage

```
quantify_transcript(annotation, outdir, config, pipeline = "sc_single_sample")
```

Arguments

| | |
|------------|---|
| annotation | The file path to the annotation file in GFF3 format |
| outdir | The path to directory to store all output files. |
| config | Parsed FLAMES configurations. |
| pipeline | The pipeline type as a character string, either <code>sc_single_sample</code> (single-cell, single-sample), <code>bulk</code> (bulk, single or multi-sample), or <code>sc_multi_sample</code> (single-cell, multiple samples) |

Value

The count matrix will be saved in the output folder as `transcript_count.csv.gz`.

Examples

```
temp_path <- tempfile()
bfc <- BiocFileCache::BiocFileCache(temp_path, ask = FALSE)
file_url <- "https://raw.githubusercontent.com/OliverVoogd/FLAMESData/master/data"
fastq1 <- bfc[[names(BiocFileCache::bfcadd(bfc, "Fastq1", paste(file_url, "fastq/sample1.fastq.gz", sep = "/")))]
genome_fa <- bfc[[names(BiocFileCache::bfcadd(bfc, "genome.fa", paste(file_url, "SIRV_isoforms_multi-fasta_17061
annotation <- bfc[[names(BiocFileCache::bfcadd(bfc, "annot.gtf", paste(file_url, "SIRV_isoforms_multi-fasta-anno
outdir <- tempfile()
dir.create(outdir)
fasta <- annotation_to_fasta(annotation, genome_fa, outdir)
config <- jsonlite::fromJSON(create_config(outdir, bambu_isoform_identification = TRUE, min_tr_coverage = 0.1, mi
file.copy(annotation, file.path(outdir, "isoform_annotated.gtf"))
## Not run:
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  minimap2_realign(
    config = config, outdir = outdir,
    fq_in = fastq1
  )
  quantify_transcript(annotation, outdir, config, pipeline = "bulk")
}

## End(Not run)
```

scmixology_lib10 *scMixology short-read gene counts - sample 2*

Description

Short-read gene counts from long and short-read single cell RNA-seq profiling of human lung adenocarcinoma cell lines using 10X version 2 chemistry. See Tian, L. et al. Comprehensive characterization of single-cell full-length isoforms in human and mouse with long-read sequencing. *Genome Biology* 22, 310 (2021).

Usage

scmixology_lib10

Format

'scmixology_lib10' A SingleCellExperiment with 7,240 rows and 60 columns:

Source

<<https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE154869>>

scmixology_lib10_transcripts *scMixology long-read transcript counts - sample 2*

Description

long-read transcript counts from long and short-read single cell RNA-seq profiling of human lung adenocarcinoma cell lines using 10X version 2 chemistry. See Tian, L. et al. Comprehensive characterization of single-cell full-length isoforms in human and mouse with long-read sequencing. *Genome Biology* 22, 310 (2021).

Usage

scmixology_lib10_transcripts

Format

'scmixology_lib10_transcripts' A SingleCellExperiment with 7,240 rows and 60 columns:

Source

<<https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE154869>>

| | |
|------------------|---|
| scmixology_lib90 | <i>scMixology short-read gene counts - sample 1</i> |
|------------------|---|

Description

Short-read single cell RNA-seq profiling of human lung adenocarcinoma cell lines using 10X version 2 chemistry. Single cells from five human lung adenocarcinoma cell lines (H2228, H1975, A549, H838 and HCC827) were mixed in equal proportions and processed using the Chromium 10X platform, then sequenced using Illumina HiSeq 2500. See Tian L, Dong X, Freytag S, Lê Cao KA et al. Benchmarking single cell RNA-sequencing analysis pipelines using mixture control experiments. Nat Methods 2019 Jun;16(6):479-487. PMID: 31133762

Usage

```
scmixology_lib90
```

Format

```
## 'scmixology_lib90' A SingleCellExperiment
```

Source

```
<https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE126906>
```

| | |
|-----------------|--|
| sc_DTU_analysis | <i>FLAMES Differential Transcript Usage Analysis</i> |
|-----------------|--|

Description

Chi-square based differential transcription usage analysis. This variant is meant for single cell data. Takes the `SingleCellExperiment` object from `sc_long_pipeline` as input. Alternatively, the path to the output folder could be provided instead of the SCE object. A cluster annotation file `cluster_annotation.csv` is required, please provide this file under the output folder of `sc_long_pipeline`.

Usage

```
sc_DTU_analysis(sce, min_count = 15)
```

Arguments

| | |
|------------------------|---|
| <code>sce</code> | The <code>SingleCellExperiment</code> object from <code>sc_long_pipeline</code> , an additional <code>cluster_annotation.csv</code> file is required under the output folder of the SCE object. |
| <code>min_count</code> | The minimum UMI count threshold for filtering isoforms. |

Details

This function will search for genes that have at least two isoforms, each with more than `min_count` UMI counts. For each gene, the per cell transcript counts were merged by group to generate pseudo bulk samples. Grouping is specified by the `cluster_annotation.csv` file. The top 2 highly expressed transcripts for each group were selected and a UMI count matrix where the rows are selected transcripts and columns are groups was used as input to a chi-square test of independence (`chisq.test`). Adjusted P-values were calculated by Benjamini–Hochberg correction.

Value

a `data.frame` containing the following columns:

- `gene_id` - differentially transcribed genes
- `X_value` - the X value for the DTU gene
- `df` - degrees of freedom of the approximate chi-squared distribution of the test statistic
- `DTU_tr` - the `transcript_id` with the highest squared residuals
- `DTU_group` - the cell group with the highest squared residuals
- `p_value` - the p-value for the test
- `adj_p` - the adjusted p-value (by Benjamini–Hochberg correction)

The table is sorted by decreasing P-values. It will also be saved as `sc_DTU_analysis.csv` under the output folder.

Examples

```
outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(filename = system.file("extdata/bc_allow.tsv.gz", package = "FLAMES"), destname = bc_allow, remove = TRUE)
R.utils::gunzip(filename = system.file("extdata/rps24.fa.gz", package = "FLAMES"), destname = genome_fa, remove = TRUE)

if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  sce <- FLAMES::sc_long_pipeline(
    genome_fa = genome_fa,
    fastq = system.file("extdata/fastq", package = "FLAMES"),
    annotation = system.file("extdata/rps24.gtf.gz", package = "FLAMES"),
    outdir = outdir,
    barcodes_file = bc_allow
  )
  group_anno <- data.frame(barcode_seq = colnames(sce), groups = SingleCellExperiment::counts(sce)["ENSMUST000001",])
  write.csv(group_anno, file.path(outdir, "cluster_annotation.csv"), row.names = FALSE)
  sc_DTU_analysis(sce, min_count = 1)
}
```

sc_heatmap_expression *FLAMES heatmap plots*

Description

Plot expression heatmap of top n isoforms of a gene

Usage

```
sc_heatmap_expression(
  gene,
  multiAssay,
  impute = FALSE,
  n_isoforms = 4,
  transcript_ids,
  n_pcs = 40,
  isoform_legend_width = 7,
  col_low = "#313695",
  col_mid = "#FFFFBF",
  col_high = "#A50026",
  color_quantile = 0.95
)
```

Arguments

| | |
|----------------------|---|
| gene | The gene symbol of interest. |
| multiAssay | The MultiAssayExperiment object from combine_sce(). |
| impute | Whether to impute expression levels for cells without transcript counts |
| n_isoforms | The number of expressed isoforms to keep. |
| transcript_ids | specify the transcript ids instead of selecting the top n_isoforms |
| n_pcs | The number of principal components to generate. |
| isoform_legend_width | The width of isoform legends in heatmaps, in cm. |
| col_low | Color for cells with low expression levels in UMAPs. |
| col_mid | Color for cells with intermediate expression levels in UMAPs. |
| col_high | Color for cells with high expression levels in UMAPs. |
| color_quantile | The lower and upper expression quantile to be displayed between col_low and col_high, e.g. with color_quantile = 0.95, cells with expressions higher than 95% of other cells will all be shown in col_high, and cells with expression lower than 95% of other cells will all be shown in col_low. |

Details

This function takes the combined MultiAssayExperiment object from combine_sce and plots an expression heatmap with the isoform alignment visualisations.

Value

a ggplot object of the heatmap

Examples

```
combined_sce <- combine_sce(  
  short_read_large = scmixology_lib90,  
  short_read_small = scmixology_lib10,  
  long_read_sce = scmixology_lib10_transcripts,  
  remove_duplicates = FALSE)  
sc_heatmap_expression(gene = "ENSG00000108107", multiAssay = combined_sce)
```

sc_long_multisample_pipeline

Pipeline for Multi-sample Single Cell Data

Description

Semi-supervised isoform detection and annotation for long read data. This variant is for multi-sample single cell data. By default, this pipeline demultiplexes input fastq data (`match_cell_barcode = TRUE`). Specific parameters relating to analysis can be changed either through function arguments, or through a configuration JSON file.

Usage

```
sc_long_multisample_pipeline(  
  annotation,  
  fastqs,  
  outdir,  
  genome_fa,  
  sample_names = NULL,  
  minimap2 = NULL,  
  k8 = NULL,  
  barcodes_file = NULL,  
  expect_cell_numbers = NULL,  
  config_file = NULL  
)
```

Arguments

| | |
|------------|---|
| annotation | The file path to the annotation file in GFF3 format |
| fastqs | The input fastq files for multiple samples. It can be provided in different way: 1) a single path to the folder containing fastq files, each fastq file will be treated as a sample; or 2) a vector of paths to each fastq file, each fastq file will be treated as a sample; or 3) a vector of paths to folders containing fastq files, each folder will be treated as a sample. |

| | |
|----------------------------------|--|
| <code>outdir</code> | The path to directory to store all output files. |
| <code>genome_fa</code> | The file path to genome fasta file. |
| <code>sample_names</code> | A vector of sample names, Default to the file names of input fastq files, or folder names if <code>fastqs</code> is a vector of folders. |
| <code>minimap2</code> | Path to minimap2, if it is not in <code>PATH</code> . Only required if either or both of <code>do_genome_align</code> and <code>do_read_realign</code> are <code>TRUE</code> . |
| <code>k8</code> | Path to the k8 Javascript shell binary. Only required if <code>do_genome_align</code> is <code>TRUE</code> . |
| <code>barcodes_file</code> | The file path to the reference csv used for demultiplexing in flexiplex. If not specified, the demultiplexing will be performed using BLAZE. Default is <code>NULL</code> . |
| <code>expect_cell_numbers</code> | A vector of roughly expected numbers of cells in each sample E.g., the targeted number of cells. Required if using BLAZE for demultiplexing, specifically, when the <code>do_barcode_demultiplex</code> are <code>TRUE</code> in the the JSON configuration file and <code>barcodes_file</code> is not specified. Default is <code>NULL</code> . |
| <code>config_file</code> | File path to the JSON configuration file. If specified, <code>config_file</code> overrides all configuration parameters |

Details

By default FLAMES use minimap2 for read alignment. After the genome alignment step (`do_genome_align`), FLAMES summarizes the alignment for each read in every sample by grouping reads with similar splice junctions to get a raw isoform annotation (`do_isoform_id`). The raw isoform annotation is compared against the reference annotation to correct potential splice site and transcript start/end errors. Transcripts that have similar splice junctions and transcript start/end to the reference transcript are merged with the reference. This process will also collapse isoforms that are likely to be truncated transcripts. If `isoform_id_bambu` is set to `TRUE`, `bambu::bambu` will be used to generate the updated annotations (Not implemented for multi-sample yet). Next is the read realignment step (`do_read_realign`), where the sequence of each transcript from the update annotation is extracted, and the reads are realigned to this updated `transcript_assembly.fa` by minimap2. The transcripts with only a few full-length aligned reads are discarded (Not implemented for multi-sample yet). The reads are assigned to transcripts based on both alignment score, fractions of reads aligned and transcript coverage. Reads that cannot be uniquely assigned to transcripts or have low transcript coverage are discarded. The UMI transcript count matrix is generated by collapsing the reads with the same UMI in a similar way to what is done for short-read scRNA-seq data, but allowing for an edit distance of up to 2 by default. Most of the parameters, such as the minimal distance to splice site and minimal percentage of transcript coverage can be modified by the JSON configuration file (`config_file`).

The default parameters can be changed either through the function arguments or through the configuration JSON file `config_file`. the `pipeline_parameters` section specifies which steps are to be executed in the pipeline - by default, all steps are executed. The `isoform_parameters` section affects isoform detection - key parameters include:

- `Min_sup_cnt` which causes transcripts with less reads aligned than it's value to be discarded
- `MAX_TS_DIST` which merges transcripts with the same intron chain and TSS/TES distance less than `MAX_TS_DIST`

- `strand_specific` which specifies if reads are in the same strand as the mRNA (1), or the reverse complemented (-1) or not strand specific (0), which results in strand information being based on reference annotation.

Value

a list of `SingleCellExperiment` objects if "do_transcript_quantification" set to true. Otherwise nothing will be returned.

See Also

[bulk_long_pipeline\(\)](#) for bulk long data, [SingleCellExperiment\(\)](#) for how data is outputted

Examples

```
reads <- ShortRead::readFastq(system.file("extdata/fastq/musc_rps24.fastq.gz", package = "FLAMES"))
outdir <- tempfile()
dir.create(outdir)
dir.create(file.path(outdir, "fastq"))
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(filename = system.file("extdata/bc_allow.tsv.gz", package = "FLAMES"), destname = bc_allow, remove = TRUE)
R.utils::gunzip(filename = system.file("extdata/rps24.fa.gz", package = "FLAMES"), destname = genome_fa, remove = TRUE)
ShortRead::writeFastq(sample(reads, size = 500, replace = TRUE), file.path(outdir, "fastq/sample1.fq.gz"), mode = "w")
ShortRead::writeFastq(sample(reads, size = 500, replace = TRUE), file.path(outdir, "fastq/sample2.fq.gz"), mode = "w")
ShortRead::writeFastq(sample(reads, size = 500, replace = TRUE), file.path(outdir, "fastq/sample3.fq.gz"), mode = "w")

if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  sce_list <- FLAMES::sc_long_multisample_pipeline(
    annotation = system.file("extdata/rps24.gtf.gz", package = "FLAMES"),
    fastqs = file.path(outdir, "fastq", list.files(file.path(outdir, "fastq"))),
    outdir = outdir,
    genome_fa = genome_fa,
    barcodes_file = rep(bc_allow, 3)
  )
}
```

sc_long_pipeline

Pipeline for Single Cell Data

Description

Semi-supervised isoform detection and annotation for long read data. This variant is for single cell data. By default, this pipeline demultiplexes input fastq data (`match_cell_barcode = TRUE`). Specific parameters relating to analysis can be changed either through function arguments, or through a configuration JSON file.

Usage

```

sc_long_pipeline(
  annotation,
  fastq,
  genome_bam = NULL,
  outdir,
  genome_fa,
  minimap2 = NULL,
  k8 = NULL,
  barcodes_file = NULL,
  expect_cell_number = NULL,
  config_file = NULL
)

```

Arguments

| | |
|--------------------|--|
| annotation | The file path to the annotation file in GFF3 format |
| fastq | The file path to input fastq file |
| genome_bam | Optional file path to a bam file to use instead of fastq file (skips initial alignment step) |
| outdir | The path to directory to store all output files. |
| genome_fa | The file path to genome fasta file. |
| minimap2 | Path to minimap2, if it is not in PATH. Only required if either or both of do_genome_align and do_read_realign are TRUE. |
| k8 | Path to the k8 Javascript shell binary. Only required if do_genome_align is TRUE. |
| barcodes_file | The file path to the reference csv used for demultiplexing in flexiplex. If not specified, the demultiplexing will be performed using BLAZE. Default is NULL. |
| expect_cell_number | Expected number of cells for identifying the barcode list in BLAZE. This could be just a rough estimate. E.g., the targeted number of cells. Required if the do_barcode_demultiplex are TRUE in the the JSON configuration file and barcodes_file is not specified. Default is NULL. |
| config_file | File path to the JSON configuration file. If specified, config_file overrides all configuration parameters |

Details

By default FLAMES use minimap2 for read alignment. After the genome alignment step (do_genome_align), FLAMES summarizes the alignment for each read by grouping reads with similar splice junctions to get a raw isoform annotation (do_isoform_id). The raw isoform annotation is compared against the reference annotation to correct potential splice site and transcript start/end errors. Transcripts that have similar splice junctions and transcript start/end to the reference transcript are merged with the reference. This process will also collapse isoforms that are likely to be truncated transcripts. If isoform_id_bambu is set to TRUE, bambu::bambu will be used to generate the updated annotations. Next is the read realignment step (do_read_realign), where the sequence of

each transcript from the update annotation is extracted, and the reads are realigned to this updated `transcript_assembly.fa` by `minimap2`. The transcripts with only a few full-length aligned reads are discarded. The reads are assigned to transcripts based on both alignment score, fractions of reads aligned and transcript coverage. Reads that cannot be uniquely assigned to transcripts or have low transcript coverage are discarded. The UMI transcript count matrix is generated by collapsing the reads with the same UMI in a similar way to what is done for short-read scRNA-seq data, but allowing for an edit distance of up to 2 by default. Most of the parameters, such as the minimal distance to splice site and minimal percentage of transcript coverage can be modified by the JSON configuration file (`config_file`).

The default parameters can be changed either through the function arguments or through the configuration JSON file `config_file`. the `pipeline_parameters` section specifies which steps are to be executed in the pipeline - by default, all steps are executed. The `isoform_parameters` section affects isoform detection - key parameters include:

- `Min_sup_cnt` which causes transcripts with less reads aligned than its value to be discarded
- `MAX_TS_DIST` which merges transcripts with the same intron chain and TSS/TES distance less than `MAX_TS_DIST`
- `strand_specific` which specifies if reads are in the same strand as the mRNA (1), or the reverse complemented (-1) or not strand specific (0), which results in strand information being based on reference annotation.

Value

if `do_transcript_quantification` set to true, `sc_long_pipeline` returns a `SingleCellExperiment` object, containing a count matrix as an assay, gene annotations under metadata, as well as a list of the other output files generated by the pipeline. The pipeline also outputs a number of output files into the given `outdir` directory. These output files generated by the pipeline are:

- `transcript_count.csv.gz` - a transcript count matrix (also contained in the `SingleCellExperiment`)
- `isoform_annotated.filtered.gff3` - isoforms in `gff3` format (also contained in the `SingleCellExperiment`)
- `transcript_assembly.fa` - transcript sequence from the isoforms
- `align2genome.bam` - sorted BAM file with reads aligned to genome
- `realign2transcript.bam` - sorted realigned BAM file using the `transcript_assembly.fa` as reference
- `tss_tes.bedgraph` - TSS TES enrichment for all reads (for QC)

if `do_transcript_quantification` set to false, nothing will be returned

See Also

[bulk_long_pipeline\(\)](#) for bulk long data, [SingleCellExperiment\(\)](#) for how data is outputted

Examples

```

outdir <- tempfile()
dir.create(outdir)
bc_allow <- file.path(outdir, "bc_allow.tsv")
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(filename = system.file("extdata/bc_allow.tsv.gz", package = "FLAMES"), destname = bc_allow, remove = TRUE)
R.utils::gunzip(filename = system.file("extdata/rps24.fa.gz", package = "FLAMES"), destname = genome_fa, remove = TRUE)

if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  sce <- FLAMES::sc_long_pipeline(
    genome_fa = genome_fa,
    fastq = system.file("extdata/fastq", package = "FLAMES"),
    annotation = system.file("extdata/rps24.gtf.gz", package = "FLAMES"),
    outdir = outdir,
    barcodes_file = bc_allow
  )
}

```

sc_mutations

Variant count for single-cell data

Description

Count the number of reads supporting each variants at the given positions for each cell.

Usage

```

sc_mutations(
  bam_path,
  seqnames,
  positions,
  indel = FALSE,
  barcodes,
  threads = 1
)

```

Arguments

| | |
|-----------|--|
| bam_path | character(1) or character(n): path to the bam file(s) aligned to the reference genome (NOT the transcriptome! Unless the positions are also from the transcriptome). |
| seqnames | character(n): chromosome names of the positions to count alleles. |
| positions | integer(n): positions, 1-based, same length as seqnames. The positions to count alleles. |
| indel | logical(1): whether to count indels (TRUE) or SNPs (FALSE). |

| | |
|----------|--|
| barcodes | character(n) when bam_path is a single file, or list of character(n) when bam_path is a list of files paths. The cell barcodes to count alleles for. Only reads with these barcodes will be counted. |
| threads | integer(1): number of threads to use. Maximum number of threads is the number of bam files * number of positions. |

Value

A tibble with columns: allele, barcode, allele_count, cell_total_reads, pct, pos, seqname.

Examples

```

outdir <- tempfile()
dir.create(outdir)
genome_fa <- file.path(outdir, "rps24.fa")
R.utils::gunzip(filename = system.file("extdata/rps24.fa.gz", package = "FLAMES"), destname = genome_fa, remove =
download.file("https://raw.githubusercontent.com/mritchielab/FLAMES/devel/tests/testthat/demultiplexed.fq",
  destfile = file.path(outdir, "demultiplexed.fq")
) # can't be bothered to run demultiplexing again
if (!any(is.na(sys_which(c("minimap2", "k8"))))) {
  minimap2_align( # align to genome
    config = jsonlite::fromJSON(system.file("extdata/SIRV_config_default.json", package = "FLAMES")),
    fa_file = genome_fa,
    fq_in = file.path(outdir, "demultiplexed.fq"),
    annot = system.file("extdata/rps24.gtf.gz", package = "FLAMES"),
    outdir = outdir
  )
  snps_tb <- sc_mutations(
    bam_path = file.path(outdir, "align2genome.bam"),
    seqnames = c("chr14", "chr14"),
    positions = c(1260, 2714), # positions of interest
    indel = FALSE,
    barcodes = read.delim(system.file("extdata/bc_allow.tsv.gz", package = "FLAMES"), header = FALSE)$V1
  )
  head(snps_tb)
  snps_tb |>
    dplyr::filter(pos == 1260) |>
    dplyr::group_by(allele) |>
    dplyr::summarise(count = sum(allele_count)) # should be identical to samtools pileup
}

```

sc_reduce_dims

runPCA and runUMAP wrapper

Description

runPCA and runUMAP wrapper for combined SCE object from combine_sce

Usage

```
sc_reduce_dims(multiAssay, n_pcs = 40, n_hvgs = 2000)
```

Arguments

| | |
|------------|--|
| multiAssay | The MultiAssayExperiment object from combine_sce(). |
| n_pcs | The number of principal components to generate. |
| n_hvgs | The number of variable genes to use for running PCA. |

Details

This function takes the combined MultiAssayExperiment object from combine_sce and run scater::runUMAP and / or scran::fixedPCA

Value

the MultiAssayExperiment with reduced dimensions

Examples

```
combined_sce <- combine_sce(
  short_read_large = scmixology_lib90,
  short_read_small = scmixology_lib10,
  long_read_sce = scmixology_lib10_transcripts,
  remove_duplicates = FALSE)
sc_reduce_dims(multiAssay = combined_sce)
```

sc_umap_expression *FLAMES UMAP plots*

Description

Plot expression UMAPs of top n isoforms of a gene

Usage

```
sc_umap_expression(
  gene,
  multiAssay,
  impute = FALSE,
  grided = TRUE,
  n_isoforms = 4,
  transcript_ids,
  n_pcs = 40,
  col_low = "#313695",
  col_mid = "#FFFFBF",
  col_high = "#A50026"
)
```

Arguments

| | |
|----------------|--|
| gene | The gene symbol of interest. |
| multiAssay | The MultiAssayExperiment object from combine_sce(). |
| impute | Whether to impute expression levels for cells without transcript counts |
| grided | Whether to produce multiple UMAP plots, with each showing expression level for an isoform, to allow plotting more than 2 isoforms. |
| n_isoforms | The number of expressed isoforms to keep. n_isoforms > 2 requires grided = TRUE |
| transcript_ids | specify the transcript ids instead of selecting the top n_isoforms |
| n_pcs | The number of principal components to generate. |
| col_low | Color for cells with low expression levels in UMAPs. |
| col_mid | Color for cells with intermediate expression levels in UMAPs. |
| col_high | Color for cells with high expression levels in UMAPs. |

Details

This function takes the combined MultiAssayExperiment object from `cexample("MultiAssayExperiment")combine_sce` and plots UMAPs for each isoform of gene, where cells are colored by expression levels. When `grided = TRUE`, the UMAPs are combined into a grid, along with the isoforms' visualization along genomic coordinates. Produces a single UMAP with isoform expressions colored by `col_low` and `col_high` when `grided = FALSE`.

Value

a ggplot object of the UMAP(s)

Examples

```
combined_sce <- combine_sce(
  short_read_large = scmixology_lib90,
  short_read_small = scmixology_lib10,
  long_read_sce = scmixology_lib10_transcripts,
  remove_duplicates = FALSE)

sc_umap_expression(gene = "ENSG00000108107", multiAssay = combined_sce)
```

 sys_which

Sys.which wrapper Wrapper for Sys.which that replaces "" with NA

Description

The `base::Sys.which` function returns "" if the command is not found on some systems and NA on others. This wrapper replaces "" with NA

Usage

```
sys_which(command)
```

Arguments

command character, the command to search for

Value

character, the path to the command or NA

Examples

```
sys_which("minimap2")
```

Index

* datasets

- scmixology_lib10, 27
- scmixology_lib10_transcripts, 27
- scmixology_lib90, 28

annotation_to_fasta, 3

blaze, 3

bulk_long_pipeline, 4

bulk_long_pipeline(), 33, 35

combine_sce, 7

create_config, 8

create_sce_from_dir, 10

create_se_from_dir, 11

cutadapt, 12

demultiplex_sockeye, 12

filter_annotation, 13

find_barcode, 13

find_isoform, 15

find_variants, 16

FLAMES, 18

flexiplex, 18

get_GRangesList, 19

minimap2_align, 20

minimap2_realign, 21

parse_gff_tree, 22

plot_coverage, 23

plot_demultiplex, 24

quantify_gene, 25

quantify_transcript, 26

sc_DTU_analysis, 28

sc_heatmap_expression, 30

sc_long_multisample_pipeline, 31

sc_long_pipeline, 33

sc_long_pipeline(), 6

sc_mutations, 36

sc_reduce_dims, 37

sc_umap_expression, 38

scmixology_lib10, 27

scmixology_lib10_transcripts, 27

scmixology_lib90, 28

SingleCellExperiment(), 33, 35

SummarizedExperiment(), 6

sys_which, 39