

Package: MicrobiotaProcess (via r-universe)

June 30, 2024

Type Package

Title A comprehensive R package for managing and analyzing microbiome and other ecological data within the tidy framework

Version 1.17.0

Description MicrobiotaProcess is an R package for analysis, visualization and biomarker discovery of microbial datasets. It introduces MPSE class, this make it more interoperable with the existing computing ecosystem. Moreover, it introduces a tidy microbiome data structure paradigm and analysis grammar. It provides a wide variety of microbiome data analysis procedures under the unified and common framework (tidy-like framework).

Depends R (>= 4.0.0)

Imports ape, tidyr, ggplot2, magrittr, dplyr, Biostrings, ggrepel, vegan, zoo, ggtree, tidytree (>= 0.4.2), MASS, methods, rlang, tibble, grDevices, stats, utils, coin, ggsignif, patchwork, ggstar, tidyselect, SummarizedExperiment, foreach, treeio (>= 1.17.2), pillar, cli, plyr, dtplyr, ggtreeExtra, data.table, ggfun (>= 0.1.1)

Suggests rmarkdown, prettydoc, testthat, knitr, nlme, phangorn, DECIPHER, randomForest, jsonlite, biomformat, scales, yaml, withr, S4Vectors, purrr, seqmagick, glue, ggupset, ggVennDiagram, gghalves, ggalluvial (>= 0.11.1), forcats, phyloseq, aplot, ggnewscale, ggside, ggh4x, hopach, parallel, shadowtext, DirichletMultinomial, ggpp, BiocManager

License GPL (>= 3.0)

URL <https://github.com/YuLab-SMU/MicrobiotaProcess/>

BugReports <https://github.com/YuLab-SMU/MicrobiotaProcess/issues>

VignetteBuilder knitr

ByteCompile true

Encoding UTF-8

biocViews Visualization, Microbiome, Software, MultipleComparison, FeatureExtraction

RoxygenNote 7.3.1

Repository <https://bioc.r-universe.dev>

RemoteUrl <https://github.com/bioc/MicrobiotaProcess>

RemoteRef HEAD

RemoteSha b7c0468cb8c8779cb96d411a778e8b0e227fb800

Contents

alphasample-class	4
as.MPSE	5
as.phyloseq	5
as.treedata.taxonomyTable	6
build_tree	7
convert_to_treedata	8
data-hmp_aerobiosis_small	9
data-kostic2012crc	9
data-test_otu_data	9
diffAnalysisClass-class	10
diff_analysis	10
drop_taxa	13
dr_extract	14
extract_binary_offspring	15
generalizedFC	16
get_alphaindex	17
get_clust	18
get_coord.pcoa	20
get_count	20
get_dist	21
get_mean_median	23
get_NRI_NTI	24
get_pca	25
get_pcoa	26
get_pvalue	27
get_rarecurve	28
get_sampledflist	29
get_taxadf	30
get_upset	31
get_varct.pcoa	33
get_vennlist	34
ggbartax	35
ggbox	37
ggclust	39
ggdiffbox	40
ggdiffclade	42
ggdifftaxbar	44
ggeffectsize	46

ggordpoint	48
ggrarecurve	50
ImportDada2	52
ImportQiime2	53
mouse.time.mpse	54
MPSE	54
MPSE-accessors	55
MPSE-class	58
mp_adonis	59
mp_aggregate	61
mp_aggregate_clade	62
mp_anosim	64
mp_balance_clade	66
mp_cal_abundance	68
mp_cal_alpha	71
mp_cal_cca	73
mp_cal_clust	74
mp_cal_dca	76
mp_cal_dist	77
mp_cal_divergence	80
mp_cal_nmds	82
mp_cal_pca	84
mp_cal_pcoa	86
mp_cal_pd_metric	88
mp_cal_rarecurve	90
mp_cal_rda	92
mp_cal_upset	93
mp_cal_venn	95
mp_decostand	97
mp_diff_analysis	98
mp_diff_clade	104
mp_dmn	109
mp_dmngroup	110
mp_envfit	111
mp_extract_abundance	113
mp_extract_assays	114
mp_extract_dist	115
mp_extract_feature	116
mp_extract_internal_attr	117
mp_extract_rarecurve	117
mp_extract_refseq	118
mp_extract_sample	119
mp_extract_tree	119
mp_filter_taxa	120
mp_fortify	122
mp_import_biom	122
mp_import_humann_regroup	123
mp_import_metaphlan	124

mp_import_qiime	125
mp_mantel	126
mp_mrpp	128
mp_plot_abundance	130
mp_plot_alpha	134
mp_plot_diff_boxplot	136
mp_plot_diff_cladogram	138
mp_plot_diff_manhattan	140
mp_plot_diff_res	142
mp_plot_dist	145
mp_plot_ord	147
mp_plot_rarecurve	150
mp_plot_upset	152
mp_plot_venn	153
mp_rrarefy	154
mp_select_as_tip	156
mp_stat_taxa	157
multi_compare	158
ordplotClass-class	159
pcasample-class	159
print	160
read_qza	161
scale_fill_diff_cladogram	161
set_diff_boxplot_color	162
set_scale_theme	162
show,diffAnalysisClass-method	163
split_data	164
split_str_to_list	165
taxonomy	166
theme_taxbar	167

Index **169**

alphasample-class *alphasample class*

Description

alphasample class

Slots

alpha data.frame contained alpha metrics of samples

sampleda associated sample information

as.MPSE	<i>as.MPSE method</i>
---------	-----------------------

Description

convert the .data object to MPSE object

Usage

```
as.MPSE(.data, ...)
```

```
as.mpse(.data, ...)
```

Arguments

.data one type of tbl_mpse, phyloseq, biom, SummarizedExperiment or TreeSummarizedExperiment class

... additional parameters, meaningless now.

Value

MPSE object

Author(s)

Shuangbin Xu

as.phyloseq	<i>convert to phyloseq object.</i>
-------------	------------------------------------

Description

convert to phyloseq object.

Usage

```
as.phyloseq(x, .abundance, ...)
```

```
as_phyloseq(x, .abundance, ...)
```

```
## S3 method for class 'MPSE'  
as.phyloseq(x, .abundance, ...)
```

```
## S3 method for class 'tbl_mpse'  
as.phyloseq(x, .abundance, ...)
```

Arguments

`x` object, `tbl_mpse` object, which the result of `as_tibble` for `phyloseq` object.
`.abundance` the column name to be as the abundance of otu table, default is `Abundance`.
`...` additional params

Value

`phyloseq` object.

```
as.treedata.taxonomyTable
      as.treedata
```

Description

convert `taxonomyTable` to `treedata`

Usage

```
## S3 method for class 'taxonomyTable'
as.treedata(tree, include.rownames = FALSE, ...)
```

Arguments

`tree` object, This is for `taxonomyTable` class, so it should be a `taxonomyTable`.
`include.rownames` logical, whether to set the `rownames` of `taxonomyTable` to tip labels, default is `FALSE`.
`...` additional parameters.

Examples

```
## Not run:
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
tree <- as.treedata(phyloseq::tax_table(test_otu_data), include.rownames = TRUE)

## End(Not run)
```

build_tree	<i>building tree</i>
------------	----------------------

Description

The function can be used to building tree.

Usage

```
build_tree(seqs, ...)

## S4 method for signature 'DNAStrngSet'
build_tree(seqs, ...)

## S4 method for signature 'DNAbin'
build_tree(seqs, ...)

## S4 method for signature 'character'
build_tree(seqs, ...)
```

Arguments

seqs	DNAStrngSet or DNAbin, the object of R.
...	additional parameters, see also AlignSeqs .

Value

the phylo class of tree.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
seqtabfile <- system.file("extdata", "seqtab.nochim.rds",
                          package="MicrobiotaProcess")
seqtab <- readRDS(seqtabfile)
refseq <- colnames(seqtab)
names(refseq) <- paste0("OTU_", seq_len(length(refseq)))
refseq <- Biostrings::DNAStrngSet(refseq)
tree <- build_tree(refseq)
or
tree <- build_tree(refseq)

## End(Not run)
```

convert_to_treedata	<i>convert dataframe contained hierarchical relationship or other classes to treedata class</i>
---------------------	---

Description

convert dataframe contained hierarchical relationship or other classes to treedata class

Usage

```
convert_to_treedata(data, type = "species", include.rownames = FALSE, ...)
```

Arguments

data	data.frame, such like the tax_table of phyloseq.
type	character, the type of datasets, default is "species", if the dataset is not about species, #' such as dataset of kegg function, you should set it to "others".
include.rownames	logical, whether to set the row names as the tip labels, default is FALSE.
...	additional parameters.

Value

treedata class.

Author(s)

Shuangbin Xu

Examples

```
## Not run:  
data(hmp_aerobiosis_small)  
head(taxda)  
treedat <- convert_to_treedata(taxda, include.rownames = FALSE)  
  
## End(Not run)
```

```
data-hmp_aerobiosis_small
```

(Data) Small subset of the HMP 16S dataset

Description

Contained three datasets, featuredata, sampledata, taxdata featuredata contained 55 samples (nrow) and 1091 features (ncol) sampledata contained 55 samples from 6 body sites of 10 subjects. taxdata contained 699 taxonomy by 6 rank. This datasets were built from the LEfSe.http://huttenhower.sph.harvard.edu/webfm_send/129

Examples

```
data(hmp_aerobiosis_small)
```

```
data-kostic2012crc
```

(Data) Genomic analysis identifies association of Fusobacterium with colorectal carcinoma (2012)

Description

This dataset was from the a study on colorectal cancer, published in Genome Research (2012). This dataset had been removed samples with less than 500 reads, contained 91 Control and 86 Tumors. And It is belong to MPSE class, contained otu_table and sample_data.

Examples

```
data(kostic2012crc)
```

```
data-test_otu_data
```

(Data) simulated dataset.

Description

This dataset was simulated. And it also was MPSE class, contained otu_table and sample_data

Examples

```
data(test_otu_data)
```

```
diffAnalysisClass-class
      diffAnalysisClass class
```

Description

diffAnalysisClass class

Slots

originalD original feature data.frame.
 sampleda associated sample information.
 taxda the data.frame contained taxonomy.
 result data.frame contained the results of first, second test and LDA or rf
 kwres the results of first test, contained feature names, pvalue and fdr.
 secondvars the results of second test, contained features names, gfc (TRUE representation the relevant feautres is enriched in relevant factorNames), Freq(the number of TRUE or FALSE), factorNames.
 mlres the results of LDA or randomForest,
 someparams, some arguments will be used in other functions [diff_analysis](#)

```
diff_analysis      Differential expression analysis
```

Description

Differential expression analysis

Usage

```
diff_analysis(obj, ...)

## S3 method for class 'data.frame'
diff_analysis(
  obj,
  sampleda,
  classgroup,
  subclass = NULL,
  taxda = NULL,
  alltax = TRUE,
  include.rownames = FALSE,
  standard_method = NULL,
  mlfun = "lda",
```

```

    ratio = 0.7,
    firstcomfun = "kruskal.test",
    padjust = "fdr",
    filtermod = "pvalue",
    firstalpha = 0.05,
    strictmod = TRUE,
    fcfun = "generalizedFC",
    secondcomfun = "wilcox.test",
    clmin = 5,
    clwilc = TRUE,
    secondalpha = 0.05,
    subclmin = 3,
    subclwilc = TRUE,
    ldascore = 2,
    normalization = 1e+06,
    bootnums = 30,
    ci = 0.95,
    type = "species",
    ...
)

## S3 method for class 'phyloseq'
diff_analysis(obj, ...)

```

Arguments

obj	object, a phyloseq class contained otu_table, sample_data, taxa, or data.frame, nrow sample * ncol features.
...	additional parameters.
sampleda	data.frame, nrow sample * ncol factor, the sample names of sampleda and data should be the same.
classgroup	character, the factor name in sampleda.
subclass	character, the factor name in sampleda, default is NULL, meaning no subclass compare.
taxda	data.frame, the classification of the feature in data. default is NULL.
alltax	logical, whether to set all classification (taxonomy) as features when taxda is not NULL, default is TRUE.
include.rownames	logical, whether to consider the OTU of obj as (all taxonomy) features, when taxda is not NULL, default is FALSE.
standard_method	character, the method of standardization, see also decostand , default is NULL, it represents that the relative abundance of taxonomy will be used. If count was set, it represents the count reads of taxonomy will be used.
mlfun	character, the method for calculating the effect size of features, choose "lda" or "rf", default is "lda".

ratio	numeric, range from 0 to 1, the proportion of samples for calculating the effect size of features, default is 0.7.
firstcomfun	character, the method for first test, "oneway.test" for normal distributions, suggested choosing "kruskal.test" for uneven distributions, default is "kruskal.test", or you can use lm, glm, or glm.nb (for negative binomial distribution), or 'kruskal_test', 'oneway_test' of 'coin'.
padjust	character, the correction method, default is "fdr".
filtermod	character, the method to filter, default is "pvalue".
firstalpha	numeric, the alpha value for the first test, default is 0.05.
strictmod	logical, whether to performed in one-against-one, default is TRUE (strict).
fcfun	character, default is "generalizedFC", it can't be set another at the present time.
secondcomfun	character, the method for one-against-one, default is "wilcox.test" for uneven distributions, or 'wilcox_test' of 'coin', or you can also use 'lm', 'glm', 'glm.nb'(for negative binomial distribution in 'MASS').
clmin	integer, the minimum number of samples per classgroup for performing test, default is 5.
clwilc	logical, whether to perform test of per classgroup, default is TRUE.
secondalpha	numeric, the alpha value for the second test, default is 0.05.
subclmin	integer, the minimum number of samples per subclass for performing test, default is 3.
subclwilc	logical, whether to perform test of per subclass, default is TRUE, meaning more strict.
ldascore	numeric, the threshold on the absolute value of the logarithmic LDA score, default is 2.
normalization	integer, set the normalization value, set a big number if to get more meaningful values for the LDA score, or you can set NULL for no normalization, default is 1000000.
bootnums	integer, set the number of bootstrap iteration for lda or rf, default is 30.
ci	numeric, the confidence interval of effect size (LDA or MDA), default is 0.95.
type	character, the type of datasets, default is "species", if the dataset is not about species, such as dataset of kegg function, you should set it to "others".

Value

diff_analysis class.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(kostic2012crc)
kostic2012crc %<>% as.phyloseq()
head(phyloseq::sample_data(kostic2012crc),3)
kostic2012crc <- phyloseq::rarefy_even_depth(kostic2012crc, rngseed=1024)
table(phyloseq::sample_data(kostic2012crc)$DIAGNOSIS)
set.seed(1024)
diffres <- diff_analysis(kostic2012crc, classgroup="DIAGNOSIS",
                        mlfun="lda", filtermod="fdr",
                        firstcomfun = "kruskal.test",
                        firstalpha=0.05, strictmod=TRUE,
                        secondcomfun = "wilcox.test",
                        subclmin=3, subclwilc=TRUE,
                        secondalpha=0.01, ldascore=3)

## End(Not run)
```

drop_taxa

Dropping Species with Few abundance and Few Occurrences

Description

Drop species or features from the feature data frame or phyloseq that occur fewer than or equal to a threshold number of occurrences and fewer abundance than to a threshold abundance.

Usage

```
drop_taxa(obj, ...)
```

```
## S4 method for signature 'data.frame'
drop_taxa(obj, minocc = 0, minabu = 0, ...)
```

```
## S4 method for signature 'phyloseq'
drop_taxa(obj, ...)
```

Arguments

obj	object, phyloseq or a dataframe of species (n_sample, n_feature).
...	additional parameters.
minocc	numeric, the threshold number of occurrences to be dropped, if < 1.0, it will be the threshold ratios of occurrences, default is 0.
minabu	numeric, the threshold abundance, if fewer than the threshold will be dropped, default is 0.

Value

dataframe of new features.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
otudafile <- system.file("extdata", "otu_tax_table.txt",
                        package="MicrobiotaProcess")
otuda <- read.table(otudafile, sep="\t",
                  header=TRUE, row.names=1,
                  check.names=FALSE, skip=1,
                  comment.char="")
otuda <- otuda[sapply(otuda, is.numeric)]
otuda <- data.frame(t(otuda), check.names=FALSE)
dim(otuda)
otudat <- drop_taxa(otuda, minocc=0.1, minabu=1)
dim(otudat)
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
keepps <- drop_taxa(test_otu_data, minocc=0.1, minabu=0)

## End(Not run)
```

`dr_extract`*Extracting the internal tbl_df attribute of tibble.*

Description

Extracting the internal tbl_df attribute of tibble.

Usage`dr_extract(name, .f = NULL)`**Arguments**

<code>name</code>	character the name of internal tbl_df attribute.
<code>.f</code>	a function (if any, default is NULL) that pre-operate the data

Value

tbl_df object

Author(s)

Shuangbin Xu

Examples

```
## Not run:
library(vegan)
data(varespec, varechem)
mpse <- MPSE(assays=list(Abundance=t(varespec)), colData=varechem)
tbl <-
mpse %>%
  mp_cal_nmds(.abundance=Abundance, action="add") %>%
  mp_envfit(.ord=NMDS, .env=colnames(varechem), action="only")
tbl
tbl %>% attributes %>% names
# This function is useful to extract the data to display with ggplot2
# you can also refer to the examples of mp_envfit.
dr_extract(name=NMDS_ENVFIT_tb)(tbl)
# add .f function
dr_extract(name=NMDS_ENVFIT_tb,
           .f=td_filter(pvals<=0.05 & label!="Humdepth"))(tbl)

## End(Not run)
```

extract_binary_offspring

extract the binary offspring of the specified internal nodes

Description

extract the binary offspring of the specified internal nodes

Usage

```
extract_binary_offspring(.data, .node, type = "tips", ...)
```

Arguments

.data	phylo or treedata object
.node	the internal nodes
type	the type of binary offspring. options are 'tips' (default), 'all', 'internal'.
...	additional parameter, meaningless now.

generalizedFC *generalized fold change*

Description

calculate the mean difference in a set of predefined quantiles of the logarithmic

Usage

```
generalizedFC(x, ...)

## Default S3 method:
generalizedFC(x, y, base = 10, steps = 0.05, pseudo = 1e-05, ...)

## S3 method for class 'formula'
generalizedFC(x, data, subset, na.action, ...)
```

Arguments

x	numeric vector, numeric vector of data values or formula, example 'Ozone ~ Month', Ozone is a numeric variable giving the data values 'Month' a factor giving the corresponding groups.
...	additional arguments.
y	numeric vector, numeric vector of data values
base	a positive or complex number, the base with respect to which logarithms are computed, default is 10.
steps	positive numeric, increment of the sequence, default is 0.05.
pseudo	positive numeric, avoid the zero for logarithmic, default is 0.00001.
data	data.frame, an optional matrix or data frame, containing the variables in the formula.
subset	(similar: see 'wilcox.test') an optional vector specifying a subset of observations to be used.
na.action	a function which indicates what should happen when the data, contain 'NA's. Defaults to 'getOption("na.action")'.

Value

list contained gfc, the mean and median of different group.

Author(s)

Shuangbin Xu

Examples

```
set.seed(1024)
data <- data.frame(A=rnorm(1:10,mean=5),
                  B=rnorm(2:11, mean=6),
                  group=c(rep("case",5),rep("control",5)))
generalizedFC(B ~ group,data=data)
generalizedFC(x=c(1,2,3,4,5),y=c(3,4,5,6,7))
```

get_alphaindex	<i>alpha index</i>
----------------	--------------------

Description

calculate the alpha index (Obsve,Chao1,Shannon,Simpson) of sample with [diversity](#)

Usage

```
get_alphaindex(obj, ...)

## S4 method for signature 'matrix'
get_alphaindex(obj, mindepth, sampled, force = FALSE, ...)

## S4 method for signature 'data.frame'
get_alphaindex(obj, ...)

## S4 method for signature 'integer'
get_alphaindex(obj, ...)

## S4 method for signature 'numeric'
get_alphaindex(obj, ...)

## S4 method for signature 'phyloseq'
get_alphaindex(obj, ...)
```

Arguments

obj	object, data.frame of (nrow sample * ncol taxonomy(feature)) or phyloseq.
...	additional arguments.
mindepth	numeric, Subsample size for rarefying community.
sampled	data.frame,sample information, row sample * column factors.
force	logical whether calculate the alpha index even the count of otu is not rarefied, default is FALSE. If it is TRUE, meaning the rarefaction is not be performed automatically.

Value

data.frame contained alpha Index.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
otudafile <- system.file("extdata", "otu_tax_table.txt",
                        package="MicrobiotaProcess")
otuda <- read.table(otudafile, sep="\t",
                  header=TRUE, row.names=1,
                  check.names=FALSE, skip=1, comment.char="")
otuda <- otuda[sapply(otuda, is.numeric)] %>% t() %>%
  data.frame(check.names=FALSE)
set.seed(1024)
alphatab <- get_alphaindex(otuda)
head(as.data.frame(alphatab))
data(test_otu_data)
class(test_otu_data)
test_otu_data %<>% as.phyloseq()
class(test_otu_data)
set.seed(1024)
alphatab2 <- get_alphaindex(test_otu_data)
head(as.data.frame(alphatab2))

## End(Not run)
```

get_clust

Hierarchical cluster analysis for the samples

Description

Hierarchical cluster analysis for the samples

Usage

```
get_clust(obj, ...)

## S3 method for class 'dist'
get_clust(obj, distmethod, sampledata = NULL, hclustmethod = "average", ...)

## S3 method for class 'data.frame'
get_clust(
  obj,
  distmethod = "euclidean",
  taxa_are_rows = FALSE,
  sampledata = NULL,
  tree = NULL,
  method = "hellinger",
```

```

    hclustmethod = "average",
    ...
)

## S3 method for class 'phyloseq'
get_clust(
  obj,
  distmethod = "euclidean",
  method = "hellinger",
  hclustmethod = "average",
  ...
)

```

Arguments

obj	phyloseq, phyloseq class or dist class, or data.frame, data.frame, default is nrow samples * ncol features.
...	additional parameters.
distmethod	character, the method of dist, when the obj is data.frame or phyloseq default is "euclidean". see also get_dist .
sampleda	data.frame, nrow sample * ncol factor. default is NULL.
hclustmethod	character, the method of hierarchical cluster, default is average.
taxa_are_rows	logical, if the features of data.frame(obj) is in column, it should set FALSE.
tree	phylo, the phylo class, see also as.phylo .
method	character, the standardization methods for community ecologists, see also decostand

Value

treedata object.

Author(s)

Shuangbin Xu

Examples

```

## Not run:
library(phyloseq)
data(GlobalPatterns)
subGlobal <- subset_samples(GlobalPatterns,
  SampleType %in% c("Feces", "Mock", "Ocean", "Skin"))
hcsample <- get_clust(subGlobal, distmethod="jaccard",
  method="hellinger", hclustmethod="average")

## End(Not run)

```

get_coord.pcoa	<i>get ordination coordinates.</i>
----------------	------------------------------------

Description

get ordination coordinates.

Usage

```
## S3 method for class 'pcoa'
get_coord(obj, pc)

get_coord(obj, pc)

## S3 method for class 'prcomp'
get_coord(obj, pc)
```

Arguments

obj	object,prcomp class or pcoa class
pc	integer vector, the component index.

Value

ordplotClass object.

Examples

```
## Not run:
require(graphics)
data(USArrests)
pcares <- prcomp(USArrests, scale = TRUE)
coordtab <- get_coord(pcares,pc=c(1, 2))
coordtab2 <- get_coord(pcares, pc=c(2, 3))

## End(Not run)
```

get_count	<i>calculate the count or relative abundance of replicate element with a specific column</i>
-----------	--

Description

Calculate the count or relative abundance of replicate element with a specific column

Usage

```
get_count(data, featurelist, ...)
```

```
get_ratio(data, featurelist, ...)
```

Arguments

`data` dataframe; a dataframe contained one character column and others is numeric, if featurelist is NULL. Or a numeric dataframe, if featurelist is non't NULL, all columns should be numeric.

`featurelist` dataframe; a dataframe contained one character column, default is NULL.

`...` additional parameters.

Value

mean of data.frame by featurelist

Author(s)

Shuangbin Xu

Examples

```
## Not run:
otudafile <- system.file("extdata", "otu_tax_table.txt",
  package="MicrobiotaProcess")
samplefile <- system.file("extdata",
  "sample_info.txt", package="MicrobiotaProcess")
otuda <- read.table(otudafile, sep="\t", header=TRUE,
  row.names=1, check.names=FALSE,
  skip=1, comment.char="")
sampleda <- read.table(samplefile,
  sep="\t", header=TRUE, row.names=1)
taxdf <- otuda[!sapply(otuda, is.numeric)]
taxdf <- split_str_to_list(taxdf)
otuda <- otuda[sapply(otuda, is.numeric)]
phycount <- get_count(otuda, taxdf[,2,drop=FALSE])
phyratios <- get_ratio(otuda, taxdf[,2,drop=FALSE])

## End(Not run)
```

get_dist

calculate distance

Description

calculate distance

Usage

```

get_dist(obj, ...)

## S3 method for class 'data.frame'
get_dist(
  obj,
  distmethod = "euclidean",
  taxa_are_rows = FALSE,
  sampleda = NULL,
  tree = NULL,
  method = "hellinger",
  ...
)

## S3 method for class 'phyloseq'
get_dist(obj, distmethod = "euclidean", method = "hellinger", ...)

```

Arguments

obj	phyloseq, phyloseq class or data.frame nrow sample * ncol feature.
...	additional parameters.
distmethod	character, default is "euclidean", see also distanceMethodList
taxa_are_rows	logical, default is FALSE.
sampleda	data.frame, nrow sample * ncol factors.
tree	object, the phylo class, see also as.phylo .
method	character, default is hellinger, see also decostand

Value

distance class contained distmethod and originalD attr

See Also

[distance](#)

Examples

```

## Not run:
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
distclass <- get_dist(test_otu_data)
hcsample <- get_clust(distclass)

## End(Not run)

```

get_mean_median	<i>get the mean and median of specific feature.</i>
-----------------	---

Description

get the mean and median of specific feature.

Usage

```
get_mean_median(datameta, feature, subclass)
```

Arguments

datameta	data.frame, nrow sample * ncol feature + factor.
feature	character vector, the feature contained in datameta.
subclass	character, factor name.

Value

featureMeanMedian object, contained the abundance of feature, and the mean and median of feature by subclass.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(hmp_aerobiosis_small)
head(sampleda)
featureda <- merge(featureda, sampleda, by=0)
rownames(featureda) <- as.vector(featureda$Row.names)
featureda$Row.names <- NULL
feameamed <- get_mean_median(datameta=featureda,
                             feature="p_Actinobacteria",
                             subclass="body_site")
fplot <- ggdifftaxbar(feameamed, featurename="p_Actinobacteria",
                      classgroup="oxygen_availability", subclass="body_site")

## End(Not run)
```

get_NRI_NTI *calculating related phylogenetic alpha metric*

Description

calculating related phylogenetic alpha metric

Usage

```
get_NRI_NTI(obj, ...)

## S4 method for signature 'matrix'
get_NRI_NTI(
  obj,
  mindepth,
  sampled,
  tree,
  metric = c("PAE", "NRI", "NTI", "PD", "HAED", "EAED", "IAC", "all"),
  abundance.weighted = FALSE,
  force = FALSE,
  seed = 123,
  ...
)

## S4 method for signature 'data.frame'
get_NRI_NTI(obj, mindepth, sampled, tree, abundance.weighted = TRUE, ...)

## S4 method for signature 'phyloseq'
get_NRI_NTI(obj, mindepth, abundance.weighted = TRUE, ...)
```

Arguments

obj	object, data.frame of (nrow sample * ncol taxonomy(feature)) or phyloseq.
...	additional arguments, meaningless now.
mindepth	numeric, Subsample size for rarefying community.
sampled	data.frame, sample information, row sample * column factors.
tree	tree object, it can be phylo object or treedata object.
metric	the related phylogenetic metric, options is 'NRI', 'NTI', 'PD', 'PAE', 'HAED', 'EAED', 'IAC', 'all', default is 'PAE', meaning all the metrics ('NRI', 'NTI', 'PD', 'PAE', 'HAED', 'EAED', 'IAC').
abundance.weighted	logical, whether calculate mean nearest taxon distances for each species weighted by species abundance, default is FALSE.
force	logical whether calculate the index even the count of otu is not rarefied, default is FALSE. If it is TRUE, meaning the rarefaction is not performed automatically.

seed integer a random seed to make the result reproducible, default is 123.

Value

alphasample object contained NRT and NTI.

Author(s)

Shuangbin Xu

get_pca *Performs a principal components analysis*

Description

Performs a principal components analysis

Usage

```
get_pca(obj, ...)

## S3 method for class 'data.frame'
get_pca(obj, sampled = NULL, method = "hellinger", ...)

## S3 method for class 'phyloseq'
get_pca(obj, method = "hellinger", ...)
```

Arguments

obj phyloseq, phyloseq class or data.frame shape of data.frame is nrow sample * ncol feature.

... additional parameters, see [prcomp](#).

sampled data.frame, nrow sample * ncol factors.

method character, the standardization methods for community ecologists. see [decostand](#).

Value

pcasample class, contained prcomp class and sample information.

Examples

```
## Not run:
library(phyloseq)
data(GlobalPatterns)
subGlobal <- subset_samples(GlobalPatterns,
  SampleType %in% c("Feces", "Mock", "Ocean", "Skin"))
pcares <- get_pca(subGlobal, method="hellinger")
pcaplot <- ggordpoint(pcares, biplot=TRUE,
```

```

speciesannot=TRUE,
factorNames=c("SampleType"), ellipse=TRUE)

## End(Not run)

```

```

get_pcoa           performs principal coordinate analysis (PCoA)

```

Description

performs principal coordinate analysis (PCoA)

Usage

```

get_pcoa(obj, ...)

## S3 method for class 'data.frame'
get_pcoa(
  obj,
  distmethod = "euclidean",
  taxa_are_rows = FALSE,
  sampleda = NULL,
  tree = NULL,
  method = "hellinger",
  ...
)

## S3 method for class 'dist'
get_pcoa(
  obj,
  distmethod,
  data = NULL,
  sampleda = NULL,
  method = "hellinger",
  ...
)

## S3 method for class 'phyloseq'
get_pcoa(obj, distmethod = "euclidean", ...)

```

Arguments

obj	phyloseq, the phyloseq class or dist class.
...	additional parameter, see also get_dist .
distmethod	character, the method of distance, see also distance
taxa_are_rows	logical, if feature of data is column, it should be set FALSE.

sampleda	data.frame, nrow sample * ncol factor, default is NULL.
tree	phylo, the phylo class, default is NULL, when use unifrac method, it should be required.
method	character, the standardization method for community ecologists, default is hellinger, if the data has be normlized, it shoud be set NULL.
data	data.frame, numeric data.frame nrow sample * ncol features.

Value

pcasample object, contained prcomp or pcoa and sampleda (data.frame).

Author(s)

Shuangbin Xu

Examples

```
## Not run:
library(phyloseq)
data(GlobalPatterns)
subGlobal <- subset_samples(GlobalPatterns,
                             SampleType %in% c("Feces", "Mock", "Ocean", "Skin"))
pcoares <- get_pcoa(subGlobal,
                    distmethod="euclidean",
                    method="hellinger")
pcoaplot <- ggordpoint(pcoares, biplot=FALSE,
                       speciesannot=FALSE,
                       factorNames=c("SampleType"),
                       ellipse=FALSE)

## End(Not run)
```

get_pvalue

Methods for computation of the p-value

Description

Methods for computation of the p-value

Usage

```
get_pvalue(obj)

## S3 method for class 'htest'
get_pvalue(obj)

## S3 method for class 'lme'
get_pvalue(obj)
```

```
## S3 method for class 'negbin'  
get_pvalue(obj)  
  
## S3 method for class 'ScalarIndependenceTest'  
get_pvalue(obj)  
  
## S3 method for class 'QuadTypeIndependenceTest'  
get_pvalue(obj)  
  
## S3 method for class 'lm'  
get_pvalue(obj)  
  
## S3 method for class 'glm'  
get_pvalue(obj)
```

Arguments

obj object, such as htest, lm, negbin ScalarIndependenceTest class.

Value

pvalue.

Author(s)

Shuangbin Xu

Examples

```
library(nlme)  
lmeres <- lme(distance ~ Sex,data=Orthodont)  
pvalue <- get_pvalue(lmeres)
```

get_rarecurve *obtain the result of rare curve*

Description

generate the result of rare curve.

Usage

```
get_rarecurve(obj, ...)  
  
## S4 method for signature 'data.frame'  
get_rarecurve(obj, sampledata, factorLevels = NULL, chunks = 400)  
  
## S4 method for signature 'phyloseq'  
get_rarecurve(obj, ...)
```

Arguments

obj	phyloseq class or data.frame shape of data.frame (nrow sample * ncol feature)
...	additional parameters.
sampleda	data.frame, (nrow sample * ncol factor)
factorLevels	list, the levels of the factors, default is NULL, if you want to order the levels of factor, you can set this.
chunks	integer, the number of subsample in a sample, default is 400.

Details

This function is designed to calculate the rare curve result of otu table the result can be visualized by 'ggrarecurve'.

Value

rarecurve class, which can be visualized by ggrarecurve

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
set.seed(1024)
res <- get_rarecurve(test_otu_data, chunks=200)
p <- ggrarecurve(obj=res,
                 indexNames=c("Observe", "Chao1", "ACE"),
                 shadow=FALSE,
                 factorNames="group")

## End(Not run)
```

get_sampledflist *Generate random data list from a original data.*

Description

Generate random data list from a original data.

Usage

```
get_sampledflist(dalist, bootnums = 30, ratio = 0.7, makerownames = FALSE)
```

Arguments

dalist list, a list contained multi data.frame.
 bootnums integer, the number of bootstrap iteration, default is 30.
 ratio numeric, the ratios of each data.frame to keep.
 makerownames logical, whether build row.names,default is FALSE.

Value

the list contained the data.frame generated by bootstrap iteration.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(iris)
irislist <- split(iris, iris$Species)
set.seed(1024)
irislist <- get_sampledflist(irislist)

## End(Not run)
```

<code>get_taxadf</code>	<i>get the data of specified taxonomy</i>
-------------------------	---

Description

get the data of specified taxonomy

Usage

```
get_taxadf(obj, ...)

## S4 method for signature 'phyloseq'
get_taxadf(obj, taxlevel = 2, type = "species", ...)

## S4 method for signature 'data.frame'
get_taxadf(
  obj,
  taxda,
  taxa_are_rows,
  taxlevel,
  sampleda = NULL,
  type = "species",
  ...
)
```

Arguments

obj	phyloseq, phyloseq class or data.frame the shape of data.frame (nrow sample * column feature taxa_are_rows set FALSE, nrow feature * ncol sample, taxa_are_rows set TRUE).
...	additional parameters.
taxlevel	character, the column names of taxa that you want to get. when the input is phyloseq class, you can use 1 to 7.
type	character, the type of datasets, default is "species", if the dataset is not about species, such as dataset of kegg function, you should set it to "others".
taxda	data.frame, the classifies of feature contained in obj(data.frame).
taxa_are_rows	logical, if the column of data.frame are features, it should be set FALSE.
sampleda	data.frame, the sample information.

Value

phyloseq class contained tax data.frame and sample information.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
library(ggplot2)
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
phytax <- get_taxadf(test_otu_data, taxlevel=2)
phytax
head(phyloseq::otu_table(phytax))
phybar <- ggbartax(phytax) +
  xlab(NULL) + ylab("relative abundance (%)")

## End(Not run)
```

get_upset

generate the dataset for upset of UpSetR

Description

generate the dataset for upset of UpSetR

Usage

```
get_upset(obj, ...)

## S4 method for signature 'data.frame'
get_upset(obj, sampledata, factorNames, threshold = 0)

## S4 method for signature 'phyloseq'
get_upset(obj, ...)
```

Arguments

obj	object, phyloseq or data.frame, if it is data.frame, the shape of it should be row sample * columns features.
...	additional parameters.
sampledata	data.frame, if the obj is data.frame, the sampledata should be provided.
factorNames	character, the column names of factor in sampledata
threshold	integer, default is 0.

Value

a data.frame for the input of 'upset' of 'UpSetR'.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
upsetda <- get_upset(test_otu_data, factorNames="group")
otudafile <- system.file("extdata", "otu_tax_table.txt",
                        package="MicrobiotaProcess")
samplefile <- system.file("extdata", "sample_info.txt",
                          package="MicrobiotaProcess")
otuda <- read.table(otudafile, sep="\t", header=TRUE,
                  row.names=1, check.names=FALSE,
                  skip=1, comment.char="")
sampledata <- read.table(samplefile, sep="\t",
                        header=TRUE, row.names=1)

head(sampledata)
otuda <- otuda[sapply(otuda, is.numeric)]
otuda <- data.frame(t(otuda), check.names=FALSE)
head(otuda[1:5, 1:5])
upsetda2 <- get_upset(obj=otuda, sampledata=sampledata,
                    factorNames="group")
#Then you can use `upset` of `UpSetR` to visualize the results.
library(UpSetR)
```



```

upset(upsetda, sets=c("B","D","M","N"), sets.bar.color = "#56B4E9",
      order.by = "freq", empty.intersections = "on")

## End(Not run)

```

get_varct.pcoa	<i>get the contribution of variables</i>
----------------	--

Description

get the contribution of variables

Usage

```

## S3 method for class 'pcoa'
get_varct(obj, ...)

get_varct(obj, ...)

## S3 method for class 'prcomp'
get_varct(obj, ...)

## S3 method for class 'pcasample'
get_varct(obj, ...)

```

Arguments

obj	prcomp class or pcasample class
...	additional parameters.

Value

the VarContrib class, contained the contribution and coordinate of features.

Examples

```

## Not run:
library(phyloseq)
data(GlobalPatterns)
subGlobal <- subset_samples(GlobalPatterns,
  SampleType %in% c("Feces", "Mock", "Ocean", "Skin"))
pcares <- get_pca(subGlobal, method="hellinger")
varres <- get_varct(pcares)

## End(Not run)

```

get_vennlist	<i>generate a vennlist for VennDiagram</i>
--------------	--

Description

generate a vennlist for VennDiagram

Usage

```
get_vennlist(obj, ...)  
  
## S4 method for signature 'phyloseq'  
get_vennlist(obj, factorNames, ...)  
  
## S4 method for signature 'data.frame'  
get_vennlist(obj, sampleinfo = NULL, factorNames = NULL, ...)
```

Arguments

obj	phyloseq, phyloseq class or data.frame a dataframe contained one character column and the others are numeric. or all columns should be numeric if sampleinfo isn't NULL.
...	additional parameters
factorNames	character, a column name of sampleinfo, when sampleinfo isn't NULL, factorNames shouldn't be NULL, default is NULL, when the input is phyloseq, the factorNames should be provided.
sampleinfo	dataframe; a sample information, default is NULL.

Value

return a list for VennDiagram.

Author(s)

Shuangbin Xu

Examples

```
## Not run:  
data(test_otu_data)  
test_otu_data %<>% as.phyloseq()  
vennlist <- get_vennlist(test_otu_data,  
                        factorNames="group")  
  
vennlist  
library(VennDiagram)  
venn.diagram(vennlist, height=5,  
            width=5, filename = "./test_venn.pdf",
```

```

alpha = 0.85, fontfamily = "serif",
fontface = "bold", cex = 1.2,
cat.cex = 1.2, cat.default.pos = "outer",
cat.dist = c(0.22, 0.22, 0.12, 0.12),
margin = 0.1, lwd = 3,
lty = 'dotted',
imagetype = "pdf")

## End(Not run)

```

ggbartax

taxonomy barplot

Description

taxonomy barplot

Usage

```

ggbartax(obj, ...)

ggbartaxa(obj, ...)

## S3 method for class 'phyloseq'
ggbartax(obj, ...)

## S3 method for class 'data.frame'
ggbartax(
  obj,
  mapping = NULL,
  position = "stack",
  stat = "identity",
  width = 0.7,
  topn = 30,
  count = FALSE,
  sampleda = NULL,
  factorLevels = NULL,
  sampleLevels = NULL,
  facetNames = NULL,
  plotgroup = FALSE,
  groupfun = mean,
  ...
)

```

Arguments

obj phyloseq, phyloseq class or data.frame, (nrow sample * ncol feature (factor)) or the data.frame for geom_bar.

...	additional parameters, see ggplot
mapping	set of aesthetic mapping of ggplot2, default is NULL, if the data is the data.frame for geom_bar, the mapping should be set.
position	character, default is 'stack'.
stat	character, default is 'identity'.
width	numeric, the width of bar, default is 0.7.
topn	integer, the top number of abundance taxonomy(feature).
count	logical, whether show the relative abundance.
sampleda	data.frame, (nrow sample * ncol factor), the sample information, if the data doesn't contain the information.
factorLevels	vector or list, the levels of the factors (contained names e.g. list(group=c("B","A","C")) or c(group=c("B","A","C"))), adjust the order of facet, default is NULL, if you want to order the levels of factor, you can set this.
sampleLevels	vector, adjust the order of x axis e.g. c("sample2", "sample4", "sample3"), default is NULL.
facetNames	character, default is NULL.
plotgroup	logical, whether calculate the mean or median etc for each group, default is FALSE.
groupfun	character, how to calculate for feature in each group, the default is 'mean', this will plot the mean of feature in each group.

Value

barplot of tax

Author(s)

Shuangbin Xu

Examples

```
## Not run:
library(ggplot2)
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
otubar <- ggbartax(test_otu_data) +
  xlab(NULL) + ylab("relative abundance(%)")

## End(Not run)
```

ggbox

A box or violin plot with significance test

Description

A box or violin plot with significance test

Usage

```
ggbox(obj, factorNames, ...)

## S4 method for signature 'data.frame'
ggbox(
  obj,
  sampleda,
  factorNames,
  indexNames,
  geom = "boxplot",
  factorLevels = NULL,
  compare = TRUE,
  testmethod = "wilcox.test",
  signifmap = FALSE,
  p_textsize = 2,
  step_increase = 0.1,
  boxwidth = 0.2,
  facetnrow = 1,
  controlgroup = NULL,
  comparelist = NULL,
  ...
)

## S4 method for signature 'alphasample'
ggbox(obj, factorNames, ...)
```

Arguments

obj	object, <code>alphasample</code> or <code>data.frame</code> (row sample x column features).
factorNames	character, the names of factor contained in <code>sampleda</code> .
...	additional arguments, see also stat_signif .
sampleda	<code>data.frame</code> , sample information if <code>obj</code> is <code>data.frame</code> , the <code>sampleda</code> should be provided.
indexNames	character, the vector character, should be the names of features contained object.
geom	character, "boxplot" or "violin", default is "boxplot".
factorLevels	list, the levels of the factors, default is <code>NULL</code> , if you want to order the levels of factor, you can set this.

compare	logical, whether test the features among groups,default is TRUE.
testmethod	character, the method of test, default is 'wilcox.test'. see also stat_signif .
signifmap	logical, whether the pvalue are directly written a annotaion or asterisks are used instead, default is (pvalue) FALSE. see also stat_signif .
p_textsize	numeric, the size of text of pvalue or asterisks, default is 2.
step_increase	numeric, see also stat_signif , default is 0.1.
boxwidth	numeric, the width of boxplot when the geom is 'violin', default is 0.2.
facetsrow	integer, the nrow of facet, default is 1.
controlgroup	character, the names of control group, if it was set, the other groups will compare to it, default is NULL.
comparelist	list, the list of vector, default is NULL.

Value

a 'ggplot' plot object, a box or violine plot.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
library(magrittr)
otudafile <- system.file("extdata", "otu_tax_table.txt",
  package="MicrobiotaProcess")
otuda <- read.table(otudafile, sep="\t",
  header=TRUE, row.names=1,
  check.names=FALSE, skip=1,
  comment.char="")
samplefile <- system.file("extdata",
  "sample_info.txt",
  package="MicrobiotaProcess")
sampleda <- read.table(samplefile,
  sep="\t", header=TRUE, row.names=1)
otuda <- otuda[sapply(otuda, is.numeric)] %>% t() %>%
  data.frame(check.names=FALSE)
set.seed(1024)
alphaobj1 <- get_alphaindex(otuda, sampleda=sampleda)
p1 <- ggbox(alphaobj1, factorNames="group")
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
set.seed(1024)
alphaobj2 <- get_alphaindex(test_otu_data)
class(alphaobj2)
head(as.data.frame(alphaobj2))
p2 <- ggbox(alphaobj2, factorNames="group")
# set factor levels.
p3 <- ggbox(obj=alphaobj2, factorNames="group",
```

```
        factorLevels=list(group=c("M", "N", "B", "D")))
# set control group.
p4 <- ggbox(obj=alphaobj2, factorNames="group", controlgroup="B")
  set comparelist
p5 <- ggbox(obj=alphaobj2, factorNames="group",
            comparelist=list(c("B", "D"), c("B", "M"), c("B", "N")))

## End(Not run)
```

ggclust*plot the result of hierarchical cluster analysis for the samples*

Description

plot the result of hierarchical cluster analysis for the samples

Usage

```
ggclust(obj, ...)

## S3 method for class 'treedata'
ggclust(
  obj,
  layout = "rectangular",
  factorNames = NULL,
  factorLevels = NULL,
  pointsize = 2,
  fontsize = 2.6,
  hjust = -0.1,
  ...
)
```

Arguments

<code>obj</code>	R object, treedata object.
<code>...</code>	additional params, see also geom_tippoint
<code>layout</code>	character, the layout of tree, see also ggtree .
<code>factorNames</code>	character, default is NULL.
<code>factorLevels</code>	list, default is NULL.
<code>pointsize</code>	numeric, the size of point, default is 2.
<code>fontsize</code>	numeric, the size of text of tiplabel, default is 2.6.
<code>hjust</code>	numeric, default is -0.1

Value

the figures of hierarchical cluster.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
library(phyloseq)
library(ggtree)
library(ggplot2)
data(GlobalPatterns)
subGlobal <- subset_samples(GlobalPatterns,
  SampleType %in% c("Feces", "Mock", "Ocean", "Skin"))
hcsample <- get_clust(subGlobal, distmethod="jaccard",
  method="hellinger", hclustmethod="average")
hc_p <- ggclust(hcsample, layout = "rectangular",
  pointsize=1, fontsize=0,
  factorNames=c("SampleType")) +
  theme_tree2(legend.position="right",
  plot.title = element_text(face="bold", lineheight=25,hjust=0.5))

## End(Not run)
```

ggdiffbox

boxplot for the result of diff_analysis

Description

boxplot for the result of diff_analysis

Usage

```
ggdiffbox(obj, ...)

## S4 method for signature 'diffAnalysisClass'
ggdiffbox(
  obj,
  geom = "boxplot",
  box_notch = TRUE,
  box_width = 0.05,
  dodge_width = 0.6,
  addLDA = TRUE,
  factorLevels = NULL,
  featurelist = NULL,
  removeUnknown = TRUE,
  colorlist = NULL,
  l_xlabtext = NULL,
  ...
)
```


Arguments

obj	object, diffAnalysisClass class.
...	additional arguments.
geom	character, "boxplot" or "violin", default is "boxplot".
box_notch	logical, see also 'notch' of geom_boxplot , default is TRUE.
box_width	numeric, the width of boxplot, default is 0.05
dodge_width	numeric, the width of dodge of boxplot, default is 0.6.
addLDA	logical, whether add the plot to visualize the result of LDA, default is TRUE.
factorLevels	list, the levels of the factors, default is NULL, if you want to order the levels of factor, you can set this.
featurelist	vector, the character vector, the sub feature of originalID in diffAnalysisClass, default is NULL.
removeUnknown	logical, whether remove the unknown taxonomy, default is TRUE.
colorlist	character, the color vector, default is NULL.
l_xlabtext	character, the x axis text of left panel, default is NULL.

Value

a 'ggplot' plot object, a box or violine plot for the result of diffAnalysisClass.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(kostic2012crc)
kostic2012crc %<>% as.phyloseq()
head(phyloseq::sample_data(kostic2012crc), 3)
kostic2012crc <- phyloseq::rarefy_even_depth(kostic2012crc,
                                             rngseed=1024)
table(phyloseq::sample_data(kostic2012crc)$DIAGNOSIS)
set.seed(1024)
diffres <- diff_analysis(kostic2012crc, classgroup="DIAGNOSIS",
                        mlfun="lda", filtermod="fdr",
                        firstcomfun = "kruskal.test",
                        firstalpha=0.05, strictmod=TRUE,
                        secondcomfun = "wilcox.test",
                        subclmin=3, subclwilc=TRUE,
                        secondalpha=0.01, ldascore=3)

library(ggplot2)
p <- ggdiffbox(diffres, box_notch=FALSE, l_xlabtext="relative abundance")
# set factor levels
p2 <- ggdiffbox(diffres, box_notch=FALSE, l_xlabtext="relative abundance",
                factorLevels=list(DIAGNOSIS=c("Tumor", "Healthy")))

## End(Not run)
```

ggdiffclade

plot the clade tree with highlight

Description

plot results of different analysis or data.frame, contained hierarchical relationship or other classes, such like the tax_data of phyloseq.

Usage

```
ggdiffclade(obj, ...)

## S3 method for class 'data.frame'
ggdiffclade(
  obj,
  nodedf,
  factorName,
  size,
  layout = "radial",
  linewidth = 0.6,
  bg.tree.color = "#bed0d1",
  bg.point.color = "#bed0d1",
  bg.point.stroke = 0.2,
  bg.point.fill = "white",
  skpointsize = 2,
  highlight.size = 0.2,
  alpha = 0.4,
  taxlevel = 5,
  cladetext = 2.5,
  tip.annot = TRUE,
  as.tiplab = TRUE,
  factorLevels = NULL,
  xlim = 12,
  removeUnknown = FALSE,
  reduce = FALSE,
  type = "species",
  ...
)

## S3 method for class 'diffAnalysisClass'
ggdiffclade(obj, size, removeUnknown = TRUE, ...)
```

Arguments

obj object, diffAnalysisClass, the results of diff_analysis see also [diff_analysis](#), or data.frame, contained hierarchical relationship or other classes.

... additional parameters.

nodedf	data.frame, contained the tax and the factor information and(or pvalue).
factorName	character, the names of factor in nodedf.
size	the column name for mapping the size of points, default is 'pvalue'.
layout	character, the layout of ggtree, but only "rectangular", "roundrect", "ellipse", "radial", "slanted", "inward_circular" and "circular" in here, default is "radial".
linewidth	numeric, the size of segment of ggtree, default is 0.6.
bg.tree.color	character, the line color of tree, default is '#bed0d1'.
bg.point.color	character, the color of margin of background node points of tree, default is '#bed0d1'.
bg.point.stroke	numeric, the margin thickness of point of background nodes of tree, default is 0.2 .
bg.point.fill	character, the point fill (since point shape is 21) of background nodes of tree, default is 'white'.
skpointsize	numeric, the point size of skeleton of tree, default is 2.
hilight.size	numeric, the margin thickness of high light clade, default is 0.2.
alpha	numeric, the alpha of clade, default is 0.4.
taxlevel	positive integer, the full text of clade, default is 5.
cladetext	numeric, the size of text of clade, default is 2.
tip.annot	logical whether to replace the differential tip labels with shorthand, default is TRUE.
as.tiplab	logical, whether to display the differential tip labels with 'geom_tiplab' of 'ggtree', default is TRUE, if it is FALSE, it will use 'geom_text_repel' of 'ggrepel'.
factorLevels	list, the levels of the factors, default is NULL, if you want to order the levels of factor, you can set this.
xlim	numeric, the x limits, only works for 'inward_circular' layout, default is 12.
removeUnknown	logical, whether do not show unknown taxonomy, default is TRUE.
reduce	logical, whether remove the unassigned taxonomy, which will remove the clade of unassigned taxonomy, but the result of 'diff_analysis' should remove the unknown taxonomy, default is FALSE.
type	character, the type of datasets, default is "species", if the dataset is not about species, such as dataset of kegg function, you should set it to "others".

Value

figures of tax clade show the significant different feature.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(kostic2012crc)
kostic2012crc %<>% as.phyloseq()
head(phyloseq::sample_data(kostic2012crc),3)
kostic2012crc <- phyloseq::rarefy_even_depth(kostic2012crc,
                                             rngseed=1024)
table(phyloseq::sample_data(kostic2012crc)$DIAGNOSIS)
set.seed(1024)
diffres <- diff_analysis(kostic2012crc, classgroup="DIAGNOSIS",
                        mlfun="lda", filtermod="fdr",
                        firstcomfun = "kruskal.test",
                        firstalpha=0.05, strictmod=TRUE,
                        secondcomfun = "wilcox.test",
                        subclmin=3, subclwilc=TRUE,
                        secondalpha=0.01, ldascore=3)

library(ggplot2)
diffcladeplot <- ggdiffclade(diffres,alpha=0.3, linewidth=0.2,
                             skpointsize=0.4,
                             taxlevel=5) +
  scale_fill_diff_cladogram(
    values=c('#00AED7',
             '#FD9347'
            )
  ) +
  scale_size_continuous(range = c(1, 3))

## End(Not run)
```

 ggdifftaxbar

significantly discriminative feature barplot

Description

significantly discriminative feature barplot

Usage

```
ggdifftaxbar(obj, ...)
```

```
ggdiffbartaxa(obj, ...)
```

```
## S4 method for signature 'diffAnalysisClass'
```

```
ggdifftaxbar(
  obj,
  filepath = NULL,
  output = "biomarker_barplot",
  removeUnknown = TRUE,
  figwidth = 6,
```

```

    figheight = 3,
    ylabel = "relative abundance",
    format = "pdf",
    dpi = 300,
    ...
)

## S3 method for class 'featureMeanMedian'
ggdifftaxbar(
  obj,
  featurename,
  classgroup,
  subclass,
  xtextsize = 3,
  factorLevels = NULL,
  coloslist = NULL,
  ylabel = "relative abundance",
  ...
)

```

Arguments

obj	object, diffAnalysisClass see also diff_analysis or feMeanMedian class, see also get_mean_median .
...	additional arguments.
filepath	character, default is NULL, meaning current path.
output	character, the output dir name, default is "biomarker_barplot".
removeUnknown	logical, whether do not show unknown taxonomy, default is TRUE.
figwidth	numeric, the width of figures, default is 6.
figheight	numeric, the height of figures, default is 3.
ylabel	character, the label of y, default is 'relative abundance'.
format	character, the format of figure, default is pdf, png, tiff also be supported.
dpi	numeric, the dpi of output, default is 300.
featurename	character, the feature name, contained at the objet.
classgroup	character, factor name.
subclass	character, factor name.
xtextsize	numeric, the size of axis x label, default is 3.
factorLevels	list, the levels of the factors, default is NULL, if you want to order the levels of factor, you can set this.
coloslist	vector, color vector, if the input is phyloseq, you should use this to adjust the color, not scale_color_manual.

Value

the figures of features show the distributions in samples.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(kostic2012crc)
kostic2012crc %<>% as.phyloseq()
head(phyloseq::sample_data(kostic2012crc),3)
kostic2012crc <- phyloseq::rarefy_even_depth(kostic2012crc,
                                             rngseed=1024)
table(phyloseq::sample_data(kostic2012crc)$DIAGNOSIS)
set.seed(1024)
diffres <- diff_analysis(kostic2012crc, classgroup="DIAGNOSIS",
                        mlfun="lda", filtermod="fdr",
                        firstcomfun = "kruskal.test",
                        firstalpha=0.05, strictmod=TRUE,
                        secondcomfun = "wilcox.test",
                        subclmin=3, subclwilc=TRUE,
                        secondalpha=0.01, ldascore=3)
ggdiffntaxbar(diffres, output="biomarker_barplot")

## End(Not run)
```

ggeffectsize

visualization of effect size by the Linear Discriminant Analysis or randomForest

Description

visualization of effect size by the Linear Discriminant Analysis or randomForest

Usage

```
ggeffectsize(obj, ...)

## S3 method for class 'data.frame'
ggeffectsize(
  obj,
  factorName,
  effectsizename,
  factorLevels = NULL,
  linecolor = "grey50",
  linewidth = 0.4,
  lineheight = 0.2,
  pointsize = 1.5,
  setFacet = TRUE,
  ...
```

```
)

## S3 method for class 'diffAnalysisClass'
ggeffectsize(obj, removeUnknown = TRUE, setFacet = TRUE, ...)
```

Arguments

obj	object, diffAnalysisClass see diff_analysis , or data.frame, contained effect size and the group information.
...	additional arguments.
factorName	character, the column name contained group information in data.frame.
effectsizename	character, the column name contained effect size information.
factorLevels	list, the levels of the factors, default is NULL, if you want to order the levels of factor, you can set this.
linecolor	character, the color of horizontal error bars, default is grey50.
linewidth	numeric, the width of horizontal error bars, default is 0.4.
lineheight	numeric, the height of horizontal error bars, default is 0.2.
pointsize	numeric, the size of points, default is 1.5.
setFacet	logical, whether use facet to plot, default is TRUE.
removeUnknown	logical, whether do not show unknown taxonomy, default is TRUE.

Value

the figures of effect size show the LDA or MDA (MeanDecreaseAccuracy).

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(kostic2012crc)
kostic2012crc %<>% as.phyloseq()
head(phyloseq::sample_data(kostic2012crc),3)
kostic2012crc <- phyloseq::rarefy_even_depth(kostic2012crc, rngseed=1024)
table(phyloseq::sample_data(kostic2012crc)$DIAGNOSIS)
set.seed(1024)
diffres <- diff_analysis(kostic2012crc, classgroup="DIAGNOSIS",
                        mlfun="lda", filtermod="fdr",
                        firstcomfun = "kruskal.test",
                        firstalpha=0.05, strictmod=TRUE,
                        secondcomfun = "wilcox.test",
                        subclmin=3, subclwilc=TRUE,
                        secondalpha=0.01, ldascore=3)

library(ggplot2)
effectplot <- ggeffectsize(diffres) +
  scale_color_manual(values=c('#00AED7',
```

```

                                '#FD9347',
                                '#C1E168'))+
theme_bw()+
theme(strip.background=element_rect(fill=NA),
      panel.spacing = unit(0.2, "mm"),
      panel.grid=element_blank(),
      strip.text.y=element_blank())

## End(Not run)

```

ggordpoint

ordination plotter based on ggplot2.

Description

ordination plotter based on ggplot2.

Usage

```
ggordpoint(obj, ...)
```

```
## Default S3 method:
```

```

ggordpoint(
  obj,
  pc = c(1, 2),
  mapping = NULL,
  sampled = NULL,
  factorNames = NULL,
  factorLevels = NULL,
  poinsize = 2,
  linesize = 0.3,
  arrowsize = 1.5,
  arrowlinecolour = "grey",
  ellipse = FALSE,
  showsample = FALSE,
  ellipse_pro = 0.9,
  ellipse_alpha = 0.2,
  ellipse_linewd = 0.5,
  ellipse_lty = 3,
  biplot = FALSE,
  topn = 5,
  settheme = TRUE,
  speciesannot = FALSE,
  fontsize = 2.5,
  labelfactor = NULL,
  stroke = 0.1,
  fontface = "bold.italic",
  fontfamily = "sans",

```



```

    textlinesize = 0.02,
    ...
)

## S3 method for class 'pcasample'
ggordpoint(obj, ...)

```

Arguments

obj	prcomp class or pcasample class,
...	additional parameters, see geom_text_repel .
pc	integer vector, the component index.
mapping	set of aesthetic mapping of ggplot2, default is NULL when your want to set it by yourself, only alpha can be setted, and the first element of factorNames has been setted to map 'fill', and the second element of factorNames has been setted to map 'starshape', you can add 'scale_starshape_manual' of 'ggstar' to set the shapes.
sampleda	data.frame, nrow sample * ncol factors, default is NULL.
factorNames	vector, the names of factors contained sampleda.
factorLevels	list, the levels of the factors, default is NULL, if you want to order the levels of factor, you can set this.
poinsize	numeric, the size of point, default is 2.
linesize	numeric, the line size of segment, default is 0.3.
arrowsize	numeric, the size of arrow, default is 1.5.
arrowlinecolour	character, the color of segment, default is grey.
ellipse	logical, whether add confidence ellipse to ordinary plot, default is FALSE.
showsample	logical, whether show the labels of sample, default is FALSE.
ellipse_pro	numeric, confidence value for the ellipse, default is 0.9.
ellipse_alpha	numeric, the alpha of ellipse, default is 0.2.
ellipse_linewd	numeric, the width of ellipse line, default is 0.5.
ellipse_lty	integer, the type of ellipse line, default is 3
biplot	logical, whether plot the species, default is FALSE.
topn	integer or vector, the number species have top important contribution, default is 5.
settheme	logical, whether set the theme for the plot, default is TRUE.
speciesannot	logical, whether plot the species, default is FALSE.
fontsize	numeric, the size of text, default is 2.5.
labelfactor	character, the factor want to be show in label, default is NULL.
stroke	numeric, the line size of points, default is 0.1.
fontface	character, the font face, default is "blod.italic".
fontfamily	character, the font family, default is "sans".
textlinesize	numeric, the segment size in geom_text_repel .

Value

point figures of PCA or PCoA.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
library(phyloseq)
data(GlobalPatterns)
subGlobal <- subset_samples(GlobalPatterns,
  SampleType %in% c("Feces", "Mock", "Ocean", "Skin"))
pcares <- get_pca(subGlobal, method="hellinger")
pcaplot <- ggordpoint(pcares, biplot=TRUE,
  speciesannot=TRUE,
  factorNames=c("SampleType"), ellipse=TRUE)

## End(Not run)
```

ggrarecurve

Rarefaction alpha index

Description

Rarefaction alpha index

Usage

```
ggrarecurve(obj, ...)

## S3 method for class 'phyloseq'
ggrarecurve(obj, chunks = 400, factorLevels = NULL, ...)

## S3 method for class 'data.frame'
ggrarecurve(obj, sampled, factorLevels, chunks = 400, ...)

## S3 method for class 'rarecurve'
ggrarecurve(
  obj,
  indexNames = "Observe",
  linesize = 0.5,
  facetnrow = 1,
  shadow = TRUE,
  factorNames,
  se = FALSE,
  method = "lm",
```

```

    formula = y ~ log(x),
    ...
  )

```

Arguments

obj	phyloseq, phyloseq class or data.frame shape of data.frame (nrow sample * ncol feature (+ factor)).
...	additional parameters, see also ggplot2{ggplot} .
chunks	integer, the number of subsample in a sample, default is 400.
factorLevels	list, the levels of the factors, default is NULL, if you want to order the levels of factor, you can set this.
sampleda	data.frame, (nrow sample * ncol factor)
indexNames	character, default is "Observe", only for "Observe", "Chao1", "ACE".
linesize	integer, default is 0.5.
facetnrow	integer, the nrow of facet, default is 1.
shadow	logical, whether merge samples with group (factorNames) and display the ribbon of group, default is TRUE.
factorNames	character, default is missing.
se	logical, default is FALSE.
method	character, default is lm.
formula	formula, default is 'y ~ log(x)'

Value

figure of rarefaction curves

Author(s)

Shuangbin Xu

Examples

```

## Not run:
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
library(ggplot2)
prare <- ggrarecurve(test_otu_data,
  indexNames=c("Observe", "Chao1", "ACE"),
  shadow=FALSE,
  factorNames="group"
) +
  theme(legend.spacing.y=unit(0.02, "cm"),
    legend.text=element_text(size=6))

## End(Not run)

```

 ImportDada2

Import function to load the feature table and taxonomy table of dada2

Description

the function can import the output of `dada2`, and generate the `phyloseq` object containing the argument class.

Usage

```
import_dada2(seqtab, taxatab = NULL, reftree = NULL, sampleda = NULL, ...)
```

```
mp_import_dada2(seqtab, taxatab = NULL, reftree = NULL, sampleda = NULL, ...)
```

Arguments

<code>seqtab</code>	matrix, feature table, the output of <code>removeBimeraDenovo</code> .
<code>taxatab</code>	matrix, a taxonomic table, the output of <code>assignTaxonomy</code> , or the output of <code>addSpecies</code> .
<code>reftree</code>	phylo, treedata or character, the treedata or phylo class of tree, or the tree file.
<code>sampleda</code>	data.frame or character, the data.frame of sample information, or the file of sample information, nrow samples X ncol factors.
<code>...</code>	additional parameters.

Value

`phyloseq` class containing the argument class.

Author(s)

Shuangbin Xu

Examples

```
seqtabfile <- system.file("extdata", "seqtab.nochim.rds",
                          package="MicrobiotaProcess")
taxafile <- system.file("extdata", "taxa_tab.rds",
                       package="MicrobiotaProcess")
seqtab <- readRDS(seqtabfile)
taxa <- readRDS(taxafile)
sampleda <- system.file("extdata", "mouse.time.dada2.txt",
                       package="MicrobiotaProcess")
mpse <- mp_import_dada2(seqtab=seqtab, taxatab=taxa,
                       sampleda=sampleda)
mpse
```

 ImportQiime2

Import function to load the output of qiime2.

Description

The function was designed to import the output of qiime2 and convert them to phyloseq class.

Usage

```
import_qiime2(
  otuqza,
  taxaqza = NULL,
  mapfilename = NULL,
  refseqqza = NULL,
  treeqza = NULL,
  parallel = FALSE,
  ...
)
```

```
mp_import_qiime2(
  otuqza,
  taxaqza = NULL,
  mapfilename = NULL,
  refseqqza = NULL,
  treeqza = NULL,
  parallel = FALSE,
  ...
)
```

Arguments

otuqza	character, the file contained otu table, the ouput of qiime2.
taxaqza	character, the file contained taxonomy, the ouput of qiime2, default is NULL.
mapfilename	character, the file contained sample information, the tsv format, default is NULL.
refseqqza	character, the file contained reference sequences or the XStringSet object, default is NULL.
treeqza	character, the file contained the tree file or treedata object, which is the result parsed by functions of treeio, default is NULL.
parallel	logical, whether parsing the column of taxonomy multi-parallel, default is FALSE.
...	additional parameters.

Value

MPSE-class or phyloseq-class contained the argument class.

Author(s)

Shuangbin Xu

Examples

```
otuqzafile <- system.file("extdata", "table.qza",
                          package="MicrobiotaProcess")
taxaqzafile <- system.file("extdata", "taxa.qza",
                          package="MicrobiotaProcess")
mapfile <- system.file("extdata", "metadata_qza.txt",
                      package="MicrobiotaProcess")
mpse <- mp_import_qiime2(otuqza=otuqzafile, taxaqa=taxaqzafile,
                       mapfilename=mapfile)
mpse
```

mouse.time.mpse *(Data) An example data*

Description

This is a MPSE object example data.

MPSE *Construct a MPSE object*

Description

Construct a MPSE object

Usage

```
MPSE(  
  assays,  
  colData = NULL,  
  otutree = NULL,  
  taxatree = NULL,  
  refseq = NULL,  
  ...  
)
```

Arguments

assays	A 'list' or 'SimpleList' of matrix-like elements All elements of the list must have the same dimensions, we also recommend they have names, e.g. list(Abundance=xx1, RareAbundance=xx2).
colData	An optional DataFrame describing the samples.
otutree	A treedata object of tidytree package, the result parsed by the functions of treeio.
taxatree	A treedata object of tidytree package, the result parsed by the functions of treeio.
refseq	A XStingSet object of Biostrings package, the result parsed by the readDNAS-tringSet or readAAStringSet of Biostrings.
...	additional parameters, see also the usage of SummarizedExperiment .

Value

MPSE object

Examples

```
set.seed(123)
xx <- matrix(abs(round(rnorm(100, sd=4), 0)), 10)
xx <- data.frame(xx)
rownames(xx) <- paste0("row", seq_len(10))
mpse <- MPSE(assays=xx)
mpse
```

MPSE-accessors

MPSE accessors

Description

MPSE accessors

Usage

```
## S4 method for signature 'MPSE,ANY,ANY,ANY'
x[i, j, ..., drop = TRUE]

## S4 replacement method for signature 'MPSE,DataFrame'
colData(x, ...) <- value

## S4 replacement method for signature 'MPSE,NULL'
colData(x, ...) <- value

tax_table(object)

## S4 method for signature 'MPSE'
tax_table(object)
```

```
## S4 method for signature 'tbl_mpse'  
tax_table(object)  
  
## S4 method for signature 'grouped_df_mpse'  
tax_table(object)  
  
otutree(x, ...)  
  
## S4 method for signature 'MPSE'  
otutree(x, ...)  
  
## S4 method for signature 'tbl_mpse'  
otutree(x, ...)  
  
## S4 method for signature 'MPSE'  
otutree(x, ...)  
  
otutree(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,treedata'  
otutree(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,phylo'  
otutree(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,NULL'  
otutree(x, ...) <- value  
  
## S4 replacement method for signature 'tbl_mpse,treedata'  
otutree(x, ...) <- value  
  
## S4 replacement method for signature 'grouped_df_mpse,treedata'  
otutree(x, ...) <- value  
  
## S4 replacement method for signature 'tbl_mpse,NULL'  
otutree(x, ...) <- value  
  
## S4 replacement method for signature 'grouped_df_mpse,NULL'  
otutree(x, ...) <- value  
  
taxatree(x, ...)  
  
## S4 method for signature 'MPSE'  
taxatree(x, ...)  
  
## S4 method for signature 'tbl_mpse'  
taxatree(x, ...)
```



```
## S4 method for signature 'grouped_df_mpse'  
taxatree(x, ...)  
  
taxatree(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,treedata'  
taxatree(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,NULL'  
taxatree(x, ...) <- value  
  
## S4 replacement method for signature 'tbl_mpse,treedata'  
taxatree(x, ...) <- value  
  
## S4 replacement method for signature 'tbl_mpse,NULL'  
taxatree(x, ...) <- value  
  
## S4 replacement method for signature 'grouped_df_mpse,treedata'  
taxatree(x, ...) <- value  
  
## S4 replacement method for signature 'grouped_df_mpse,NULL'  
taxatree(x, ...) <- value  
  
taxonomy(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,data.frame'  
taxonomy(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,matrix'  
taxonomy(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,taxonomyTable'  
taxonomy(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,NULL'  
taxonomy(x, ...) <- value  
  
refsequence(x, ...)  
  
## S4 method for signature 'MPSE'  
refsequence(x, ...)  
  
refsequence(x, ...) <- value  
  
## S4 replacement method for signature 'MPSE,XStringSet'  
refsequence(x, ...) <- value
```

```
## S4 replacement method for signature 'MPSE,NULL'
refsequence(x, ...) <- value
```

```
## S4 replacement method for signature 'MPSE'
rownames(x) <- value
```

Arguments

x	MPSE object
i, j, ...	Indices specifying elements to extract or replace. Indices are 'numeric' or 'character' vectors or empty (missing) or NULL. Numeric values are coerced to integer as by 'as.integer' (and hence truncated towards zero). Character vectors will be matched to the 'names' of the object (or for matrices/arrays, the 'dimnames')
drop	logical If 'TRUE' the result is coerced to the lowest possible dimension (see the examples). This only works for extracting elements, not for the replacement.
value	XStringSet object or NULL
object	parameter of tax_table, R object, MPSE class in here.

Value

taxonomyTable class

MPSE-class

MPSE class

Description

MPSE class

Slots

otutree A treedata object of tidytree package or NULL.

taxatree A treedata object of tidytree package or NULL.

refseq A XStringSet object of Biostrings package or NULL.

... Other slots from [SummarizedExperiment](#)

mp_adonis	<i>Permutational Multivariate Analysis of Variance Using Distance Matrices for MPSE or tbl_mpse object</i>
-----------	--

Description

Permutational Multivariate Analysis of Variance Using Distance Matrices for MPSE or tbl_mpse object

Usage

```
mp_adonis(  
  .data,  
  .abundance,  
  .formula,  
  distmethod = "bray",  
  action = "get",  
  permutations = 999,  
  seed = 123,  
  ...  
)  
  
## S4 method for signature 'MPSE'  
mp_adonis(  
  .data,  
  .abundance,  
  .formula,  
  distmethod = "bray",  
  action = "get",  
  permutations = 999,  
  seed = 123,  
  ...  
)  
  
## S4 method for signature 'tbl_mpse'  
mp_adonis(  
  .data,  
  .abundance,  
  .formula,  
  distmethod = "bray",  
  action = "get",  
  permutations = 999,  
  seed = 123,  
  ...  
)  
  
## S4 method for signature 'grouped_df_mpse'
```

```
mp_adonis(
  .data,
  .abundance,
  .formula,
  distmethod = "bray",
  action = "get",
  permutations = 999,
  seed = 123,
  ...
)
```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
.formula	Model formula right hand side gives the continuous variables or factors, and keep left empty, such as ~ group, it is required.
distmethod	character the method to calculate pairwise distances, default is 'bray'.
action	character "add" joins the cca result to the object, "only" return a non-redundant tibble with the cca result. "get" return 'cca' object can be analyzed using the related vegan funtion.
permutations	the number of permutations required, default is 999.
seed	a random seed to make the adonis analysis reproducible, default is 123.
...	additional parameters see also 'adonis2' of vegan.

Value

update object according action argument

Author(s)

Shuangbin Xu

Examples

```
data(mouse.time.mpse)
mouse.time.mpse %>%
  mp_decostand(
    .abundance=Abundance,
    method="hellinger") %>%
  mp_adonis(.abundance=hellinger,
            .formula=~time,
            distmethod="bray",
            permutations=999, # for more robust, set it to 9999.
            action="get")
```

mp_aggregate	<i>aggregate the assays with the specific group of sample and fun.</i>
--------------	--

Description

aggregate the assays with the specific group of sample and fun.

Usage

```
mp_aggregate(.data, .abundance, .group, fun = sum, keep_colData = TRUE, ...)
```

```
## S4 method for signature 'MPSE'
```

```
mp_aggregate(.data, .abundance, .group, fun = sum, keep_colData = TRUE, ...)
```

Arguments

.data	MPSE object, required
.abundance	the column names of abundance, default is Abundance.
.group	the column names of sample meta-data, required
fun	a function to compute the summary statistics, default is sum.
keep_colData	logical whether to keep the sample meta-data with .group as row names, default is TRUE.
...	additional parameters, see also aggregate .

Value

a new object with .group as column names in assays

Examples

```
## Not run:  
data(mouse.time.mpse)  
newmpse <- mouse.time.mpse %>%  
  mp_aggregate(.group = time)  
newmpse  
  
## End(Not run)
```

mp_aggregate_clade	<i>calculate the mean/median (relative) abundance of internal nodes according to their children tips.</i>
--------------------	---

Description

calculate the mean/median (relative) abundance of internal nodes according to their children tips.

Usage

```
mp_aggregate_clade(
  .data,
  .abundance = NULL,
  force = FALSE,
  relative = TRUE,
  aggregate_fun = c("mean", "median", "geometric.mean"),
  action = "get",
  ...
)

## S4 method for signature 'MPSE'
mp_aggregate_clade(
  .data,
  .abundance = NULL,
  force = FALSE,
  relative = TRUE,
  aggregate_fun = c("mean", "median", "geometric.mean"),
  action = "get",
  ...
)

## S4 method for signature 'tbl_mpse'
mp_aggregate_clade(
  .data,
  .abundance = NULL,
  force = FALSE,
  relative = TRUE,
  aggregate_fun = c("mean", "median", "geometric.mean"),
  action = "get",
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_aggregate_clade(
  .data,
  .abundance = NULL,
  force = FALSE,
```

```

    relative = TRUE,
    aggregate_fun = c("mean", "median", "geometric.mean"),
    action = "get",
    ...
  )

```

Arguments

.data	MPSE object which must contain otutree slot, required
.abundance	the column names of abundance.
force	logical whether calculate the (relative) abundance forcibly when the abundance is not be rarefied, default is FALSE.
relative	logical whether calculate the relative abundance.
aggregate_fun	function the method to calculate the (relative) abundance of internal nodes according to their children tips, default is 'mean', other options are 'median', 'geometric.mean'.
action	character, "add" joins the new information to the otutree slot if it exists (default). In addition, "only" return a non-redundant tibble with the just new information. "get" return a new 'mpse', which the features is the internal nodes.
...	additional parameters, meaningless now.

Value

a object according to 'action' argument.

Examples

```

## Not run:
suppressPackageStartupMessages(library(curatedMetagenomicData))
xx <- curatedMetagenomicData('ZellerG_2014.relative_abundance', dryrun=F)
xx[[1]] %>% as.mpse -> mpse
otu.tree <- mpse %>%
  mp_aggregate_clade(
    .abundance = Abundance,
    force = TRUE,
    relative = FALSE,
    action = 'get' # other option is 'add' or 'only'.
  )
otu.tree

## End(Not run)

```

`mp_anosim`*Analysis of Similarities (ANOSIM) with MPSE or tbl_mpse object*

Description

Analysis of Similarities (ANOSIM) with MPSE or tbl_mpse object

Usage

```
mp_anosim(  
  .data,  
  .abundance,  
  .group,  
  distmethod = "bray",  
  action = "add",  
  permutations = 999,  
  seed = 123,  
  ...  
)  
  
## S4 method for signature 'MPSE'  
mp_anosim(  
  .data,  
  .abundance,  
  .group,  
  distmethod = "bray",  
  action = "add",  
  permutations = 999,  
  seed = 123,  
  ...  
)  
  
## S4 method for signature 'tbl_mpse'  
mp_anosim(  
  .data,  
  .abundance,  
  .group,  
  distmethod = "bray",  
  action = "add",  
  permutations = 999,  
  seed = 123,  
  ...  
)  
  
## S4 method for signature 'grouped_df_mpse'  
mp_anosim(  
  .data,
```



```

    .abundance,
    .group,
    distmethod = "bray",
    action = "add",
    permutations = 999,
    seed = 123,
    ...
  )

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
.group	The name of the column of the sample group information.
distmethod	character the method to calculate pairwise distances, default is 'bray'.
action	character "add" joins the ANOSIM result to internal attribute of the object, "only" and "get" return 'anosim' object can be analyzed using the related vegan function.
permutations	the number of permutations required, default is 999.
seed	a random seed to make the ANOSIM analysis reproducible, default is 123.
...	additional parameters see also 'anosim' of vegan.

Value

update object according action argument

Author(s)

Shuangbin Xu

Examples

```

data(mouse.time.mpse)
mouse.time.mpse %<>%
  mp_decostand(.abundance=Abundance)
# action = "get" will return a anosim object
mouse.time.mpse %>%
  mp_anosim(.abundance=hellinger, .group=time, action="get")
# action = "only" will return a tbl_df that can be as the input of ggplot2.
library(ggplot2)
tbl <- mouse.time.mpse %>%
  mp_anosim(.abundance=hellinger,
            .group=time,
            permutations=999, # for more robust, set it to 9999
            action="only")

tbl
tbl %>%
ggplot(aes(x=class, y=rank, fill=class)) +
geom_boxplot(notch=TRUE, varwidth = TRUE)

```

mp_balance_clade	<i>Calculating the balance score of internal nodes (clade) according to the geometric.mean/mean/median abundance of their binary children tips.</i>
------------------	---

Description

Calculating the balance score of internal nodes (clade) according to the geometric.mean/mean/median abundance of their binary children tips.

Usage

```
mp_balance_clade(
  .data,
  .abundance = NULL,
  force = FALSE,
  relative = TRUE,
  balance_fun = c("geometric.mean", "mean", "median"),
  pseudonum = 0.001,
  action = "get",
  ...
)

## S4 method for signature 'MPSE'
mp_balance_clade(
  .data,
  .abundance = NULL,
  force = FALSE,
  relative = TRUE,
  balance_fun = c("geometric.mean", "mean", "median"),
  pseudonum = 0.001,
  action = "get",
  ...
)

## S4 method for signature 'tbl_mpse'
mp_balance_clade(
  .data,
  .abundance = NULL,
  force = FALSE,
  relative = TRUE,
  balance_fun = c("geometric.mean", "mean", "median"),
  pseudonum = 0.001,
  action = "get",
  ...
)
```

```
## S4 method for signature 'grouped_df_mpse'
mp_balance_clade(
  .data,
  .abundance = NULL,
  force = FALSE,
  relative = TRUE,
  balance_fun = c("geometric.mean", "mean", "median"),
  pseudonum = 0.001,
  action = "get",
  ...
)
```

Arguments

.data	MPSE object which must contain otutree slot, required
.abundance	the column names of abundance.
force	logical whether calculate the (relative) abundance forcibly when the abundance is not be rarefied, default is FALSE.
relative	logical whether calculate the relative abundance.
balance_fun	function the method to calculate the (relative) abundance of internal nodes according to their children tips, default is 'geometric.mean', other options are 'mean' and 'median'.
pseudonum	numeric add a pseudo numeric to avoid the error of division in calculation, default is 0.001 .
action	character, "add" joins the new information to the otutree slot if it exists (default). In addition, "only" return a non-redundant tibble with the just new information. "get" return a new 'MPSE' object, and the 'OTU' column is the internal nodes and 'Abundance' column is the balance scores.
...	additional parameters, meaningless now.

Value

a object according to 'action' argument.

References

Morton JT, Sanders J, Quinn RA, McDonald D, Gonzalez A, Vázquez-Baeza Y, Navas-Molina JA, Song SJ, Metcalf JL, Hyde ER, Lladser M, Dorrestein PC, Knight R. 2017. Balance trees reveal microbial niche differentiation. *mSystems* 2:e00162-16. <https://doi.org/10.1128/mSystems.00162-16>.

Justin D Silverman, Alex D Washburne, Sayan Mukherjee, Lawrence A David. A phylogenetic transform enhances analysis of compositional microbiota data. *eLife* 2017;6:e21887. <https://doi.org/10.7554/eLife.21887.001>

Examples

```
## Not run:
suppressPackageStartupMessages(library(curatedMetagenomicData))
```

```

xx <- curatedMetagenomicData('ZellerG_2014.relative_abundance', dryrun=F)
xx[[1]] %>% as.mpse -> mpse
mpse.balance.clade <- mpse %>%
  mp_balance_clade(
    .abundance = Abundance,
    force = TRUE,
    relative = FALSE,
    action = 'get',
    pseudonum = .01
  )
mpse.balance.clade

# Performing the Euclidean distance or PCA.

mpse.balance.clade %>%
  mp_cal_dist(.abundance = Abundance, distmethod = 'euclidean') %>%
  mp_plot_dist(.distmethod = 'euclidean', .group = disease, group.test = T)

mpse.balance.clade %>%
  mp_adonis(.abundance = Abundance, .formula=~disease, distmethod = 'euclidean', permutation = 9999)

mpse.balance.clade %>%
  mp_cal_pca(.abundance = Abundance) %>%
  mp_plot_ord(.group = disease)

# Detecting the signal balance nodes.
mpse.balance.clade %>% mp_diff_analysis(
  .abundance = Abundance,
  force = TRUE,
  relative = FALSE,
  .group = disease,
  fc.method = 'compare_mean'
)

## End(Not run)

```

mp_cal_abundance	<i>Calculate the (relative) abundance of each taxonomy class for each sample or group.</i>
------------------	--

Description

Calculate the (relative) abundance of each taxonomy class for each sample or group.

Usage

```

mp_cal_abundance(
  .data,
  .abundance = NULL,
  .group = NULL,

```

```

    relative = TRUE,
    action = "add",
    force = FALSE,
    ...
)

## S4 method for signature 'MPSE'
mp_cal_abundance(
  .data,
  .abundance = NULL,
  .group = NULL,
  relative = TRUE,
  action = "add",
  force = FALSE,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_cal_abundance(
  .data,
  .abundance = NULL,
  .group = NULL,
  relative = TRUE,
  action = "add",
  force = FALSE,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_cal_abundance(
  .data,
  .abundance = NULL,
  .group = NULL,
  relative = TRUE,
  action = "add",
  force = FALSE,
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of otu abundance to be calculated
.group	the name of group to be calculated.
relative	logical whether calculate the relative abundance.
action	character, "add" joins the new information to the taxatree and otutree if they exists (default). In addition, All taxonomy class will be added the taxatree,

and OTU (tip) information will be added to the otutree."only" return a non-redundant tibble with the just new information. "get" return 'taxatree' slot which is a treedata object.

force logical whether calculate the relative abundance forcibly when the abundance is not be rarefied, default is FALSE.

... additional parameters.

Value

update object or tibble according the 'action'

Author(s)

Shuangbin Xu

See Also

[mp_plot_abundance()] and [mp_extract_abundance()]

Examples

```
data(mouse.time.mpse)
mouse.time.mpse %<>%
  mp_rrarefy()
mouse.time.mpse
mouse.time.mpse %<>%
  mp_cal_abundance(.abundance=RareAbundance, action="add") %>%
  mp_cal_abundance(.abundance=RareAbundance, .group=time, action="add")
mouse.time.mpse
library(ggplot2)
f <- mouse.time.mpse %>%
  mp_plot_abundance(
    .abundance=RelRareAbundanceBySample,
    .group = time,
    taxa.class = "Phylum",
    topn = 20,
    geom = "heatmap",
    feature.dist = "bray",
    feature.hclust = "average"
  ) %>%
  set_scale_theme(
    x = scale_fill_manual(values=c("orange", "deepskyblue")),
    aes_var = time
  )
f
p1 <- mouse.time.mpse %>%
  mp_plot_abundance(.abundance=RelRareAbundanceBySample,
                    .group=time, taxa.class="Phylum",
                    topn=20, order.by.feature = "p__Firmicutes",
                    width = 4/5
  )
```

```

p2 <- mouse.time.mpse %>%
  mp_plot_abundance(.abundance = RareAbundance,
                    .group = time,
                    taxa.class = Phylum,
                    topn = 20,
                    relative = FALSE,
                    force = TRUE,
                    order.by.feature = TRUE
                    )

p1 / p2
# Or you can also extract the result and visualize it with ggplot2 and ggplot2-extension
## Not run:
tbl <- mouse.time.mpse %>%
  mp_extract_abundance(taxa.class="Class", topn=10)
tbl
library(ggplot2)
library(ggalluvial)
library(dplyr)
tbl %<>%
  tidyr::unnest(cols=RareAbundanceBySample)
tbl
p <- ggplot(data=tbl,
            mapping=aes(x=Sample,
                       y=RelRareAbundanceBySample,
                       alluvium=label,
                       fill=label)
            ) +
  geom_flow(stat="alluvium", lode.guidance = "frontback", color = "darkgray") +
  geom_stratum(stat="alluvium") +
  labs(x=NULL, y="Relative Abundance (%)") +
  scale_fill_brewer(name="Class", type = "qual", palette = "Paired") +
  facet_grid(cols=vars(time), scales="free_x", space="free") +
  theme(axis.text.x=element_text(angle=-45, hjust=0))

p

## End(Not run)

```

mp_cal_alpha

calculate the alpha index with MPSE or tbl_mpse

Description

calculate the alpha index with MPSE or tbl_mpse

Usage

```

mp_cal_alpha(
  .data,
  .abundance = NULL,
  action = c("add", "only", "get"),

```

```

    force = FALSE,
    ...
  )

## S4 method for signature 'MPSE'
mp_cal_alpha(.data, .abundance = NULL, action = "add", force = FALSE, ...)

## S4 method for signature 'tbl_mpse'
mp_cal_alpha(.data, .abundance = NULL, action = "add", force = FALSE, ...)

## S4 method for signature 'grouped_df_mpse'
mp_cal_alpha(.data, .abundance = NULL, action = "add", force = FALSE, ...)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	The column name of OTU abundance column to be calculate
action	character it has three options, "add" joins the new information to the input tbl (default), "only" return a non-redundant tibble with the just new information, ang 'get' return a 'alphasample' object.
force	logical whether calculate the alpha index even the '.abundance' is not rarefied, default is FALSE.
...	additional arguments

Value

update object or other (refer to action)

Author(s)

Shuangbin Xu

See Also

[mp_plot_alpha()]

Examples

```

data(mouse.time.mpse)
mpse <- mouse.time.mpse %>%
  mp_rrarefy() %>%
  mp_cal_alpha(.abundance=RareAbundance)

mpse
p <- mpse %>% mp_plot_alpha(.group=time, .alpha=c(Observe, Shannon, Pielou))
p
# Or you can extract the result and visualize it with ggplot2 and ggplot2-extensions
## Not run:
tbl <- mpse %>%
  mp_extract_sample

```



```
tbl
tbl %<>%
  tidyr::pivot_longer(cols=!c("Sample", "time"), names_to="measure", values_to="alpha")
tbl
library(ggplot2)
library(ggsignif)
library(gghalves)
p <- ggplot(data=tbl, aes(x=time, y=alpha, fill=time)) +
  geom_half_violin(color=NA, side="l", trim=FALSE) +
  geom_boxplot(aes(color=time), fill=NA, position=position_nudge(x=.22), width=0.2) +
  geom_half_point(side="r", shape=21) +
  geom_signif(comparisons=list(c("Early", "Late")), test="wilcox.test", textsize=2) +
  facet_wrap(facet=vars(measure), scales="free_y", nrow=1) +
  scale_fill_manual(values=c("#00A087FF", "#3C5488FF")) +
  scale_color_manual(values=c("#00A087FF", "#3C5488FF"))
p
## End(Not run)
```

mp_cal_cca	<i>[Partial] [Constrained] Correspondence Analysis with MPSE or tbl_mpse object</i>
------------	---

Description

[Partial] [Constrained] Correspondence Analysis with MPSE or tbl_mpse object

Usage

```
mp_cal_cca(.data, .abundance, .formula = NULL, .dim = 3, action = "add", ...)

## S4 method for signature 'MPSE'
mp_cal_cca(.data, .abundance, .formula = NULL, .dim = 3, action = "add", ...)

## S4 method for signature 'tbl_mpse'
mp_cal_cca(.data, .abundance, .formula = NULL, .dim = 3, action = "add", ...)

## S4 method for signature 'grouped_df_mpse'
mp_cal_cca(.data, .abundance, .formula = NULL, .dim = 3, action = "add", ...)
```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
.formula	Model formula right hand side gives the constraining variables, and conditioning variables can be given within a special function 'Condition' and keep left empty, such as ~ A + B or ~ A + Condition(B), default is NULL.
.dim	integer The number of dimensions to be returned, default is 3.

action character "add" joins the cca result to the object, "only" return a non-redundant tibble with the cca result. "get" return 'cca' object can be analyzed using the related vegan function.

... additional parameters see also 'cca' of vegan.

Value

update object according action argument

Author(s)

Shuangbin Xu

Examples

```
library(vegan)
data(varespec, varechem)
mpse <- MPSE(assays=list(Abundance=t(varespec)), colData=varechem)
mpse
mpse %<>%
  mp_cal_cca(.abundance=Abundance,
             .formula=~Al + P*(K + Baresoil),
             action="add")
mpse
mpse %>% mp_plot_ord(.ord=CCA, .group=Al, .size=K, show.sample=FALSE, bg.colour="black", colour="white")
```

mp_cal_clust	<i>Hierarchical cluster analysis for the samples with MPSE or tbl_mpse object</i>
--------------	---

Description

Hierarchical cluster analysis for the samples with MPSE or tbl_mpse object

Usage

```
mp_cal_clust(
  .data,
  .abundance,
  distmethod = "bray",
  hclustmethod = "average",
  action = "get",
  ...
)

## S4 method for signature 'MPSE'
mp_cal_clust(
  .data,
```

```

    .abundance,
    distmethod = "bray",
    hclustmethod = "average",
    action = "get",
    ...
)

## S4 method for signature 'tbl_mpse'
mp_cal_clust(
  .data,
  .abundance,
  distmethod = "bray",
  hclustmethod = "average",
  action = "get",
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_cal_clust(
  .data,
  .abundance,
  distmethod = "bray",
  hclustmethod = "average",
  action = "get",
  ...
)

```

Arguments

.data	the MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
distmethod	the method of distance.
hclustmethod	the method of hierarchical cluster
action	a character "add" will return a MPSE object with the cluster result as a attributes, and it can be extracted with 'object "only" or "get" will return 'treedata' object, default is 'get'.
...	additional parameters

Value

update object with the action argument, the treedata object contained hierarchical cluster analysis of sample, it can be visualized with 'ggtree' directly.

Author(s)

Shuangbin Xu

Examples

```

library(ggtree)
library(ggplot2)
data(mouse.time.mpse)
res <- mouse.time.mpse %>%
  mp_decostand(.abundance=Abundance) %>%
  mp_cal_clust(.abundance=hellinger, distmethod="bray")
res
res %>%
  ggtree() +
  geom_tippoint(aes(color=time))

```

mp_cal_dca

Detrended Correspondence Analysis with MPSE or tbl_mpse object

Description

Detrended Correspondence Analysis with MPSE or tbl_mpse object

Usage

```

mp_cal_dca(.data, .abundance, .dim = 3, action = "add", origin = TRUE, ...)

## S4 method for signature 'MPSE'
mp_cal_dca(.data, .abundance, .dim = 3, action = "add", origin = TRUE, ...)

## S4 method for signature 'tbl_mpse'
mp_cal_dca(.data, .abundance, .dim = 3, action = "add", origin = TRUE, ...)

## S4 method for signature 'grouped_df_mpse'
mp_cal_dca(.data, .abundance, .dim = 3, action = "add", origin = TRUE, ...)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
.dim	integer The number of dimensions to be returned, default is 3.
action	character "add" joins the 'decorana' result to the object, "only" return a non-redundant tibble with the 'decorana' result. "get" return 'decorana' object can be processed with related vegan function.
origin	logical Use true origin even in detrended correspondence analysis. default is TRUE.
...	additional parameters see also 'vegan::decorana'

Value

update object or tbl according to the action.

mp_cal_dist	<i>Calculate the distances between the samples or features with specified abundance.</i>
-------------	--

Description

Calculate the distances between the samples or features with specified abundance.

Usage

```
mp_cal_dist(  
  .data,  
  .abundance,  
  .env = NULL,  
  distmethod = "bray",  
  action = "add",  
  scale = FALSE,  
  cal.feature.dist = FALSE,  
  ...  
)  
  
## S4 method for signature 'MPSE'  
mp_cal_dist(  
  .data,  
  .abundance,  
  .env = NULL,  
  distmethod = "bray",  
  action = "add",  
  scale = FALSE,  
  cal.feature.dist = FALSE,  
  ...  
)  
  
## S4 method for signature 'tbl_mpse'  
mp_cal_dist(  
  .data,  
  .abundance,  
  .env = NULL,  
  distmethod = "bray",  
  action = "add",  
  scale = FALSE,  
  cal.feature.dist = FALSE,  
  ...  
)  
  
## S4 method for signature 'grouped_df_mpse'  
mp_cal_dist(  
  .data,  
  .abundance,  
  .env = NULL,  
  distmethod = "bray",  
  action = "add",  
  scale = FALSE,  
  cal.feature.dist = FALSE,  
  ...  
)
```

```

.data,
.abundance,
.env = NULL,
.distmethod = "bray",
.action = "add",
.scale = FALSE,
.cal.feature.dist = FALSE,
...
)

```

Arguments

<code>.data</code>	MPSE or <code>tbl_mpse</code> object
<code>.abundance</code>	the name of otu abundance to be calculated
<code>.env</code>	the column names of continuous environment factors, default is <code>NULL</code> .
<code>distmethod</code>	character the method to calculate distance. option is "manhattan", "euclidean", "canberra", "bray", "kulczynski", "jaccard", "gower", "altGower", "morisita", "horn", "mountford", "raup", "binomial", "chao", "cao", "mahalanobis", "chisq", "chord", "aitchison", "robust.aitchison" (implemented in <code>vegdist</code> of <code>vegan</code>), and "w", "-1", "c", "wb", "r", "l", "e", "t", "me", "j", "sor", "m", "-2", "co", "cc", "g", "-3", "l", "l9", "hk", "rlb", "sim", "gl", "z" (implemented in <code>betadiver</code> of <code>vegan</code>), "maximum", "binary", "minkowski" (implemented in <code>dist</code> of <code>stats</code>), "unifrac", "weighted unifrac" (implemented in <code>phyloseq</code>), "cor", "abscor", "cosangle", "abscosangle" (implemented in <code>hopach</code>), or other customized distance function.
<code>action</code>	character, "add" joins the distance data to the object, "only" return a non-redundant tibble with the distance information. "get" return 'dist' object.
<code>scale</code>	logical whether scale the metric of environment (<code>.env</code> is provided) before the distance was calculated, default is <code>FALSE</code> . The environment matrix can be processed when it was joined to the MPSE or <code>tbl_mpse</code> object.
<code>cal.feature.dist</code>	logical whether to calculate the distance between the features. default is <code>FALSE</code> , meaning calculate the distance between the samples.
<code>...</code>	additional parameters. some dot arguments if <code>distmethod</code> is <code>unifrac</code> or <code>weighted unifrac</code> : <ul style="list-style-type: none"> • <code>weighted</code> logical, whether to use <code>weighted-UniFrac</code> calculation, which considers the relative abundance of taxa, default is <code>FALSE</code>, meaning <code>unweightrd-UniFrac</code>, which only considers presence/absence of taxa. • <code>normalized</code> logical, whether normalized the branch length of tree to the range between 0 and 1 when the <code>weighted=TRUE</code>. • <code>parallel</code> logical, whether to execute the calculation in parallel, default is <code>FALSE</code>.

Value

update object or tibble according the 'action'

Author(s)

Shuangbin Xu

See Also

[mp_extract_dist()] and [mp_plot_dist()]

Examples

```

data(mouse.time.mpse)
mouse.time.mpse %<>%
  mp_decostand(.abundance=Abundance) %>%
  mp_cal_dist(.abundance=hellinger, distmethod="bray")
mouse.time.mpse
p1 <- mouse.time.mpse %>%
  mp_plot_dist(.distmethod = bray)
p2 <- mouse.time.mpse %>%
  mp_plot_dist(.distmethod = bray, .group = time, group.test = TRUE)
p3 <- mouse.time.mpse %>%
  mp_plot_dist(.distmethod = bray, .group = time)
# adjust the legend of heatmap of distance between the samples.
# the p3 is a aplot object, we define set_scale_theme to adjust the
# character (color, size or legend size) of figure with specified
# 'aes_var' according to legend title.
library(ggplot2)
p3 %>%
  set_scale_theme(
    x = scale_size_continuous(
      range = c(0.1, 4),
      guide = guide_legend(keywidth = 0.5, keyheight = 1)),
    aes_var = bray
  ) %>%
  set_scale_theme(
    x = scale_colour_gradient(
      guide = guide_legend(keywidth = 0.5, keyheight = 1)),
    aes_var = bray
  ) %>%
  set_scale_theme(
    x = scale_fill_manual(values = c("orangered", "deepskyblue"),
      guide = guide_legend(keywidth = 0.5, keyheight = 0.5, label.theme = element_text(size=6))),
    aes_var = time) %>%
  set_scale_theme(
    x = theme(axis.text=element_text(size=6), panel.background=element_blank()),
    aes_var = bray
  )
## Not run:
# Visualization manual
library(ggplot2)
tbl <- mouse.time.mpse %>%
  mp_extract_dist(distmethod="bray", .group=time)
tbl
tbl %>%

```

```

ggplot(aes(x=GroupsComparison, y=bray)) +
  geom_boxplot(aes(fill=GroupsComparison)) +
  geom_jitter(width=0.1) +
  xlab(NULL) +
  theme(legend.position="none")

## End(Not run)

```

mp_cal_divergence	<i>calculate the divergence with MPSE or tbl_mpse</i>
-------------------	---

Description

calculate the divergence with MPSE or tbl_mpse

Usage

```

mp_cal_divergence(
  .data,
  .abundance,
  .name = "divergence",
  reference = "mean",
  distFUN = vegan::vegdist,
  method = "bray",
  action = "add",
  ...
)

## S4 method for signature 'MPSE'
mp_cal_divergence(
  .data,
  .abundance,
  .name = "divergence",
  reference = "mean",
  distFUN = vegan::vegdist,
  method = "bray",
  action = "add",
  ...
)

## S4 method for signature 'tbl_mpse'
mp_cal_divergence(
  .data,
  .abundance,
  .name = "divergence",
  reference = "mean",
  distFUN = vegan::vegdist,

```



```

    method = "bray",
    action = "add",
    ...
)

## S4 method for signature 'grouped_df_mpse'
mp_cal_divergence(
  .data,
  .abundance,
  .name = "divergence",
  reference = "mean",
  distFUN = vegan::vegdist,
  method = "bray",
  action = "add",
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	The column name of OTU abundance column to be calculate.
.name	the colname name of the divergence results, default is 'divergence'.
reference	a no-empty character, either 'median' or 'mean' or the sample name, or a numeric vector which has length equal to the number of features, default is 'mean'.
distFUN	the function to calculate the distance between the reference and samples, default is 'vegan::vegdist'.
method	the method to calculate the distance, which will pass to the function that is specified in 'distFUN', default is 'bray'.
action	character it has three options, "add" joins the new information to the input tbl (default), "only" return a non-redundant tibble with the just new information, ang 'get' return a 'alphasample' object.
...	additional arguments, see also the arguments of 'distFUN' function.

Value

update object or other (refer to action)

Author(s)

Shuangbin Xu

See Also

[mp_plot_alpha()]

Examples

```
## Not run:
# example(mp_cal_divergence, run.dontrun = TRUE) to run the example.
data(mouse.time.mpse)
mouse.time.mpse %>%
  mp_cal_divergence(
    .abundance = Abundance,
    .name = 'divergence.mean',
    distFUN = vegan::vegdist,
    method = 'bray'
  ) %>%
  mp_plot_alpha(
    .alpha = divergence.mean,
    .group = time,
  )

## End(Not run)
```

mp_cal_nmds

Nonmetric Multidimensional Scaling Analysis with MPSE or tbl_mpse object

Description

Nonmetric Multidimensional Scaling Analysis with MPSE or tbl_mpse object

Usage

```
mp_cal_nmds(
  .data,
  .abundance,
  distmethod = "bray",
  .dim = 2,
  action = "add",
  seed = 123,
  ...
)

## S4 method for signature 'MPSE'
mp_cal_nmds(
  .data,
  .abundance,
  distmethod = "bray",
  .dim = 2,
  action = "add",
  seed = 123,
  ...
)
```

```

## S4 method for signature 'tbl_mpse'
mp_cal_nmds(
  .data,
  .abundance,
  distmethod = "bray",
  .dim = 2,
  action = "add",
  seed = 123,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_cal_nmds(
  .data,
  .abundance,
  distmethod = "bray",
  .dim = 2,
  action = "add",
  seed = 123,
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
distmethod	character the method to calculate distance.
.dim	integer The number of dimensions to be returned, default is 2.
action	character "add" joins the NMDS result to the object, "only" return a non-redundant tibble with the NMDS result. "get" return 'metaMDS' object can be analyzed with related 'vegan' function.
seed	a random seed to make this analysis reproducible, default is 123.
...	additional parameters see also 'mp_cal_dist'.

Value

update object or tbl according to the action.

Author(s)

Shuangbin Xu

Examples

```

data(mouse.time.mpse)
mpse <- mouse.time.mpse %>%
  mp_decostand(.abundance=Abundance) %>%

```

```

      mp_cal_nmds(.abundance=hellinger, distmethod="bray", action="add")
library(ggplot2)
p <- mpse %>% mp_plot_ord(.ord=nmds,
                        .group=time,
                        .color=time,
                        .alpha=0.8,
                        ellipse=TRUE,
                        show.sample=TRUE)

p <- p +
  scale_fill_manual(values=c("#00AED7", "#009E73")) +
  scale_color_manual(values=c("#00AED7", "#009E73"))
## Not run:
mouse.time.mpse %>%
  mp_decostand(.abundance=Abundance) %>%
  mp_cal_nmds(.abundance=hellinger, distmethod="bray", .dim=2, action="only") -> tbl
tbl
x <- names(tbl)[grepl("NMDS1", names(tbl))] %>% as.symbol()
y <- names(tbl)[grepl("NMDS2", names(tbl))] %>% as.symbol()
library(ggplot2)
tbl %>%
  ggplot(aes(x=!!x, y=!!y, color=time)) +
  geom_point() +
  geom_vline(xintercept=0, color="grey20", linetype=2) +
  geom_hline(yintercept=0, color="grey20", linetype=2) +
  theme_bw() +
  theme(panel.grid=element_blank())

## End(Not run)

```

mp_cal_pca

Principal Components Analysis with MPSE or tbl_mpse object

Description

Principal Components Analysis with MPSE or tbl_mpse object

Usage

```
mp_cal_pca(.data, .abundance, .dim = 3, action = "add", ...)
```

```
## S4 method for signature 'MPSE'
```

```
mp_cal_pca(.data, .abundance, .dim = 3, action = "add", ...)
```

```
## S4 method for signature 'tbl_mpse'
```

```
mp_cal_pca(.data, .abundance, .dim = 3, action = "add", ...)
```

```
## S4 method for signature 'grouped_df_mpse'
```

```
mp_cal_pca(.data, .abundance, .dim = 3, action = "add", ...)
```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
.dim	integer The number of dimensions to be returned, default is 3.
action	character "add" joins the pca result to the object, "only" return a non-redundant tibble with the pca result. "get" return 'prcomp' object.
...	additional parameters see also 'prcomp'

Value

update object or tbl according to the action.

Author(s)

Shuangbin Xu

Examples

```

data(mouse.time.mpse)
library(ggplot2)
mpse <- mouse.time.mpse %>%
  mp_decostand(.abundance=Abundance) %>%
  mp_cal_pca(.abundance=hellinger, action="add")
mpse
p1 <- mpse %>% mp_plot_ord(.ord=pca, .group=time, ellipse=TRUE)
p2 <- mpse %>% mp_plot_ord(.ord=pca, .group=time, .color=time, ellipse=TRUE)
p1 + scale_fill_manual(values=c("#00AED7", "#009E73"))
p2 + scale_fill_manual(values=c("#00AED7", "#009E73")) +
  scale_color_manual(values=c("#00AED7", "#009E73"))
## Not run:
# action = "only" to extract the non-redundant tibble to visualize
tbl <- mouse.time.mpse %>%
  mp_decostand(.abundance=Abundance) %>%
  mp_cal_pca(.abundance=hellinger, action="only")
tbl
x <- names(tbl)[grepl("PC1 ", names(tbl))] %>% as.symbol()
y <- names(tbl)[grepl("PC2 ", names(tbl))] %>% as.symbol()
ggplot(tbl) +
  geom_point(aes(x=!!x, y=!!y, color=time))

## End(Not run)

```

`mp_cal_pcoa`*Principal Coordinate Analysis with MPSE or tbl_mpse object*

Description

Principal Coordinate Analysis with MPSE or tbl_mpse object

Usage

```
mp_cal_pcoa(  
  .data,  
  .abundance,  
  distmethod = "bray",  
  .dim = 3,  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'MPSE'  
mp_cal_pcoa(  
  .data,  
  .abundance,  
  distmethod = "bray",  
  .dim = 3,  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'tbl_mpse'  
mp_cal_pcoa(  
  .data,  
  .abundance,  
  distmethod = "bray",  
  .dim = 3,  
  action = "add",  
  ...  
)  
  
## S4 method for signature 'grouped_df_mpse'  
mp_cal_pcoa(  
  .data,  
  .abundance,  
  distmethod = "bray",  
  .dim = 3,  
  action = "add",  
  ...  
)
```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
distmethod	character the method to calculate distance.
.dim	integer The number of dimensions to be returned, default is 3.
action	character "add" joins the pca result to the object and the 'pcoa' object also was add to the internal attributes of the object, "only" return a non-redundant tibble with the pca result. "get" return 'pcoa' object.
...	additional parameters see also 'mp_cal_dist'.

Value

update object or tbl according to the action.

Author(s)

Shuangbin Xu

Examples

```

data(mouse.time.mpse)
mpse <- mouse.time.mpse %>%
  mp_decostand(.abundance=Abundance)
mpse
mpse %<>% mp_cal_pcoa(.abundance=hellinger, stmethod="bray", action="add")
library(ggplot2)
p <- mpse %>% mp_plot_ord(.ord=pcoa, .group=time, .color=time, ellipse=TRUE)
p <- p +
  scale_fill_manual(values=c("#00AED7", "#009E73")) +
  scale_color_manual(values=c("#00AED7", "#009E73"))
## Not run:
# Or run with action='only' and return tbl_df to visualize manual.
mouse.time.mpse %>%
  mp_decostand(.abundance=Abundance) %>%
  mp_cal_pcoa(.abundance=hellinger, distmethod="bray", .dim=2, action="only") -> tbl
tbl
x <- names(tbl)[grepl("PCo1 ", names(tbl))] %>% as.symbol()
y <- names(tbl)[grepl("PCo2 ", names(tbl))] %>% as.symbol()
library(ggplot2)
tbl %>%
  ggplot(aes(x=!!x, y=!!y, color=time)) +
  stat_ellipse(aes(fill=time), geom="polygon", alpha=0.5) +
  geom_point() +
  geom_vline(xintercept=0, color="grey20", linetype=2) +
  geom_hline(yintercept=0, color="grey20", linetype=2) +
  theme_bw() +
  theme(panel.grid=element_blank())

## End(Not run)

```

mp_cal_pd_metric	<i>Calculating related phylogenetic alpha metric with MPSE or tbl_mpse object</i>
------------------	---

Description

Calculating related phylogenetic alpha metric with MPSE or tbl_mpse object

Usage

```
mp_cal_pd_metric(
  .data,
  .abundance,
  action = "add",
  metric = c("PAE", "NRI", "NTI", "PD", "HAED", "EAED", "all"),
  abundance.weighted = FALSE,
  force = FALSE,
  seed = 123,
  ...
)

## S4 method for signature 'MPSE'
mp_cal_pd_metric(
  .data,
  .abundance,
  action = "add",
  metric = c("PAE", "NRI", "NTI", "PD", "HAED", "EAED", "IAC", "all"),
  abundance.weighted = FALSE,
  force = FALSE,
  seed = 123,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_cal_pd_metric(
  .data,
  .abundance,
  action = "add",
  metric = c("PAE", "NRI", "NTI", "PD", "HAED", "EAED", "all"),
  abundance.weighted = TRUE,
  force = FALSE,
  seed = 123,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_cal_pd_metric(
```



```

    .data,
    .abundance,
    action = "add",
    metric = c("PAE", "NRI", "NTI", "PD", "HAED", "EAED", "all"),
    abundance.weighted = TRUE,
    force = FALSE,
    seed = 123,
    ...
  )

```

Arguments

.data	object, MPSE or tbl_mpse object
.abundance	The column name of OTU abundance column to be calculate.
action	character it has three options, "add" joins the new information to the input tbl (default), "only" return a non-redundant tibble with the just new information, ang 'get' return a 'alphasample' object.
metric	the related phylogenetic metric, options is 'NRI', 'NTI', 'PD', 'PAE', 'HAED', 'EAED', 'IAC', 'all', default is 'PAE', 'all' meaning all the metrics ('NRI', 'NTI', 'PD', 'PAE', 'HAED', 'EAED', 'IAC').
abundance.weighted	logical, whether calculate mean nearest taxon distances for each species weighted by species abundance, default is TRUE.
force	logical whether calculate the alpha index even the '.abundance' is not rarefied, default is FALSE.
seed	integer a random seed to make the result reproducible, default is 123.
...	additional arguments see also "ses.mpd" and "ses.mntd" of "picante".

Value

update object.

Author(s)

Shuangbin Xu

References

- Cadotte, M.W., Jonathan Davies, T., Regetz, J., Kembel, S.W., Cleland, E. and Oakley, T.H. (2010), Phylogenetic diversity metrics for ecological communities: integrating species richness, abundance and evolutionary history. *Ecology Letters*, 13: 96-105. <https://doi.org/10.1111/j.1461-0248.2009.01405.x>.
- Webb, C. O. (2000). Exploring the phylogenetic structure of ecological communities: an example for rain forest trees. *The American Naturalist*, 156(2), 145-155. <https://doi.org/10.1086/303378>.

Examples

```
## Not run:
suppressPackageStartupMessages(library(curatedMetagenomicData))
xx <- curatedMetagenomicData('ZellerG_2014.relative_abundance', dryrun=F)
xx[[1]] %>% as.mpse -> mpse
mpse %<>%
  mp_cal_pd_metric(
    .abundance = Abundance,
    force = TRUE,
    metric = 'PAE'
  )
mpse %>%
  mp_plot_alpha(
    .alpha = PAE,
    .group = disease
  )

## End(Not run)
```

mp_cal_rarecurve

Calculating the different alpha diversities index with different depth

Description

Calculating the different alpha diversities index with different depth

Usage

```
mp_cal_rarecurve(
  .data,
  .abundance = NULL,
  action = "add",
  chunks = 400,
  seed = 123,
  force = FALSE,
  ...
)

## S4 method for signature 'MPSE'
mp_cal_rarecurve(
  .data,
  .abundance = NULL,
  action = "add",
  chunks = 400,
  seed = 123,
  force = FALSE,
  ...
)
```

```

## S4 method for signature 'tbl_mpse'
mp_cal_rarecurve(
  .data,
  .abundance = NULL,
  action = "add",
  chunks = 400,
  seed = 123,
  force = FALSE,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_cal_rarecurve(
  .data,
  .abundance = NULL,
  action = "add",
  chunks = 400,
  seed = 123,
  force = FALSE,
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of otu abundance to be calculated.
action	character it has three options, "add" joins the new information to the input tbl (default), "only" return a non-redundant tibble with the just new information, ang 'get' return a 'rarecurve' object.
chunks	numeric the split number of each sample to calculate alpha diversity, default is 400. eg. A sample has total 40000 reads, if chunks is 400, it will be split to 100 sub-samples (100, 200, 300,..., 40000), then alpha diversity index was calculated based on the sub-samples.
seed	a random seed to make the result reproducible, default is 123.
force	logical whether calculate rarecurve forcibly when the '.abundance' is not be rarefied, default is FALSE
...	additional parameters.

Value

update rarecurve calss

Author(s)

Shuangbin Xu

See Also

[mp_plot_rarecurve()] and [mp_extract_rarecurve()]

Examples

```
data(mouse.time.mpse)
mouse.time.mpse %>%
mp_rrarefy() -> mpse
mpse
# larger 'chunks' means more robust, but it will become slower.
mpse %<>% mp_cal_rarecurve(.abundance=RareAbundance, chunks=100, action="add")
mpse
p1 <- mpse %>%
  mp_plot_rarecurve(.rare=RareAbundanceRarecurve, .alpha="Observe")
p2 <- mpse %>%
  mp_plot_rarecurve(.rare=RareAbundanceRarecurve, .alpha=c("Observe", "ACE"))
```

mp_cal_rda

[Partial] [Constrained] Redundancy Analysis with MPSE or tbl_mpse object

Description

[Partial] [Constrained] Redundancy Analysis with MPSE or tbl_mpse object

Usage

```
mp_cal_rda(.data, .abundance, .formula = NULL, .dim = 3, action = "add", ...)

## S4 method for signature 'MPSE'
mp_cal_rda(.data, .abundance, .formula = NULL, .dim = 3, action = "add", ...)

## S4 method for signature 'tbl_mpse'
mp_cal_rda(.data, .abundance, .formula = NULL, .dim = 3, action = "add", ...)

## S4 method for signature 'grouped_df_mpse'
mp_cal_rda(.data, .abundance, .formula = NULL, .dim = 3, action = "add", ...)
```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
.formula	Model formula right hand side gives the constraining variables, and conditioning variables can be given within a special function 'Condition' and keep left empty, such as ~ A + B or ~ A + Condition(B), default is NULL.
.dim	integer The number of dimensions to be returned, default is 3.

action character "add" joins the rda result to the object, "only" return a non-redundant tibble with the rda result. "get" return 'rda' object can be analyzed using the related vegan function.

... additional parameters see also 'rda' of vegan.

Value

update object according action argument

Author(s)

Shuangbin Xu

Examples

```
library(vegan)
data(varespec, varechem)
mpse <- MPSE(assays=list(Abundance=t(varespec)), colData=varechem)
mpse
mpse %>%
  mp_cal_rda(.abundance=Abundance,
            .formula=~A1 + P*(K + Baresoil),
            .dim = 3,
            action="add") %>%
  mp_plot_ord(show.sample=TRUE)
```

mp_cal_upset	<i>Calculating the samples or groups for each OTU, the result can be visualized by 'ggupset'</i>
--------------	--

Description

Calculating the samples or groups for each OTU, the result can be visualized by 'ggupset'

Usage

```
mp_cal_upset(
  .data,
  .group,
  .abundance = NULL,
  action = "add",
  force = FALSE,
  ...
)

## S4 method for signature 'MPSE'
mp_cal_upset(
  .data,
```

```

    .group,
    .abundance = NULL,
    action = "add",
    force = FALSE,
    ...
)

## S4 method for signature 'tbl_mpse'
mp_cal_upset(
  .data,
  .group,
  .abundance = NULL,
  action = "add",
  force = FALSE,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_cal_upset(
  .data,
  .group,
  .abundance = NULL,
  action = "add",
  force = FALSE,
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.group	the name of group to be calculated. if it is no provided, the sample will be used.
.abundance	the name of otu abundance to be calculated. if it is null, the rarefied abundance will be used.
action	character, "add" joins the new information to the tibble of tbl_mpse or rowData of MPSE. "only" and "get" return a non-redundant tibble with the just new information. which is a treedata object.
force	logical whether calculate the relative abundance forcibly when the abundance is not be rarefied, default is FALSE.
...	additional parameters.

Value

update object or tibble according the 'action'

Author(s)

Shuangbin Xu

See Also

[mp_plot_upset()]

Examples

```

data(mouse.time.mpse)
mpse <- mouse.time.mpse %>%
  mp_rrarefy() %>%
  mp_cal_upset(.abundance=RareAbundance, .group=time, action="add")

mpse
library(ggplot2)
library(ggupset)
p <- mpse %>% mp_plot_upset(.group=time, .upset=ggupsetOftime)
p
# or set action="only"
## Not run:
tbl <- mouse.time.mpse %>%
  mp_rrarefy() %>%
  mp_cal_upset(.abundance=RareAbundance, .group=time, action="only")
tbl
p2 <- tbl %>%
  ggplot(aes(x=ggupsetOftime)) +
  geom_bar() +
  ggupset::scale_x_upset() +
  ggupset::theme_combmatrix(combmatrix.label.extra_spacing=30)

## End(Not run)

```

mp_cal_venn

Calculating the OTU for each sample or group, the result can be visualized by 'ggVennDiagram'

Description

Calculating the OTU for each sample or group, the result can be visualized by 'ggVennDiagram'

Usage

```

mp_cal_venn(
  .data,
  .group,
  .abundance = NULL,
  action = "add",
  force = FALSE,
  ...
)

## S4 method for signature 'MPSE'

```

```

mp_cal_venn(
  .data,
  .group,
  .abundance = NULL,
  action = "add",
  force = FALSE,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_cal_venn(
  .data,
  .group,
  .abundance = NULL,
  action = "add",
  force = FALSE,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_cal_venn(
  .data,
  .group,
  .abundance = NULL,
  action = "add",
  force = FALSE,
  ...
)

```

Arguments

<code>.data</code>	MPSE or <code>tbl_mpse</code> object
<code>.group</code>	the name of group to be calculated. if it is no provided, the sample will be used.
<code>.abundance</code>	the name of otu abundance to be calculated. if it is null, the rarefied abundance will be used.
<code>action</code>	character, "add" joins the new information to the tibble of <code>tbl_mpse</code> or <code>rowData</code> of MPSE. "only" and "get" return a non-redundant tibble with the just new information.
<code>force</code>	logical whether calculate the relative abundance forcibly when the abundance is not be rarefied, default is FALSE.
<code>...</code>	additional parameters.

Value

update object or tibble according the 'action'

Author(s)

Shuangbin Xu

See Also

[mp_plot_venn()]

Examples

```

data(mouse.time.mpse)
mouse.time.mpse %>%
mp_rrarefy() %>%
mp_cal_venn(.abundance=RareAbundance, .group=time, action="add") -> mpse
mpse
p <- mpse %>% mp_plot_venn(.venn = vennOfTime, .group = time)
## Not run:
# visualized by manual
library(ggplot2)
mpse %>%
  mp_extract_sample() %>%
  select(time, vennOfTime) %>%
  distinct() %>%
  pull(var=vennOfTime, name=time) %>%
  ggVennDiagram::ggVennDiagram()

## End(Not run)

```

mp_decostand

This Function Provides Several Standardization Methods for Community Data

Description

This Function Provides Several Standardization Methods for Community Data

Usage

```

mp_decostand(.data, .abundance = NULL, method = "hellinger", logbase = 2, ...)

## S4 method for signature 'data.frame'
mp_decostand(.data, .abundance = NULL, method = "hellinger", logbase = 2, ...)

## S4 method for signature 'MPSE'
mp_decostand(.data, .abundance = NULL, method = "hellinger", logbase = 2, ...)

## S4 method for signature 'tbl_mpse'
mp_decostand(.data, .abundance = NULL, method = "hellinger", logbase = 2, ...)

## S4 method for signature 'grouped_df_mpse'
mp_decostand(.data, .abundance = NULL, method = "hellinger", logbase = 2, ...)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the names of otu abundance to be applied standardization.
method	character the name of standardization method, it can one of 'total', 'max', 'frequency', 'normalize', 'range', 'rank', 'rrank', 'standardize', 'pa', 'chi.square', 'hellinger' and 'log', see also decostand
logbase	numeric The logarithm base used in 'method=log', default is 2.
...	additional parameters, see also decostand

Value

update object

Author(s)

Shuangbin Xu

Source

mp_decostand for data.frame object is a wrapper method of `vegan::decostand` from the `vegan` package

See Also

[`mp_extract_assays()`] and [`mp_rrarefy()`]
[decostand](#)

Examples

```
data(mouse.time.mpse)
mouse.time.mpse %>%
  mp_decostand(.abundance=Abundance, method="hellinger")
```

mp_diff_analysis

Differential expression analysis for MPSE or tbl_mpse object

Description

Differential expression analysis for MPSE or tbl_mpse object

Usage

```
mp_diff_analysis(  
  .data,  
  .abundance,  
  .group,  
  .sec.group = NULL,  
  action = "add",  
  tip.level = "OTU",  
  force = FALSE,  
  relative = TRUE,  
  taxa.class = "all",  
  first.test.method = "kruskal.test",  
  first.test.alpha = 0.05,  
  p.adjust = "fdr",  
  filter.p = "fdr",  
  strict = TRUE,  
  fc.method = "generalizedFC",  
  second.test.method = "wilcox.test",  
  second.test.alpha = 0.05,  
  cl.min = 5,  
  cl.test = TRUE,  
  subcl.min = 3,  
  subcl.test = TRUE,  
  ml.method = "lda",  
  normalization = 1e+06,  
  ldascore = 2,  
  bootnums = 30,  
  sample.prop.boot = 0.7,  
  ci = 0.95,  
  seed = 123,  
  type = "species",  
  ...  
)
```

```
## S4 method for signature 'MPSE'
```

```
mp_diff_analysis(  
  .data,  
  .abundance,  
  .group,  
  .sec.group = NULL,  
  action = "add",  
  tip.level = "OTU",  
  force = FALSE,  
  relative = TRUE,  
  taxa.class = "all",  
  first.test.method = "kruskal.test",  
  first.test.alpha = 0.05,  
  p.adjust = "fdr",
```

```
filter.p = "fdr",
strict = TRUE,
fc.method = "generalizedFC",
second.test.method = "wilcox.test",
second.test.alpha = 0.05,
cl.min = 5,
cl.test = TRUE,
subcl.min = 3,
subcl.test = TRUE,
ml.method = "lda",
normalization = 1e+06,
ldascore = 2,
bootnums = 30,
sample.prop.boot = 0.7,
ci = 0.95,
seed = 123,
type = "species",
...
)

## S4 method for signature 'tbl_mpse'
mp_diff_analysis(
  .data,
  .abundance,
  .group,
  .sec.group = NULL,
  action = "add",
  tip.level = "OTU",
  force = FALSE,
  relative = TRUE,
  taxa.class = "all",
  first.test.method = "kruskal.test",
  first.test.alpha = 0.05,
  p.adjust = "fdr",
  filter.p = "fdr",
  strict = TRUE,
  fc.method = "generalizedFC",
  second.test.method = "wilcox.test",
  second.test.alpha = 0.05,
  cl.min = 5,
  cl.test = TRUE,
  subcl.min = 3,
  subcl.test = TRUE,
  ml.method = "lda",
  normalization = 1e+06,
  ldascore = 2,
  bootnums = 30,
  sample.prop.boot = 0.7,
```

```

    ci = 0.95,
    seed = 123,
    type = "species",
    ...
)

## S4 method for signature 'grouped_df_mpse'
mp_diff_analysis(
  .data,
  .abundance,
  .group,
  .sec.group = NULL,
  action = "add",
  tip.level = "OTU",
  force = FALSE,
  relative = TRUE,
  taxa.class = "all",
  first.test.method = "kruskal.test",
  first.test.alpha = 0.05,
  p.adjust = "fdr",
  filter.p = "fdr",
  strict = TRUE,
  fc.method = "generalizedFC",
  second.test.method = "wilcox.test",
  second.test.alpha = 0.05,
  cl.min = 5,
  cl.test = TRUE,
  subcl.min = 3,
  subcl.test = TRUE,
  ml.method = "lda",
  normalization = 1e+06,
  ldascore = 2,
  bootnums = 30,
  sample.prop.boot = 0.7,
  ci = 0.95,
  seed = 123,
  type = "species",
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated
.group	the group name of the samples to be calculated.
.sec.group	the second group name of the samples to be calculated.
action	character, "add" joins the new information to the taxatree (if it exists) or rowData and return MPSE object, "only" return a non-redundant tibble with the result of

	different analysis. "get" return 'diffAnalysisClass' object.
tip.level	character the taxa level to be as tip level
force	logical whether to calculate the relative abundance forcibly when the abundance is not be rarefied, default is FALSE.
relative	logical whether calculate the relative abundance.
taxa.class	character if taxa class is not 'all', only the specified taxa class will be identified, default is 'all'.
first.test.method	the method for first test, option is "kruskal.test", "oneway.test", "lm", "glm", or "glm.nb", "kruskal_test", "oneway_test" of "coin" package. default is "kruskal.test".
first.test.alpha	numeric the alpha value for the first test, default is 0.05.
p.adjust	character the correction method, default is "fdr", see also p.adjust function default is fdr.
filter.p	character the method to filter pvalue, default is fdr, meanings the features that $fdr \leq .first.test.alpha$ will be kept, if it is set to pvalue, meanings the features that $pvalue \leq .first.test.alpha$ will be kept.
strict	logical whether to performed in one-against-one when .sec.group is provided, default is TRUE (strict).
fc.method	character the method to check which group has more abundance for the significantly different features, default is "generalizedFC", options are generalizedFC, compare_median, compare_mean.
second.test.method	the method for one-against-one (the second test), default is "wilcox.test" other option is one of 'wilcox_test' of 'coin'; 'glm'; 'glm.nb' of 'MASS'.
second.test.alpha	numeric the alpha value for the second test, default is 0.05.
cl.min	integer the minimum number of samples per group for performing test, default is 5.
cl.test	logical whether to perform test (second test) between the groups (the number of sample of the .group should be also larger that cl.min), default is TRUE.
subcl.min	integer the minimum number of samples in each second groups for performing test, default is 3.
subcl.test	logical whether to perform test for between the second groups (the .sec.group should be provided and the number sample of each .sec.group should be larger than subcl.min, and strict is TRUE), default is TRUE.
ml.method	the method for calculating the effect size of features, option is 'lda' or 'rf'. default is 'lda'.
normalization	integer set a big number if to get more meaningful values for the LDA score, or you can set NULL for no normalization, default is 1000000.
ldascore	numeric the threshold on the absolute value of the logarithmic LDA score, default is 2.
bootnums	integer, set the number of bootstrap iteration for lda or rf, default is 30.

```

sample.prop.boot      numeric range from 0 to 1, the proportion of samples for calculating the effect
                      size of features, default is 0.7.
ci                    numeric, the confidence interval of effect size (LDA or MDA), default is 0.95.
seed                  a random seed to make the analysis reproducible, default is 123.
type                  character type="species" meaning the abundance matrix is from the species
                      abundance, other option is "others", default is "species".
...                   additional parameters

```

Value

update object according to the action argument.

Author(s)

Shuangbin Xu

Examples

```

data(mouse.time.mpse)
mouse.time.mpse %<>%
  mp_rrarefy()
mouse.time.mpse
mouse.time.mpse %<>%
  mp_diff_analysis(.abundance=RareAbundance,
                  .group=time,
                  first.test.alpha=0.01,
                  action="add")

library(ggplot2)
p <- mouse.time.mpse %>% mp_plot_diff_res()
p <- p +
  scale_fill_manual(
    aesthetics = "fill_new", # The fill aes was renamed to "fill_new" for the abundance dotplot layer
    values = c("skyblue", "orange")
  ) +
  scale_fill_manual(
    values=c("skyblue", "orange") # The LDA barplot layer
  )
### and the fill aes for hight light layer of tree was renamed to 'fill_new_new'
p <- p +
  scale_fill_manual(
    aesthetics = "fill_new_new",
    values = c("#E41A1C", "#377EB8", "#4DAF4A",
              "#984EA3", "#FF7F00", "#FFFF33",
              "#A65628", "#F781BF", "#999999")
  )
p
## Not run:
### visualizing the differential taxa with cladogram
f <- mouse.time.mpse %>%
  mp_plot_diff_cladogram(

```

```

        label.size = 2.5,
        hilight.alpha = .3,
        bg.tree.size = .5,
        bg.point.size = 2,
        bg.point.stroke = .25
    ) +
    scale_fill_diff_cladogram(
      values = c('skyblue', 'orange')
    ) +
    scale_size_continuous(range = c(1, 4))
  f

  ## End(Not run)

```

mp_diff_clade	<i>Differential internal and tip nodes (clades) analysis for MPSE or tbl_mpse object</i>
---------------	--

Description

Differential internal and tip nodes (clades) analysis for MPSE or tbl_mpse object

Usage

```

mp_diff_clade(
  .data,
  .abundance,
  .group,
  .sec.group = NULL,
  action = "add",
  force = FALSE,
  relative = TRUE,
  first.test.method = "kruskal.test",
  first.test.alpha = 0.05,
  p.adjust = "fdr",
  filter.p = "fdr",
  strict = TRUE,
  fc.method = "generalizedFC",
  second.test.method = "wilcox.test",
  second.test.alpha = 0.05,
  cl.min = 5,
  cl.test = TRUE,
  subcl.min = 3,
  subcl.test = TRUE,
  ml.method = "lda",
  normalization = 1e+06,
  ldascore = 2,
  bootnums = 30,

```



```
    sample.prop.boot = 0.7,
    ci = 0.95,
    seed = 123,
    type = "species",
    ...
)

## S4 method for signature 'MPSE'
mp_diff_clade(
  .data,
  .abundance,
  .group,
  .sec.group = NULL,
  action = "add",
  force = FALSE,
  relative = TRUE,
  first.test.method = "kruskal.test",
  first.test.alpha = 0.05,
  p.adjust = "fdr",
  filter.p = "fdr",
  strict = TRUE,
  fc.method = "generalizedFC",
  second.test.method = "wilcox.test",
  second.test.alpha = 0.05,
  cl.min = 5,
  cl.test = TRUE,
  subcl.min = 3,
  subcl.test = TRUE,
  ml.method = "lda",
  normalization = 1e+06,
  ldascore = 2,
  bootnums = 30,
  sample.prop.boot = 0.7,
  ci = 0.95,
  seed = 123,
  type = "species",
  ...
)

## S4 method for signature 'tbl_mpse'
mp_diff_clade(
  .data,
  .abundance,
  .group,
  .sec.group = NULL,
  action = "add",
  force = FALSE,
  relative = TRUE,
```

```
    first.test.method = "kruskal.test",
    first.test.alpha = 0.05,
    p.adjust = "fdr",
    filter.p = "fdr",
    strict = TRUE,
    fc.method = "generalizedFC",
    second.test.method = "wilcox.test",
    second.test.alpha = 0.05,
    cl.min = 5,
    cl.test = TRUE,
    subcl.min = 3,
    subcl.test = TRUE,
    ml.method = "lda",
    normalization = 1e+06,
    ldascore = 2,
    bootnums = 30,
    sample.prop.boot = 0.7,
    ci = 0.95,
    seed = 123,
    type = "species",
    ...
)

## S4 method for signature 'grouped_df_mpse'
mp_diff_clade(
  .data,
  .abundance,
  .group,
  .sec.group = NULL,
  action = "add",
  force = FALSE,
  relative = TRUE,
  first.test.method = "kruskal.test",
  first.test.alpha = 0.05,
  p.adjust = "fdr",
  filter.p = "fdr",
  strict = TRUE,
  fc.method = "generalizedFC",
  second.test.method = "wilcox.test",
  second.test.alpha = 0.05,
  cl.min = 5,
  cl.test = TRUE,
  subcl.min = 3,
  subcl.test = TRUE,
  ml.method = "lda",
  normalization = 1e+06,
  ldascore = 2,
  bootnums = 30,
```

```

    sample.prop.boot = 0.7,
    ci = 0.95,
    seed = 123,
    type = "species",
    ...
  )

```

Arguments

<code>.data</code>	MPSE or <code>tbl_mpse</code> object
<code>.abundance</code>	the name of abundance to be calculated
<code>.group</code>	the group name of the samples to be calculated.
<code>.sec.group</code>	the second group name of the samples to be calculated.
<code>action</code>	character, "add" joins the new information to the taxatree (if it exists) and otutree (if it exists) or <code>rowData</code> and return MPSE object, "only" return a non-redundant tibble with the result of different analysis. "get" return 'diffAnalysisClass' object.
<code>force</code>	logical whether to calculate the relative abundance forcibly when the abundance is not be rarefied, default is FALSE.
<code>relative</code>	logical whether calculate the relative abundance, default is TRUE.
<code>first.test.method</code>	the method for first test, option is "kruskal.test", "oneway.test", "lm", "glm", or "glm.nb", "kruskal_test", "oneway_test" of "coin" package. default is "kruskal.test".
<code>first.test.alpha</code>	numeric the alpha value for the first test, default is 0.05.
<code>p.adjust</code>	character the correction method, default is "fdr", see also <code>p.adjust</code> function default is <code>fdr</code> .
<code>filter.p</code>	character the method to filter pvalue, default is <code>fdr</code> , meanings the features that $fdr \leq .first.test.alpha$ will be kept, if it is set to <code>pvalue</code> , meanings the features that $pvalue \leq .first.test.alpha$ will be kept.
<code>strict</code>	logical whether to performed in one-against-one when <code>.sec.group</code> is provided, default is TRUE (strict).
<code>fc.method</code>	character the method to check which group has more abundance for the significantly different features, default is "generalizedFC", options are <code>generalizedFC</code> , <code>compare_median</code> , <code>compare_mean</code> .
<code>second.test.method</code>	the method for one-against-one (the second test), default is "wilcox.test" other option is one of 'wilcox_test' of 'coin'; 'glm'; 'glm.nb' of 'MASS'.
<code>second.test.alpha</code>	numeric the alpha value for the second test, default is 0.05.
<code>cl.min</code>	integer the minimum number of samples per group for performing test, default is 5.
<code>cl.test</code>	logical whether to perform test (second test) between the groups (the number of sample of the <code>.group</code> should be also larger that <code>cl.min</code>), default is TRUE.

<code>subcl.min</code>	integer the minimum number of samples in each second groups for performing test, default is 3.
<code>subcl.test</code>	logical whether to perform test for between the second groups (the <code>.sec.group</code> should be provided and the number sample of each <code>.sec.group</code> should be larger than <code>subcl.min</code> , and <code>strict</code> is TRUE), default is TRUE.
<code>ml.method</code>	the method for calculating the effect size of features, option is 'lda' or 'rf'. default is 'lda'.
<code>normalization</code>	integer set a big number if to get more meaningful values for the LDA score, or you can set NULL for no normalization, default is 1000000.
<code>ldascore</code>	numeric the threshold on the absolute value of the logarithmic LDA score, default is 2.
<code>bootnums</code>	integer, set the number of bootstrap iteration for lda or rf, default is 30.
<code>sample.prop.boot</code>	numeric range from 0 to 1, the proportion of samples for calculating the effect size of features, default is 0.7.
<code>ci</code>	numeric, the confidence interval of effect size (LDA or MDA), default is 0.95.
<code>seed</code>	a random seed to make the analysis reproducible, default is 123.
<code>type</code>	character <code>type="species"</code> meaning the abundance matrix is from the species abundance, other option is "others", default is "species".
<code>...</code>	additional parameters

Value

update object according to the action argument.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
suppressPackageStartupMessages(library(curatedMetagenomicData))
xx <- curatedMetagenomicData('ZellerG_2014.relative_abundance', dryrun=F)
xx[[1]] %>% as.mpse -> mpse
mpse.agg.clade <- mpse %>%
  mp_aggregate_clade(
    .abundance = Abundance,
    force = TRUE,
    relative = FALSE,
    action = 'add' # other option is 'get' or 'only'.
  )
mpse.agg.clade %>% mp_diff_clade(
  .abundance = Abundance,
  force = TRUE,
  relative = FALSE,
  .group = disease,
  fc.method = "compare_mean"
```

```

) %>%
mp_extract_otutree() %>%
dplyr::filter(!is.na(Sign_disease), keep.td = FALSE)

## End(Not run)

```

mp_dmn

Fit Dirichlet-Multinomial models to MPSE or tbl_mpse

Description

Fit Dirichlet-Multinomial models to MPSE or tbl_mpse

Usage

```

mp_dmn(.data, .abundance, k = 1, seed = 123, mc.cores = 2, action = "get", ...)

## S4 method for signature 'MPSE'
mp_dmn(.data, .abundance, k = 1, seed = 123, mc.cores = 2, action = "get", ...)

## S4 method for signature 'tbl_mpse'
mp_dmn(.data, .abundance, k = 1, seed = 123, mc.cores = 2, action = "get", ...)

## S4 method for signature 'grouped_df_mpse'
mp_dmn(.data, .abundance, k = 1, seed = 123, mc.cores = 2, action = "get", ...)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	The column name of OTU abundance column to be calculate.
k	the number of Dirichlet components to fit, default is 1.
seed	random number seed to be reproducible, default is 123.
mc.cores	The number of cores to use, default is 2.
action	character it has three options, 'get' return a 'list' contained DMN (default), "add" joins the new information to the input (can be extracted with mp_extract_internal_attr(name='DMN'), "only" return a non-redundant tibble with the just new information a column contained 'DMN'.
...	additional parameters, see also the mclapply and dmn .

Value

update object or other (refer to action)

Examples

```
## Not run:
data(mouse.time.mpse)
res <- mouse.time.mpse %>%
  mp_dmn(.abundance = Abundance,
        k = seq_len(2),
        mc.cores = 4,
        action = 'get')
res

## End(Not run)
```

mp_dmngroup

Dirichlet-Multinomial generative classifiers to MPSE or tbl_mpse

Description

Dirichlet-Multinomial generative classifiers to MPSE or tbl_mpse

Usage

```
mp_dmngroup(.data, .abundance, .group, k = 1, action = "get", ...)

## S4 method for signature 'MPSE'
mp_dmngroup(.data, .abundance, .group, k = 1, action = "get", ...)

## S4 method for signature 'tbl_mpse'
mp_dmngroup(.data, .abundance, .group, k = 1, action = "get", ...)

## S4 method for signature 'grouped_df_mpse'
mp_dmngroup(.data, .abundance, .group, k = 1, action = "get", ...)
```

Arguments

.data	MPSE or tbl_mpse object
.abundance	The column name of OTU abundance column to be calculate.
.group	the column name of group variable.
k	the number of Dirichlet components to fit, default is 1.
action	character it has three options, 'get' return a 'list' contained DMN (default), "add" joins the new information to the input (can be extracted with mp_extract_internal_attr(name='DMN') and "only" return a non-redundant tibble with the just new information a column contained 'DMNGroup'.
...	additional parameters, see also the mclapply and dmngroup .

Value

update object or others (refer to action argument)

Examples

```
## Not run:
data(mouse.time.mpse)
mouse.time.mpse %>%
  mp_dmngroup(
    .abundance = Abundance,
    .group = time,
    k=seq_len(2),
    action = 'get'
  )

## End(Not run)
```

mp_envfit	<i>Fits an Environmental Vector or Factor onto an Ordination With MPSE or tbl_mpse Object</i>
-----------	---

Description

Fits an Environmental Vector or Factor onto an Ordination With MPSE or tbl_mpse Object

Usage

```
mp_envfit(
  .data,
  .ord,
  .env,
  .dim = 3,
  action = "only",
  permutations = 999,
  seed = 123,
  ...
)

## S4 method for signature 'MPSE'
mp_envfit(
  .data,
  .ord,
  .env,
  .dim = 3,
  action = "only",
  permutations = 999,
  seed = 123,
  ...
)

## S4 method for signature 'tbl_mpse'
```

```

mp_envfit(
  .data,
  .ord,
  .env,
  .dim = 3,
  action = "only",
  permutations = 999,
  seed = 123,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_envfit(
  .data,
  .ord,
  .env,
  .dim = 3,
  action = "only",
  permutations = 999,
  seed = 123,
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.ord	a name of ordination, option it is DCA, NMDS, RDA, CCA.
.env	the names of columns of sample group or environment information.
.dim	integer The number of dimensions to be returned, default is 3.
action	character "add" joins the envfit result to internal attributes of the object, "only" return a non-redundant tibble with the envfit result. "get" return 'envfit' object can be analyzed using the related vegan funtion.
permutations	the number of permutations required, default is 999.
seed	a random seed to make the analysis reproducible, default is 123.
...	additional parameters see also 'vegan::envfit'

Value

update object according action

Author(s)

Shuangbin Xu

Examples

```

library(vegan)
data(varespec, varechem)
mpse <- MPSE(assays=list(Abundance=t(varespec)), colData=varechem)
envformula <- paste("~", paste(colnames(varechem), collapse="+")) %>% as.formula
mpse %<>%
  mp_cal_cca(.abundance=Abundance, .formula=envformula, action="add")
mpse2 <- mpse %>%
  mp_envfit(.ord=cca,
            .env=colnames(varechem),
            permutations=9999,
            action="add")
mpse2 %>% mp_plot_ord(.ord=cca, .group=A1, .size=Mn, show.shample=TRUE, show.envfit=TRUE)
## Not run:
tbl <- mpse %>%
  mp_envfit(.ord=CCA,
            .env=colnames(varechem),
            permutations=9999,
            action="only")

tbl
library(ggplot2)
library(ggrepel)
x <- names(tbl)[grepl("^CCA1 ", names(tbl))] %>% as.symbol()
y <- names(tbl)[grepl("^CCA2 ", names(tbl))] %>% as.symbol()
p <- tbl %>%
  ggplot(aes(x=!!x, y=!!y)) +
  geom_point(aes(color=A1, size=Mn)) +
  geom_segment(data=dr_extract(
    name="CCA_ENVFIT_tb",
    .f=td_filter(pvals<=0.05 & label!="Humdepth")
  ),
             aes(x=0, y=0, xend=CCA1, yend=CCA2),
             arrow=arrow(length = unit(0.02, "npc")))
  ) +
  geom_text_repel(data=dr_extract(
    name="CCA_ENVFIT_tb",
    .f=td_filter(pvals<=0.05 & label!="Humdepth")
  ),
                 aes(x=CCA1, y=CCA2, label=label)
  ) +
  geom_vline(xintercept=0, color="grey20", linetype=2) +
  geom_hline(yintercept=0, color="grey20", linetype=2) +
  theme_bw() +
  theme(panel.grid=element_blank())
p
## End(Not run)

```

Description

Extracting the abundance metric from the MPSE or `tbl_mpse`, the `'mp_cal_abundance'` must have been run with `action='add'`.

Usage

```
mp_extract_abundance(x, taxa.class = "all", topn = NULL, rmun = FALSE, ...)

## S4 method for signature 'MPSE'
mp_extract_abundance(x, taxa.class = "all", topn = NULL, rmun = FALSE, ...)

## S4 method for signature 'tbl_mpse'
mp_extract_abundance(x, taxa.class = "all", topn = NULL, rmun = FALSE, ...)

## S4 method for signature 'grouped_df_mpse'
mp_extract_abundance(x, taxa.class = "all", topn = NULL, rmun = FALSE, ...)
```

Arguments

<code>x</code>	MPSE or <code>tbl_mpse</code> object
<code>taxa.class</code>	character the name of taxonomy class level what you want to extract
<code>topn</code>	integer the number of the top most abundant, default is <code>NULL</code> .
<code>rmun</code>	logical whether to remove the unknown taxa, such as <code>"g__un_xxx"</code> , default is <code>FALSE</code> (the unknown taxa class will be considered as <code>'Others'</code>).
<code>...</code>	additional parameters

Author(s)

Shuangbin Xu

`mp_extract_assays` *extract the abundance matrix from MPSE object or `tbl_mpse` object*

Description

extract the abundance matrix from MPSE object or `tbl_mpse` object

Usage

```
mp_extract_assays(x, .abundance, byRow = TRUE, ...)

## S4 method for signature 'MPSE'
mp_extract_assays(x, .abundance, byRow = TRUE, ...)

## S4 method for signature 'tbl_mpse'
mp_extract_assays(x, .abundance, byRow = TRUE, ...)
```

```
## S4 method for signature 'grouped_df_mpse'
mp_extract_assays(x, .abundance, byRow = TRUE, ...)
```

Arguments

x	MPSE or tbl_mpse object
.abundance	the name of abundance to be extracted.
byRow	logical if it is set TRUE, 'otu X sample' shape will return, else 'sample X otu' will return.
...	additional parameters.

Value

otu abundance a data.frame object

mp_extract_dist	<i>extract the dist object from MPSE or tbl_mpse object</i>
-----------------	---

Description

extract the dist object from MPSE or tbl_mpse object

Usage

```
mp_extract_dist(x, distmethod, type = "sample", .group = NULL, ...)
```

```
## S4 method for signature 'MPSE'
mp_extract_dist(x, distmethod, type = "sample", .group = NULL, ...)
```

```
## S4 method for signature 'tbl_mpse'
mp_extract_dist(x, distmethod, type = "sample", .group = NULL, ...)
```

```
## S4 method for signature 'grouped_df_mpse'
mp_extract_dist(x, distmethod, type = "sample", .group = NULL, ...)
```

Arguments

x	MPSE object or tbl_mpse object
distmethod	character the method of calculated distance.
type	character, which type distance to be extracted, 'sample' represents the distance between the samples based on feature abundance matrix, 'feature' represents the distance between the features based on feature abundance matrix, 'env' represents the the distance between the samples based on continuous environment factors, default is 'sample'.

.group the column name of sample information, which only work with type='sample' or type='env', default is NULL, when it is provided, a tibble that can be visualized via ggplot2 will return.

... additional parameters

Value

dist object or tbl_df object when .group is provided.

mp_extract_feature *extract the feature (OTU) information in MPSE object*

Description

extract the feature (OTU) information in MPSE object

Usage

```
mp_extract_feature(x, addtaxa = FALSE, ...)
```

```
## S4 method for signature 'MPSE'
```

```
mp_extract_feature(x, addtaxa = FALSE, ...)
```

```
## S4 method for signature 'tbl_mpse'
```

```
mp_extract_feature(x, addtaxa = FALSE, ...)
```

```
## S4 method for signature 'grouped_df_mpse'
```

```
mp_extract_feature(x, addtaxa = FALSE, ...)
```

Arguments

x MPSE object

addtaxa logical whether adding the taxonomy information default is FALSE.

... additional arguments

Value

tbl_df contained feature (OTU) information.

`mp_extract_internal_attr`*Extracting the PCA, PCoA, etc results from MPSE or tbl_mpse object*

Description

Extracting the PCA, PCoA, etc results from MPSE or tbl_mpse object

Usage

```
mp_extract_internal_attr(x, name, ...)
```

```
## S4 method for signature 'MPSE'
```

```
mp_extract_internal_attr(x, name, ...)
```

```
## S4 method for signature 'tbl_mpse'
```

```
mp_extract_internal_attr(x, name, ...)
```

```
## S4 method for signature 'grouped_df_mpse'
```

```
mp_extract_internal_attr(x, name, ...)
```

Arguments

x	MPSE or tbl_mpse object
name	character 'PCA' or 'PCoA'
...	additional parameters

Value

prcomp or pcoa etc object

`mp_extract_rarecurve` *Extract the result of mp_cal_rarecurve with action="add" from MPSE or tbl_mpse object*

Description

Extract the result of mp_cal_rarecurve with action="add" from MPSE or tbl_mpse object

Usage

```
mp_extract_rarecurve(x, .rarecurve, ...)

## S4 method for signature 'MPSE'
mp_extract_rarecurve(x, .rarecurve, ...)

## S4 method for signature 'tbl_mpse'
mp_extract_rarecurve(x, .rarecurve, ...)

## S4 method for signature 'grouped_df_mpse'
mp_extract_rarecurve(x, .rarecurve, ...)
```

Arguments

x	MPSE object or tbl_mpse object
.rarecurve	the column name of rarecurve after run mp_cal_rarecurve with action="add".
...	additional parameter

Value

rarecurve object that be be visualized by ggrarecurve

mp_extract_refseq	<i>Extract the representative sequences from MPSE object</i>
-------------------	--

Description

Extract the representative sequences from MPSE object

Usage

```
mp_extract_refseq(x, ...)

## S4 method for signature 'MPSE'
mp_extract_refseq(x, ...)

## S4 method for signature 'tbl_mpse'
mp_extract_refseq(x, ...)

## S4 method for signature 'grouped_df_mpse'
mp_extract_refseq(x, ...)
```

Arguments

x	MPSE object
...	additional parameters, meaningless now.

mp_extract_sample	<i>extract the sample information in MPSE object</i>
-------------------	--

Description

extract the sample information in MPSE object

Usage

```
mp_extract_sample(x, ...)  
  
## S4 method for signature 'MPSE'  
mp_extract_sample(x, ...)  
  
## S4 method for signature 'tbl_mpse'  
mp_extract_sample(x, ...)  
  
## S4 method for signature 'grouped_df_mpse'  
mp_extract_sample(x, ...)
```

Arguments

x	MPSE object
...	additional arguments

Value

tbl_df contained sample information.

mp_extract_tree	<i>extract the taxonomy tree in MPSE object</i>
-----------------	---

Description

extract the taxonomy tree in MPSE object

Usage

```
mp_extract_tree(x, type = "taxatree", tip.level = "OTU", ...)  
  
## S4 method for signature 'MPSE'  
mp_extract_tree(x, type = "taxatree", tip.level = "OTU", ...)  
  
## S4 method for signature 'tbl_mpse'  
mp_extract_tree(x, type = "taxatree", tip.level = "OTU", ...)
```

```
## S4 method for signature 'grouped_df_mpse'
mp_extract_tree(x, type = "taxatree", tip.level = "OTU", ...)

mp_extract_taxatree(x, tip.level = "OTU", ...)

mp_extract_otutree(x, ...)
```

Arguments

x	MPSE object
type	character taxatree or otutree
tip.level	character This argument will keep the nodes belong to the tip.level as tip nodes when type is taxatree, default is OTU, which will return the taxa tree with OTU level as tips.
...	additional arguments

Value

taxatree treedata object

mp_filter_taxa	<i>Filter OTU (Features) By Abundance Level</i>
----------------	---

Description

Filter OTU (Features) By Abundance Level

Usage

```
mp_filter_taxa(
  .data,
  .abundance = NULL,
  min.abun = 0,
  min.prop = 0.05,
  include.lowest = FALSE,
  ...
)

## S4 method for signature 'MPSE'
mp_filter_taxa(
  .data,
  .abundance = NULL,
  min.abun = 0,
  min.prop = 0.05,
  include.lowest = FALSE,
```



```

    ...
  )

  ## S4 method for signature 'tbl_mpse'
  mp_filter_taxa(
    .data,
    .abundance = NULL,
    min.abun = 0,
    min.prop = 0.05,
    include.lowest = FALSE,
    ...
  )

  ## S4 method for signature 'grouped_df_mpse'
  mp_filter_taxa(
    .data,
    .abundance = NULL,
    min.abun = 0,
    min.prop = 0.05,
    include.lowest = FALSE,
    ...
  )

```

Arguments

.data	MPSE or tbl_mpse or grouped_df_mpse object.
.abundance	the column names of abundance, default is NULL, meaning the 'Abundance' column.
min.abun	numeric minimum abundance required for each one sample default is 0 (.abundance=Abundance or NULL), meaning the abundance of OTU (Features) for each one sample should be >= 0.
min.prop	numeric minimum proportion of samples that contains the OTU (Features) when min.prop larger than 1, meaning the minimum number of samples that contains the OTU (Features).
include.lowest	logical whether include the lower boundary of min.abun default is FALSE (> min.abun), if it is TRUE, meaning (>= min.abun).
...	additional parameters, meaningless now.

Author(s)

Shuangbin Xu

Examples

```

data(mouse.time.mpse)
mouse.time.mpse %>% mp_filter_taxa(.abundance=Abundance, min.abun=1, min.prop=1)
# For tbl_mpse object.
mouse.time.mpse %>% as_tibble %>% mp_filter_taxa(.abundance=Abundance, min.abun=1, min.prop=1)

```

```
# This also can be done using group_by, filter of dplyr.
mouse.time.mpse %>%
  dplyr::group_by(OTU) %>%
  dplyr::filter(sum(Abundance>=1)>=1)
```

mp_fortify	<i>mp_fortify</i>
------------	-------------------

Description

Fortify a model with data in MicrobiotaProcess

Usage

```
mp_fortify(model, ...)
```

Arguments

model	object
...	additional parameters

Value

data frame or tbl_df object

mp_import_biom	<i>building MPSE object from biom-format file.</i>
----------------	--

Description

building MPSE object from biom-format file.

Usage

```
mp_import_biom(
  biomfilename,
  mapfilename = NULL,
  otutree = NULL,
  refseq = NULL,
  ...
)
```

Arguments

biomfilename	character the biom-format file path.
mapfilename	character, the file contained sample information, the tsv format, default is NULL.
otutree	treedata, phylo or character, the file contained reference sequences, or treedata object, which is the result parsed by functions of treeio, default is NULL.
refseq	XStringSet or character, the file contained the representation sequence file or XStringSet class to store the representation sequence, default is NULL.
...	additional parameter, which is meaningless now.

Value

MPSE-class

mp_import_humann_regroup

Import function to load the output of human_regroup_table in HUMAN.

Description

Import function to load the output of human_regroup_table in HUMAN.

Usage

```
mp_import_humann_regroup(
  profile,
  mapfilename = NULL,
  rm.unknown = TRUE,
  keep.contribute.abundance = FALSE,
  ...
)
```

Arguments

profile	the output file (text format) of human_regroup_table in HUMAN.
mapfilename	the sample information file or data.frame,
rm.unknown	logical whether remove the unmapped and ungrouped features.
keep.contribute.abundance	logical whether keep the abundance of contributed taxa, default is FALSE, it will consume more memory if it set to TRUE.
...	additional parameters, meaningless now.

Author(s)

Shuangbin Xu

mp_import_metaphlan *Import function to load the output of MetaPhlAn.*

Description

Import function to load the output of MetaPhlAn.

Usage

```
mp_import_metaphlan(
  profile,
  mapfilename = NULL,
  treefile = NULL,
  linenum = NULL,
  ...
)
```

Arguments

profile	the output file (text format) of MetaPhlAn.
mapfilename	the sample information file or data.frame, default is NULL.
treefile	the path of MetaPhlAn tree file (mpa_v30_CHOCOPhlAn_201901_species_tree.nwk), default is NULL.
linenum	a integer, sometimes the output file of MetaPhlAn (< 3) contained the sample information in the first several lines. The linenum should be required. for example: <pre>group A A A A B B B B subgroup A1 A1 A2 A2 B1 B1 B2 B2 subject S1 S2 S3 S4 S5 S6 S7 S8 Bacteria 99 99 99 99 99 99 99 99 ...</pre> <p>the linenum should be set to 3.</p> <pre>sampleid A1 A2 A3 A4 A5 Bacteria 99 99 99 99 99 ...</pre> <p>The linenum should be set to 1.</p>
...	additional parameters, meaningless now.

Details

When the output abundance of MetaPhlAn is relative abundance, the force of mp_cal_abundance should be set to TRUE, and the relative of mp_cal_abundance should be set to FALSE. Because the abundance profile will be rarefied in the default (force=FALSE), which requires the integer (count) abundance, then the relative abundance will be calculated in the default (relative=TRUE).

Author(s)

Shuangbin Xu

Examples

```
file1 <- system.file("extdata/MetaPhlAn", "metaphlan_test.txt", package="MicrobiotaProcess")
sample.file <- system.file("extdata/MetaPhlAn", "sample_test.txt", package="MicrobiotaProcess")
readLines(file1, n=3) %>% writeLines()
mpse1 <- mp_import_metaphlan(profile=file1, mapfilename=sample.file)
mpse1
```

`mp_import_qiime`*Import function to load the output of qiime.*

Description

The function was designed to import the output of qiime and convert them to MPSE class.

Usage

```
mp_import_qiime(  
  otufilename,  
  mapfilename = NULL,  
  otutree = NULL,  
  refseq = NULL,  
  ...  
)
```

Arguments

<code>otufilename</code>	character, the file contained otu table, the output of qiime.
<code>mapfilename</code>	character, the file contained sample information, the tsv format, default is NULL.
<code>otutree</code>	treedata, phylo or character, the file contained reference sequences, or treedata object, which is the result parsed by functions of treeio, default is NULL.
<code>refseq</code>	XStringSet or character, the file contained the representation sequence file or XStringSet class to store the representation sequence, default is NULL.
<code>...</code>	additional parameters.

Value

MPSE-class.

Author(s)

Shuangbin Xu

 mp_mantel

Mantel and Partial Mantel Tests for MPSE or tbl_mpse Object

Description

Mantel and Partial Mantel Tests for MPSE or tbl_mpse Object

Usage

```

mp_mantel(
  .data,
  .abundance,
  .y.env,
  .z.env = NULL,
  distmethod = "bray",
  distmethod.y = "euclidean",
  distmethod.z = "euclidean",
  method = "pearson",
  permutations = 999,
  action = "get",
  seed = 123,
  scale.y = FALSE,
  scale.z = FALSE,
  ...
)

## S4 method for signature 'MPSE'
mp_mantel(
  .data,
  .abundance,
  .y.env,
  .z.env = NULL,
  distmethod = "bray",
  distmethod.y = "euclidean",
  distmethod.z = "euclidean",
  method = "pearson",
  permutations = 999,
  action = "get",
  seed = 123,
  scale.y = FALSE,
  scale.z = FALSE,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_mantel(
  .data,

```

```

    .abundance,
    .y.env,
    .z.env = NULL,
    distmethod = "bray",
    distmethod.y = "euclidean",
    distmethod.z = "euclidean",
    method = "pearson",
    permutations = 999,
    action = "get",
    seed = 123,
    scale.y = FALSE,
    scale.z = FALSE,
    ...
)

## S4 method for signature 'grouped_df_mpse'
mp_mantel(
  .data,
  .abundance,
  .y.env,
  .z.env = NULL,
  distmethod = "bray",
  distmethod.y = "euclidean",
  distmethod.z = "euclidean",
  method = "pearson",
  permutations = 999,
  action = "get",
  seed = 123,
  scale.y = FALSE,
  scale.z = FALSE,
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of otu abundance to be calculated
.y.env	the column names of continuous environment factors to perform Mantel statistic, it is required.
.z.env	the column names of continuous environment factors to perform Partial Mantel statistic based on this, default is NULL.
distmethod	character the method to calculate distance based on .abundance.
distmethod.y	character the method to calculate distance based on .y.env.
distmethod.z	character the method of calculated distance based on .z.env
method	character Correlation method, options is "pearson", "spearman" or "kendall"
permutations	the number of permutations required, default is 999.

action	character, "add" joins the mantel result to the internal attributes of the object, "only" and "get" return 'mantel' or 'mantel.partial' (if .z.env is provided) object.
seed	a random seed to make the analysis reproducible, default is 123.
scale.y	logical whether scale the environment matrix (.y.env) before the distance is calculated, default is FALSE
scale.z	logical whether scale the environment matrix (.z.env) before the distance is calculated, default is FALSE
...	additional parameters, see also mantel .

Value

update object or tibble according the 'action'

See Also

[mantel](#)

Examples

```
library(vegan)
data(varespec, varechem)
mpse <- MPSE(assays=list(Abundance=t(varespec)), colData=varechem)
mpse %>% mp_mantel(.abundance=Abundance,
                  .y.env=colnames(varechem),
                  distmethod.y="euclidean",
                  scale.y = TRUE
                  )
```

mp_mrpp

Analysis of Multi Response Permutation Procedure (MRPP) with MPSE or tbl_mpse object

Description

Analysis of Multi Response Permutation Procedure (MRPP) with MPSE or tbl_mpse object

Usage

```
mp_mrpp(
  .data,
  .abundance,
  .group,
  distmethod = "bray",
  action = "add",
  permutations = 999,
  seed = 123,
  ...
)
```



```

)

## S4 method for signature 'MPSE'
mp_mrpp(
  .data,
  .abundance,
  .group,
  distmethod = "bray",
  action = "add",
  permutations = 999,
  seed = 123,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_mrpp(
  .data,
  .abundance,
  .group,
  distmethod = "bray",
  action = "add",
  permutations = 999,
  seed = 123,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_mrpp(
  .data,
  .abundance,
  .group,
  distmethod = "bray",
  action = "add",
  permutations = 999,
  seed = 123,
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of abundance to be calculated.
.group	The name of the column of the sample group information.
distmethod	character the method to calculate pairwise distances, default is 'bray'.
action	character "add" joins the ANOSIM result to internal attribute of the object, "only" return a tibble contained the statistic information of MRPP analysis, and "get" return 'mrpp' object can be analyzed using the related vegan funtion.

permutations the number of permutations required, default is 999.
 seed a random seed to make the MRPP analysis reproducible, default is 123.
 ... additional parameters see also 'mrpp' of vegan.

Value

update object according action argument

Author(s)

Shuangbin

Examples

```
data(mouse.time.mpse)
mouse.time.mpse %>%
  mp_decostand(.abundance=Abundance) %>%
  mp_mrpp(.abundance=hellinger,
          .group=time,
          distmethod="bray",
          permutations=999, # for more robust, set it to 9999.
          action="get")
```

mp_plot_abundance *plotting the abundance of taxa via specified taxonomy class*

Description

plotting the abundance of taxa via specified taxonomy class

Usage

```
mp_plot_abundance(
  .data,
  .abundance = NULL,
  .group = NULL,
  taxa.class = NULL,
  topn = 10,
  relative = TRUE,
  force = FALSE,
  plot.group = FALSE,
  geom = "flowbar",
  feature.dist = "bray",
  feature.hclust = "average",
  sample.dist = "bray",
  sample.hclust = "average",
  .sec.group = NULL,
  rmun = FALSE,
```

```
    rm.zero = TRUE,  
    order.by.feature = FALSE,  
    ...  
  )  
  
## S4 method for signature 'MPSE'  
mp_plot_abundance(  
  .data,  
  .abundance = NULL,  
  .group = NULL,  
  .taxa.class = NULL,  
  topn = 10,  
  relative = TRUE,  
  force = FALSE,  
  plot.group = FALSE,  
  geom = "flowbar",  
  feature.dist = "bray",  
  feature.hclust = "average",  
  sample.dist = "bray",  
  sample.hclust = "average",  
  .sec.group = NULL,  
  rmun = FALSE,  
  rm.zero = TRUE,  
  order.by.feature = FALSE,  
  ...  
)  
  
## S4 method for signature 'tbl_mpse'  
mp_plot_abundance(  
  .data,  
  .abundance = NULL,  
  .group = NULL,  
  .taxa.class = NULL,  
  topn = 10,  
  relative = TRUE,  
  force = FALSE,  
  plot.group = FALSE,  
  geom = "flowbar",  
  feature.dist = "bray",  
  feature.hclust = "average",  
  sample.dist = "bray",  
  sample.hclust = "average",  
  .sec.group = NULL,  
  rmun = FALSE,  
  rm.zero = TRUE,  
  order.by.feature = FALSE,  
  ...  
)
```

```
## S4 method for signature 'grouped_df_mpse'
mp_plot_abundance(
  .data,
  .abundance = NULL,
  .group = NULL,
  taxa.class = NULL,
  topn = 10,
  relative = TRUE,
  force = FALSE,
  plot.group = FALSE,
  geom = "flowbar",
  feature.dist = "bray",
  feature.hclust = "average",
  sample.dist = "bray",
  sample.hclust = "average",
  .sec.group = NULL,
  rmun = FALSE,
  rm.zero = TRUE,
  order.by.feature = FALSE,
  ...
)
```

Arguments

<code>.data</code>	MPSE object or <code>tbl_mpse</code> object
<code>.abundance</code>	the column name of abundance to be plotted.
<code>.group</code>	the column name of group to be calculated and plotted, default is <code>NULL</code> .
<code>taxa.class</code>	name of taxonomy class, default is <code>NULL</code> , meaning the Phylum class will be plotted.
<code>topn</code>	integer the number of the top most abundant, default is 10.
<code>relative</code>	logical whether calculate the relative abundance and plotted.
<code>force</code>	logical whether calculate the relative abundance forcibly when the abundance is not be rarefied, default is <code>FALSE</code> .
<code>plot.group</code>	logical whether plotting the abundance of specified <code>taxa.class</code> taxonomy with group not sample level, default is <code>FALSE</code> .
<code>geom</code>	character which type plot, options is 'flowbar' 'bar' and 'heatmap', default is 'flowbar'.
<code>feature.dist</code>	character the method to calculate the distance between the features, based on the '.abundance' of 'taxa.class', default is 'bray', options refer to the 'distmethod' of [<code>mp_cal_dist()</code>] (except <code>unifrac</code> related).
<code>feature.hclust</code>	character the agglomeration method for the features, default is 'average', options are 'single', 'complete', 'average', 'ward.D', 'ward.D2', 'centroid' 'median' and 'mcquitty'.

sample.dist	character the method to calculate the distance between the samples based on the '.abundance' of 'taxa.class', default is 'bray', options refer to the 'distmethod' of [mp_cal_dist()] (except unifracs related).
sample.hclust	character the agglomeration method for the samples, default is 'average', options are 'single', 'complete', 'average', 'ward.D', 'ward.D2', 'centroid', 'median' and 'mcquitty'.
.sec.group	the column name of second group to be plotted with nested facet, default is NULL, this argument will be deprecated in the next version.
rmun	logical whether to group the unknown taxa to Others category, such as "g__un_xxx", default is FALSE, meaning do not group them to Others category.
rm.zero	logical whether to display the zero abundance, which only work with geom='heatmap' default is TRUE.
order.by.feature	character adjust the order of axis x, default is FALSE, if it is NULL or TRUE, meaning the order of axis.x will be visualizing with the order of samples by highest abundance of features.
...	additional parameters, when the geom = "flowbar", it can specify the parameters of 'geom_stratum' of 'ggalluvial', when the geom = 'bar', it can specify the parameters of 'geom_bar' of 'ggplot2', when the geom = "heatmap", it can specify the parameter of 'geom_tile' of 'ggplot2'.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(mouse.time.mpse)
mouse.time.mpse %<>%
  mp_rrarefy()
mouse.time.mpse
mouse.time.mpse %<>%
  mp_cal_abundance(.abundance=RareAbundance, action="add") %>%
  mp_cal_abundance(.abundance=RareAbundance, .group=time, action="add")
mouse.time.mpse
p1 <- mouse.time.mpse %>%
  mp_plot_abundance(.abundance=RelRareAbundanceBySample,
                    .group=time,
                    taxa.class="Phylum",
                    topn=20)
p2 <- mouse.time.mpse %>%
  mp_plot_abundance(.abundance = Abundance,
                    taxa.class = Phylum,
                    topn = 20,
                    relative = FALSE,
                    force = TRUE
                    )
p3 <- mouse.time.mpse %>%
```

```

mp_plot_abundance(.abundance = RareAbundance,
                  .group = time,
                  taxa.class = Phylum,
                  topn = 20,
                  relative = FALSE,
                  force = TRUE
                  )
p4 <- mouse.time.mpse %>%
  mp_plot_abundance(.abundance = RareAbundance,
                  .group = time,
                  taxa.class = Phylum,
                  topn = 20,
                  relative = FALSE,
                  force = TRUE,
                  plot.group = TRUE
                  )

## End(Not run)

```

mp_plot_alpha

Plotting the alpha diversity between samples or groups.

Description

Plotting the alpha diversity between samples or groups.

Usage

```

mp_plot_alpha(
  .data,
  .group,
  .alpha = c("Observe", "Shannon"),
  test = "wilcox.test",
  comparisons = NULL,
  step_increase = 0.05,
  ...
)

## S4 method for signature 'MPSE'
mp_plot_alpha(
  .data,
  .group,
  .alpha = c("Observe", "Shannon"),
  test = "wilcox.test",
  comparisons = NULL,
  step_increase = 0.05,
  ...
)

```

```

## S4 method for signature 'tbl_mpse'
mp_plot_alpha(
  .data,
  .group,
  .alpha = c("Observe", "Shannon"),
  test = "wilcox.test",
  comparisons = NULL,
  step_increase = 0.05,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_plot_alpha(
  .data,
  .group,
  .alpha = c("Observe", "Shannon"),
  test = "wilcox.test",
  comparisons = NULL,
  step_increase = 0.05,
  ...
)

```

Arguments

<code>.data</code>	MPSE or <code>tbl_mpse</code> object
<code>.group</code>	the column name of sample group information
<code>.alpha</code>	the column name of alpha index after run <code>mp_cal_alpha</code> or <code>mp_cal_pd_metric</code> .
<code>test</code>	the name of the statistical test, default is 'wilcox.test'
<code>comparisons</code>	A list of length-2 vectors. The entries in the vector are either the names of 2 values on the x-axis or the 2 integers that correspond to the index of the columns of interest, default is NULL, meaning it will be calculated automatically with the names in the <code>.group</code> .
<code>step_increase</code>	numeric vector with the increase in fraction of total height for every additional comparison to minimize overlap, default is 0.05.
<code>...</code>	additional parameters, see also geom_signif

Author(s)

Shuangbin Xu

Examples

```

## Not run:
data(mouse.time.mpse)
mpse <- mouse.time.mpse %>%
  mp_rrarefy() %>%
  mp_cal_alpha(.abundance=RareAbundance)

```

```

mpse
p <- mpse %>%
  mp_plot_alpha(.group=time, .alpha=c(Observe, Shannon, Pielou))
p

## End(Not run)

```

mp_plot_diff_boxplot *displaying the differential result contained abundance and LDA with boxplot (abundance) and error bar (LDA).*

Description

displaying the differential result contained abundance and LDA with boxplot (abundance) and error bar (LDA).

Usage

```

mp_plot_diff_boxplot(
  .data,
  .group,
  .size = 2,
  errorbar.xmin = NULL,
  errorbar.xmax = NULL,
  point.x = NULL,
  taxa.class = "all",
  group.abun = FALSE,
  removeUnknown = FALSE,
  ...
)

## S4 method for signature 'MPSE'
mp_plot_diff_boxplot(
  .data,
  .group,
  .size = 2,
  errorbar.xmin = NULL,
  errorbar.xmax = NULL,
  point.x = NULL,
  taxa.class = "all",
  group.abun = FALSE,
  removeUnknown = FALSE,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_plot_diff_boxplot(

```



```

    .data,
    .group,
    .size = 2,
    errorbar.xmin = NULL,
    errorbar.xmax = NULL,
    point.x = NULL,
    taxa.class = "all",
    group.abun = FALSE,
    removeUnknown = FALSE,
    ...
)

## S4 method for signature 'grouped_df_mpse'
mp_plot_diff_boxplot(
  .data,
  .group,
  .size = 2,
  errorbar.xmin = NULL,
  errorbar.xmax = NULL,
  point.x = NULL,
  taxa.class = "all",
  group.abun = FALSE,
  removeUnknown = FALSE,
  ...
)

```

Arguments

<code>.data</code>	MPSE or <code>tbl_mpse</code> after run <code>mp_diff_analysis</code> with <code>'action="add"'</code> .
<code>.group</code>	the column name for mapping the different color.
<code>.size</code>	the column name for mapping the size of points or numeric, default is 2.
<code>errorbar.xmin</code>	the column name for <code>'xmin'</code> mapping of error barplot layer, default is <code>NULL</code> .
<code>errorbar.xmax</code>	the column name for <code>'xmax'</code> mapping of error barplot layer, default is <code>NULL</code> .
<code>point.x</code>	the column name for <code>'x'</code> mapping of point layer (right panel), default is <code>NULL</code> .
<code>taxa.class</code>	the taxonomy class features will be displayed, default is <code>'all'</code> .
<code>group.abun</code>	logical whether plot the abundance in each group with bar plot, default is <code>FALSE</code> .
<code>removeUnknown</code>	logical whether mask the unknown taxonomy information but differential species, default is <code>FALSE</code> .
<code>...</code>	additional params, see also the <code>'geom_boxplot'</code> , <code>'geom_errorbarh'</code> and <code>'geom_point'</code> .

Examples

```

data(mouse.time.mpse)
mouse.time.mpse %<>%
  mp_rrarefy()
mouse.time.mpse
mouse.time.mpse %<>%

```

```

mp_diff_analysis(.abundance=RareAbundance,
                 .group=time,
                 first.test.alpha=0.01,
                 action="add")
library(ggplot2)
p1 <- mouse.time.mpse %>%
  mp_plot_diff_boxplot(.group = time) %>%
  set_diff_boxplot_color(
    values = c("deepskyblue", "orange"),
    guide = guide_legend(title=NULL)
  )
p1
p2 <- mouse.time.mpse %>%
  mp_plot_diff_boxplot(
    taxa.class = c(Genus, OTU),
    group.abun = TRUE,
    removeUnknown = TRUE,
  ) %>%
  set_diff_boxplot_color(
    values = c("deepskyblue", "orange"),
    guide = guide_legend(title=NULL)
  )
p2

```

mp_plot_diff_cladogram

Visualizing the result of mp_diff_analysis with cladogram.

Description

Visualizing the result of mp_diff_analysis with cladogram.

Usage

```

mp_plot_diff_cladogram(
  .data,
  .group,
  .size = "pvalue",
  taxa.class,
  removeUnknown = FALSE,
  layout = "radial",
  hilight.alpha = 0.3,
  hilight.size = 0.2,
  bg.tree.size = 0.15,
  bg.tree.color = "#bed0d1",
  bg.point.color = "#bed0d1",
  bg.point.fill = "white",
  bg.point.stroke = 0.2,
  bg.point.size = 2,

```

```

    label.size = 2.6,
    tip.annot = TRUE,
    as.tiplab = TRUE,
    ...
)

```

Arguments

<code>.data</code>	MPSE object or treedata which was from the taxatree slot after running the 'mp_diff_analysis'.
<code>.group</code>	the column name for mapping the different color.
<code>.size</code>	the column name for mapping the size of points, default is 'pvalue'.
<code>taxa.class</code>	the taxonomy class name will be replaced shorthand, default is the one level above 'OTU'.
<code>removeUnknown</code>	logical, whether mask the unknown taxonomy information but differential species, default is FALSE.
<code>layout</code>	character, the layout of tree, default is 'radial', see also the 'layout' of 'ggtree'.
<code>hilight.alpha</code>	numeric, the transparency of high light clade, default is 0.3.
<code>hilight.size</code>	numeric, the margin thickness of high light clade, default is 0.2.
<code>bg.tree.size</code>	numeric, the line size (width) of tree, default is 0.15.
<code>bg.tree.color</code>	character, the line color of tree, default is '#bed0d1'.
<code>bg.point.color</code>	character, the color of margin of background node points of tree, default is '#bed0d1'.
<code>bg.point.fill</code>	character, the point fill (since point shape is 21) of background nodes of tree, default is 'white'.
<code>bg.point.stroke</code>	numeric, the margin thickness of point of background nodes of tree, default is 0.2.
<code>bg.point.size</code>	numeric, the point size of background nodes of tree, default is 2.
<code>label.size</code>	numeric, the label size of differential taxa, default is 2.6.
<code>tip.annot</code>	logical whether to replace the differential tip labels with shorthand, default is TRUE.
<code>as.tiplab</code>	logical, whether to display the differential tip labels with 'geom_tiplab' of 'ggtree', default is TRUE, if it is FALSE, it will use 'geom_text_repel' of 'ggrepel'.
<code>...</code>	additional parameters, meaningless now.

Details

The color scale of differential group can be designed by 'scale_fill_diff_cladogram'

Examples

```
## Not run:
data(mouse.time.mpse)
mouse.time.mpse %<>%
  mp_rrarefy()
mouse.time.mpse
mouse.time.mpse %<>%
  mp_diff_analysis(.abundance=RareAbundance,
                  .group=time,
                  first.test.alpha=0.01,
                  action="add")
#' ### visualizing the differential taxa with cladogram
library(ggplot2)
f <- mouse.time.mpse %>%
  mp_plot_diff_cladogram(
    label.size = 2.5,
    hilight.alpha = .3,
    bg.tree.size = .5,
    bg.point.size = 2,
    bg.point.stroke = .25
  ) +
  scale_fill_diff_cladogram(
    values = c('skyblue', 'orange')
  ) +
  scale_size_continuous(range = c(1, 4))
f

## End(Not run)
```

mp_plot_diff_manhattan

displaying the differential result contained abundance and LDA with manhattan plot.

Description

displaying the differential result contained abundance and LDA with manhattan plot.

Usage

```
mp_plot_diff_manhattan(
  .data,
  .group,
  .y = "fdr",
  .size = 2,
  taxa.class = "OTU",
  anno.taxa.class = NULL,
  removeUnknown = FALSE,
  ...
)
```

```

)

## S4 method for signature 'MPSE'
mp_plot_diff_manhattan(
  .data,
  .group,
  .y = "fdr",
  .size = 2,
  taxa.class = "OTU",
  anno.taxa.class = NULL,
  removeUnknown = FALSE,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_plot_diff_manhattan(
  .data,
  .group,
  .y = "fdr",
  .size = 2,
  taxa.class = "OTU",
  anno.taxa.class = NULL,
  removeUnknown = FALSE,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_plot_diff_manhattan(
  .data,
  .group,
  .y = "fdr",
  .size = 2,
  taxa.class = "OTU",
  anno.taxa.class = NULL,
  removeUnknown = FALSE,
  ...
)

```

Arguments

.data	MPSE or tbl_mpse after run 'mp_diff_analysis' with 'action="add"'.
.group	the column name for mapping the different color.
.y	the column name for mapping the y axis, default is 'fdr'.
.size	the column name for mapping the size of points or numeric, default is 2.
taxa.class	the taxonomy class features will be displayed, default is 'OTU'.
anno.taxa.class	the taxonomy class to annotate the sign taxa with color, default is 'Phylum' if 'taxatree' is not empty.

removeUnknown logical whether mask the unknown taxonomy information but differential species, default is FALSE.
 ... additional params, see also the 'geom_text_repel' and 'geom_point'.

Examples

```
data(mouse.time.mpse)
mouse.time.mpse %<>%
  mp_rrarefy()
mouse.time.mpse
mouse.time.mpse %>%
  mp_diff_analysis(.abundance=RareAbundance,
                  .group=time,
                  first.test.alpha=0.01,
                  action="add")
p <- mouse.time.mpse %>%
  mp_plot_diff_manhattan(
    .group = Sign_time,
    .y = fdr,
    .size = 2,
    taxa.class = OTU,
    anno.taxa.class = Phylum,
  )
```

mp_plot_diff_res

The visualization of result of mp_diff_analysis

Description

The visualization of result of mp_diff_analysis

Usage

```
mp_plot_diff_res(
  .data,
  .group,
  layout = "radial",
  tree.type = "taxatree",
  .taxa.class = NULL,
  barplot.x = NULL,
  point.size = NULL,
  sample.num = 50,
  tiplab.size = 2,
  offset.abun = 0.04,
  pwidth.abun = 0.8,
  offset.effsize = 0.3,
  pwidth.effsize = 0.5,
  group.abun = FALSE,
```

```
    tiplab.linetype = 3,
    ...
)

## S4 method for signature 'MPSE'
mp_plot_diff_res(
  .data,
  .group,
  layout = "radial",
  tree.type = "taxatree",
  .taxa.class = NULL,
  barplot.x = NULL,
  point.size = NULL,
  sample.num = 50,
  tiplab.size = 2,
  offset.abun = 0.04,
  pwidth.abun = 0.8,
  offset.effsize = 0.3,
  pwidth.effsize = 0.5,
  group.abun = FALSE,
  tiplab.linetype = 3,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_plot_diff_res(
  .data,
  .group,
  layout = "radial",
  tree.type = "taxatree",
  .taxa.class = NULL,
  barplot.x = NULL,
  point.size = NULL,
  sample.num = 50,
  tiplab.size = 2,
  offset.abun = 0.04,
  pwidth.abun = 0.8,
  offset.effsize = 0.3,
  pwidth.effsize = 0.5,
  group.abun = FALSE,
  tiplab.linetype = 3,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_plot_diff_res(
  .data,
  .group,
```

```

layout = "radial",
tree.type = "taxatree",
.taxa.class = NULL,
barplot.x = NULL,
point.size = NULL,
sample.num = 50,
tiplab.size = 2,
offset.abun = 0.04,
pwidth.abun = 0.8,
offset.effsize = 0.3,
pwidth.effsize = 0.5,
group.abun = FALSE,
tiplab.linetype = 3,
...
)

```

Arguments

.data	MPSE or tbl_mpse after run mp_diff_analysis with action="add"
.group	the column name for mapping the different color, default is the column name has 'Sign_' prefix, which contains the enriched group name, but the insignificant should be NA.
layout	the type of tree layout, should be one of "rectangular", "roundrect", "ellipse", "circular", "slanted", "radial", "inward_circular".
tree.type	one of 'taxatree' and 'otutree', taxatree is the taxonomy class tree 'otutree' is the phylogenetic tree built with the representative sequences.
.taxa.class	character the name of taxonomy class level, default is NULL, meaning it will extract the phylum annotation automatically.
barplot.x	the column name of continuous value mapped to barplot, default is NULL, meaning the 'LDAmean' will be used internally.
point.size	the column name of continuous value mapped to the size of point in the tree, default is NULL, meaning the 'fdr' will be used internally.
sample.num	integer when it is smaller than the sample number of '.data', the abundance of '.group' will replace the abundance of sample, default is 50.
tiplab.size	numeric the size of tiplab, default is 2.
offset.abun	numeric the gap (width) (relative width to tree) between the tree and abundance panel, default is 0.04.
pwidth.abun	numeric the panel width (relative width to tree) of abundance panel, default is 0.3 .
offset.effsize	numeric the gap (width) (relative width to tree) between the tree and effect size panel, default is 0.3 .
pwidth.effsize	numeric the panel width (relative width to tree) of effect size panel, default is 0.5 .
group.abun	logical whether to display the relative abundance of group instead of sample, default is FALSE.


```

tiplab.linetype
                numeric the type of line for adding line if 'tree.type' is 'otutree', default is 3 .
...
                additional parameters, meaningless now.

```

```

mp_plot_dist          Plotting the distance between the samples with heatmap or boxplot.

```

Description

Plotting the distance between the samples with heatmap or boxplot.

Usage

```

mp_plot_dist(
  .data,
  .distmethod,
  .group = NULL,
  group.test = FALSE,
  hclustmethod = "average",
  test = "wilcox.test",
  comparisons = NULL,
  step_increase = 0.1,
  ...
)

## S4 method for signature 'MPSE'
mp_plot_dist(
  .data,
  .distmethod,
  .group = NULL,
  group.test = FALSE,
  hclustmethod = "average",
  test = "wilcox.test",
  comparisons = NULL,
  step_increase = 0.1,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_plot_dist(
  .data,
  .distmethod,
  .group = NULL,
  group.test = FALSE,
  hclustmethod = "average",
  test = "wilcox.test",
  comparisons = NULL,

```

```

    step_increase = 0.1,
    ...
)

## S4 method for signature 'grouped_df_mpse'
mp_plot_dist(
  .data,
  .distmethod,
  .group = NULL,
  group.test = FALSE,
  hclustmethod = "average",
  test = "wilcox.test",
  comparisons = NULL,
  step_increase = 0.1,
  ...
)

```

Arguments

<code>.data</code>	the MPSE or <code>tbl_mpse</code> object after <code>[mp_cal_dist()]</code> is performed with <code>action="add"</code>
<code>.distmethod</code>	the column names of distance of samples, it will generate after <code>[mp_cal_dist()]</code> is performed.
<code>.group</code>	the column names of group, default is <code>NULL</code> , when it is not provided the heatmap of distance between samples will be returned. If it is provided and <code>group.test</code> is <code>TURE</code> , the comparisons boxplot of distance between the group will be returned, but when <code>group.test</code> is <code>FALSE</code> , the heatmap of distance between samples with group information will be returned.
<code>group.test</code>	logical default is <code>FALSE</code> , see the <code>.group</code> argument.
<code>hclustmethod</code>	character the method of <code>hclust</code> , default is <code>'average'</code> (= UPGMA).
<code>test</code>	the name of the statistical test, default is <code>'wilcox.test'</code>
<code>comparisons</code>	A list of length-2 vectors. The entries in the vector are either the names of 2 values on the x-axis or the 2 integers that correspond to the index of the columns of interest, default is <code>NULL</code> , meaning it will be calculated automatically with the names in the <code>.group</code> .
<code>step_increase</code>	numeric vector with the increase in fraction of total height for every additional comparison to minimize overlap, default is 0.1.
<code>...</code>	additional parameters, see also geom_signif

Author(s)

Shuangbin Xu

See Also

`[mp_cal_dist()]` and `[mp_extract_dist()]`

Examples

```
## Not run:
data(mouse.time.mpse)
mouse.time.mpse %<>% mp_decostand(.abundance=Abundance)
mouse.time.mpse
mouse.time.mpse %<>%
  mp_cal_dist(.abundance=hellinger, distmethod="bray")
mouse.time.mpse
p1 <- mouse.time.mpse %>%
  mp_plot_dist(.distmethod=bray)
p2 <- mouse.time.mpse %>%
  mp_plot_dist(.distmethod=bray, .group=time, group.test=TRUE)
p3 <- mouse.time.mpse %>%
  mp_plot_dist(.distmethod=bray, .group=time)

## End(Not run)
```

mp_plot_ord

Plotting the result of PCA, PCoA, CCA, RDA, NDMS or DCA

Description

Plotting the result of PCA, PCoA, CCA, RDA, NDMS or DCA

Usage

```
mp_plot_ord(
  .data,
  .ord,
  .dim = c(1, 2),
  .group = NULL,
  .starshape = 15,
  .size = 2,
  .alpha = 1,
  .color = "black",
  starstroke = 0.5,
  show.side = TRUE,
  show.adonis = FALSE,
  ellipse = FALSE,
  show.sample = FALSE,
  show.envfit = FALSE,
  p.adjust = NULL,
  filter.envfit = FALSE,
  ...
)

## S4 method for signature 'MPSE'
mp_plot_ord(
```

```
.data,  
.ord,  
.dim = c(1, 2),  
.group = NULL,  
.starshape = 15,  
.size = 2,  
.alpha = 1,  
.color = "black",  
starstroke = 0.5,  
show.side = TRUE,  
show.adonis = FALSE,  
ellipse = FALSE,  
show.sample = FALSE,  
show.envfit = FALSE,  
p.adjust = NULL,  
filter.envfit = FALSE,  
...  
)  
  
## S4 method for signature 'tbl_mpse'  
mp_plot_ord(  
  .data,  
  .ord,  
  .dim = c(1, 2),  
  .group = NULL,  
  .starshape = 15,  
  .size = 2,  
  .alpha = 1,  
  .color = "black",  
  starstroke = 0.5,  
  show.side = TRUE,  
  show.adonis = FALSE,  
  ellipse = FALSE,  
  show.sample = FALSE,  
  show.envfit = FALSE,  
  p.adjust = NULL,  
  filter.envfit = FALSE,  
  ...  
)  
  
## S4 method for signature 'grouped_df_mpse'  
mp_plot_ord(  
  .data,  
  .ord,  
  .dim = c(1, 2),  
  .group = NULL,  
  .starshape = 15,  
  .size = 2,
```

```

.alpha = 1,
.color = "black",
.starstroke = 0.5,
.show.side = TRUE,
.show.adonis = FALSE,
.ellipse = FALSE,
.show.sample = FALSE,
.show.envfit = FALSE,
.p.adjust = NULL,
.filter.envfit = FALSE,
...
)

```

Arguments

.data	MPSE or tbl_mpse object, it is required.
.ord	a name of ordination (required), options are PCA, PCoA, DCA, NMDS, RDA, CCA, but the corresponding calculation methods (mp_cal_pca, mp_cal_pcoa, ...) should be done with action="add" before it.
.dim	integer which dimensions will be displayed, it should be a vector (length=2) default is c(1, 2). if the length is one the default will also be displayed.
.group	the column name of variable to be mapped to the color of points (fill character of geom_star) or one specified color code, default is NULL, meaning fill=NA, the points are hollow.
.starshape	the column name of variable to be mapped to the shapes of points (starshape character of geom_star) or one specified star shape of point of ggstar, default is NULL, meaning starshape=15 (circle point).
.size	the column name of variable to be mapped to the size of points (size character of geom_star) or one specified size of point of ggstar, default is NULL, meaning the size=1.5, the size of points.
.alpha	the column name of variable to be mapped to the transparency of points (alpha character of geom_star) or one specified alpha of point of ggstar. default is NULL, meaning the alpha=1, the transparency of points.
.color	the column name of variable to be mapped to the color of line of points (color character of geom_star) or one specified star shape of point of ggstar, default is NULL, meaning the color is 'black'.
starstroke	numeric the width of edge of points, default is 0.5.
show.side	logical whether display the side boxplot with the specified .dim dimensions, default is TRUE.
show.adonis	logical whether display the result of mp_adonis with action='all', default is FALSE.
ellipse	logical, whether to plot ellipses, default is FALSE. (.group or .color variables according to the 'geom', the default geom is path, so .color can be mapped to the corresponding variable).
show.sample	logical, whether display the sample names of points, default is FALSE.

show.envfit	logical, whether display the result after run [mp_envfit()], default is FALSE.
p.adjust	a character method of p.adjust p.adjust , default is NULL, options are 'fdr', 'bonferroni', 'BH' etc.
filter.envfit	logical or numeric, whether to remove the no significant environment factor after run [mp_envfit()], default is FALSE, meaning do not remove. If it is numeric, meaning the keep p.value or the adjust p with p.adjust the factors smaller than the numeric, e.g when filter.envfit=0.05 or (filter.envfit=TRUE), meaning the factors of $p \leq 0.05$ will be displayed.
...	additional parameters, see also the stat_ellipse .

See Also

[mp_cal_pcoa()], [mp_cal_pcoa], [mp_cal_nmds], [mp_cal_rda], [mp_cal_cca], [mp_envfit()] and [mp_extract_internal_attr()]

Examples

```
## Not run:
library(vegan)
data(varespec, varechem)
mpse <- MPSE(assays=list(Abundance=t(varespec)), colData=varechem)
envformula <- paste("~", paste(colnames(varechem), collapse="+")) %>% as.formula
mpse %<>%
mp_cal_cca(.abundance=Abundance, .formula=envformula, action="add") %>%
mp_envfit(.ord=CCA, .env=colnames(varechem), permutations=9999, action="add")
mpse
p1 <- mpse %>% mp_plot_ord(.ord=CCA, .group=A1, .size=Mn)
p1
p2 <- mpse %>% mp_plot_ord(.ord=CCA, .group=A1, .size=Mn, show.sample=TRUE)
p2
p3 <- mpse %>% mp_plot_ord(.ord=CCA, .group="blue", .size=Mn, .alpha=0.8, show.sample=TRUE)
p3
p4 <- mpse %>% mp_plot_ord(.ord=CCA, .group=A1, .size=Mn, show.sample=TRUE, show.envfit=TRUE)
p4

## End(Not run)
```

mp_plot_rarecurve

Rarefaction alpha index with MPSE

Description

Rarefaction alpha index with MPSE

Usage

```

mp_plot_rarecurve(
  .data,
  .rare,
  .alpha = c("Observe", "Chao1", "ACE"),
  .group = NULL,
  nrow = 1,
  plot.group = FALSE,
  ...
)

## S4 method for signature 'MPSE'
mp_plot_rarecurve(
  .data,
  .rare,
  .alpha = c("Observe", "Chao1", "ACE"),
  .group = NULL,
  nrow = 1,
  plot.group = FALSE,
  ...
)

## S4 method for signature 'tbl_mpse'
mp_plot_rarecurve(
  .data,
  .rare,
  .alpha = c("Observe", "Chao1", "ACE"),
  .group = NULL,
  nrow = 1,
  plot.group = FALSE,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_plot_rarecurve(
  .data,
  .rare,
  .alpha = c("Observe", "Chao1", "ACE"),
  .group = NULL,
  nrow = 1,
  plot.group = FALSE,
  ...
)

```

Arguments

.data	MPSE object or tbl_mpse after it was performed mp_cal_rarecurve with action='add'
.rare	the column names of

.alpha	the names of alpha index, which should be one or more of Observe, ACE, Chao1, default is Observe.
.group	the column names of group, default is NULL, when it is provided, the rarecurve lines will group and color with the group.
nrow	integer Number of rows in facet_wrap .
plot.group	logical whether to combine the samples, default is FALSE, when it is TRUE, the samples of same group will be represented by their group.
...	additional parameters, see also geom_smooth .

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(mouse.time.mpse)
mpse <- mouse.time.mpse %>%
  mp_rrarefy()
mpse
mpse %<>% mp_cal_rarecurve(.abundance=RareAbundance, chunks=100, action="add")
mpse
p1 <- mpse %>% mp_plot_rarecurve(.rare=RareAbundanceRarecurve, .alpha="Observe")
p2 <- mpse %>% mp_plot_rarecurve(.rare=RareAbundanceRarecurve, .alpha="Observe", .group=time)
p3 <- mpse %>% mp_plot_rarecurve(.rare=RareAbundanceRarecurve, .alpha="Observe", .group=time, plot.group=TRUE)

## End(Not run)
```

mp_plot_upset

Plotting the different number of OTU between group via UpSet plot

Description

Plotting the different number of OTU between group via UpSet plot

Usage

```
mp_plot_upset(.data, .group, .upset = NULL, ...)

## S4 method for signature 'MPSE'
mp_plot_upset(.data, .group, .upset = NULL, ...)

## S4 method for signature 'tbl_mpse'
mp_plot_upset(.data, .group, .upset = NULL, ...)

## S4 method for signature 'grouped_df_mpse'
mp_plot_upset(.data, .group, .upset = NULL, ...)
```


Arguments

.data MPSE object or tbl_mpse object
 .group the column name of group
 .upset the column name of result after run mp_cal_upset
 ... additional parameters, see also 'scale_x_upset' of 'ggupset'.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(mouse.time.mpse)
mpse <- mouse.time.mpse %>%
  mp_rrarefy(.abundance=Abundance) %>%
  mp_cal_upset(.abundance=RareAbundance, .group=time)
mpse
p <- mpse %>% mp_plot_upset(.group=time, .upset=ggupsetOfTime)
p

## End(Not run)
```

mp_plot_venn	<i>Plotting the different number of OTU between groups with Venn Diagram.</i>
--------------	---

Description

Plotting the different number of OTU between groups with Venn Diagram.

Usage

```
mp_plot_venn(.data, .group, .venn = NULL, ...)

## S4 method for signature 'MPSE'
mp_plot_venn(.data, .group, .venn = NULL, ...)

## S4 method for signature 'tbl_mpse'
mp_plot_venn(.data, .group, .venn = NULL, ...)

## S4 method for signature 'grouped_df_mpse'
mp_plot_venn(.data, .group, .venn = NULL, ...)
```

Arguments

.data MPSE object or tbl_mpse object
 .group the column names of group to be visualized
 .venn the column names of result after run mp_cal_venn.
 ... additional parameters, such as 'size', 'label_size', 'edge_size' etc, see also 'ggVennDiagram'.

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(mouse.time.mpse)
mpse <- mouse.time.mpse %>%
  mp_rrarefy() %>%
  mp_cal_venn(.abundance=RareAbundance, .group=time, action="add")
mpse
p <- mpse %>% mp_plot_venn(.group=time, .venn=vennOfTime)
p

## End(Not run)
```

mp_rrarefy

mp_rrarefy method

Description

mp_rrarefy method

Usage

```
mp_rrarefy(
  .data,
  .abundance = NULL,
  rarsize,
  trimOTU = FALSE,
  trimSample = FALSE,
  seed = 123,
  ...
)

## S4 method for signature 'MPSE'
mp_rrarefy(
  .data,
  .abundance = NULL,
```

```

    raresize,
    trimOTU = FALSE,
    trimSample = FALSE,
    seed = 123,
    ...
)

## S4 method for signature 'tbl_mpse'
mp_rrarefy(
  .data,
  .abundance = NULL,
  raresize,
  trimOTU = FALSE,
  trimSample = FALSE,
  seed = 123,
  ...
)

## S4 method for signature 'grouped_df_mpse'
mp_rrarefy(
  .data,
  .abundance = NULL,
  raresize,
  trimOTU = FALSE,
  trimSample = FALSE,
  seed = 123,
  ...
)

```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the name of OTU(feature) abundance column, default is Abundance.
raresize	integer Subsample size for rarefying community.
trimOTU	logical Whether to remove the otus that are no longer present in any sample after rarefaction
trimSample	logical whether to remove the samples that do not have enough abundance (rare-size), default is FALSE.
seed	a random seed to make the rrarefy reproducible, default is 123.
...	additional parameters, meaningless now.

Value

update object

Author(s)

Shuangbin Xu

See Also

[mp_extract_assays()] and [mp_decostand()]

Examples

```
data(mouse.time.mpse)
mouse.time.mpse %>% mp_rrarefy()
```

mp_select_as_tip	<i>select specific taxa level as rownames of MPSE</i>
------------------	---

Description

select specific taxa level as rownames of MPSE

Usage

```
mp_select_as_tip(x, tip.level = "OTU")

## S4 method for signature 'MPSE'
mp_select_as_tip(x, tip.level = "OTU")

## S4 method for signature 'tbl_mpse'
mp_select_as_tip(x, tip.level = "OTU")

## S4 method for signature 'grouped_df_mpse'
mp_select_as_tip(x, tip.level = "OTU")
```

Arguments

x MPSE object

tip.level the taxonomy level, default is 'OTU'.

Examples

```
## Not run:
data(mouse.time.mpse)
newmpse <- mouse.time.mpse %>%
  mp_select_as_tip(tip.level = Species)
newmpse

## End(Not run)
```

mp_stat_taxa	<i>Count the number and total number taxa for each sample at different taxonomy levels</i>
--------------	--

Description

Count the number and total number taxa for each sample at different taxonomy levels

Usage

```
mp_stat_taxa(.data, .abundance, action = "add", ...)

## S4 method for signature 'MPSE'
mp_stat_taxa(.data, .abundance, action = "add", ...)

## S4 method for signature 'tbl_mpse'
mp_stat_taxa(.data, .abundance, action = "add", ...)

## S4 method for signature 'grouped_df_mpse'
mp_stat_taxa(.data, .abundance, action = "add", ...)
```

Arguments

.data	MPSE or tbl_mpse object
.abundance	the column name of abundance to be calculated
action	a character "get" returns a table only contained the number and total number for each sample at different taxonomy levels, "only" returns a non-redundant tibble contained a nest column (StatTaxaInfo) and other sample information, "add" returns a update object (.data) contained a nest column (StatTaxaInfo).
...	additional parameter

Value

update object or tbl_df according action argument

Author(s)

Shuangbin Xu

Examples

```
data(mouse.time.mpse)
mouse.time.mpse %>%
  mp_stat_taxa(.abundance=Abundance, action="only")
```

multi_compare *a container for performing two or more sample test.*

Description

a container for performing two or more sample test.

Usage

```
multi_compare(
  fun = wilcox.test,
  data,
  feature,
  factorNames,
  subgroup = NULL,
  ...
)
```

Arguments

fun	character, the method for test, optional ""
data	data.frame, nrow sample * ncol feature+factorNames.
feature	vector, the features wanted to test.
factorNames	character, the name of a factor giving the corresponding groups.
subgroup	vector, the names of groups, default is NULL.
...	additional arguments for fun.

Value

the result of fun, if fun is wilcox.test, it will return the list with class "htest".

Author(s)

Shuangbin Xu

Examples

```
datest <- data.frame(A=rnorm(1:10,mean=5),
                    B=rnorm(2:11, mean=6),
                    group=c(rep("case", 5), rep("control", 5)))
head(datest)
multi_compare(fun=wilcox.test, data=datest,
             feature=c("A", "B"), factorNames="group")
da2 <- data.frame(A=rnorm(1:15,mean=5),
                B=rnorm(2:16,mean=6),
                group=c(rep("case1", 5), rep("case2", 5), rep("control", 5)))
multi_compare(fun=wilcox.test, data=da2,
```

```
feature=c("A", "B"), factorNames="group",  
subgroup=c("case1", "case2"))
```

ordplotClass-class *ordplotClass class*

Description

ordplotClass class

Slots

coord matrix object contained the coordinate for ordination plot.

xlab character object contained the text of xlab for ordination plot.

ylab character object contained the text of ylab for ordination plot.

title character object contained the text of title for ordination plot.

pcasample-class *pcasample class*

Description

pcasample class

Slots

pca precomp or pcoa object

sampleda associated sample information

```
print
```

print some objects

Description

print some objects

Usage

```
## S3 method for class 'MPSE'
print(
  x,
  ...,
  n = NULL,
  width = NULL,
  max_extra_cols = NULL,
  max_footer_lines = NULL
)

## S3 method for class 'tbl_mpse'
print(x, ..., n = NULL, width = NULL, max_extra_cols = NULL)

## S3 method for class 'grouped_df_mpse'
print(x, ..., n = NULL, width = NULL, max_extra_cols = NULL)

## S3 method for class 'rarecurve'
print(x, ..., n = NULL, width = NULL, max_extra_cols = NULL)
```

Arguments

<code>x</code>	Object to format or print.
<code>...</code>	Other arguments passed on to individual methods.
<code>n</code>	Number of rows to show. If 'NULL', the default, will print all rows if less than option 'tibble.print_max'. Otherwise, will print 'tibble.print_min' rows.
<code>width</code>	Width of text output to generate. This defaults to 'NULL', which means use 'getOption("tibble.width")' or (if also 'NULL') 'getOption("width")'; the latter displays only the columns that fit on one screen. You can also set 'options(tibble.width = Inf)' to override this default and always print all columns.
<code>max_extra_cols</code>	Number of extra columns to print abbreviated information for, if the width is too small for the entire tibble. If 'NULL', the default, will print information about at most 'tibble.max_extra_cols' extra columns.
<code>max_footer_lines</code>	integer maximum number of lines for the footer.

Value

print information

read_qza	<i>read the qza file, output of qiime2.</i>
----------	---

Description

the function was designed to read the output of qiime2.

Usage

```
read_qza(qzafilename, parallel = FALSE)
```

Arguments

qzafilename character, the format of file should be one of 'BIOMV210DirFmt', 'TSVTaxonomyDirectoryFormat', 'NewickDirectoryFormat' and 'DNASequencesDirectoryFormat'.

parallel logical, whether parsing the taxonomy by multi-parallel, default is FALSE.

Value

list contained one or multiple object of feature table, taxonomy table, tree and represent sequences.

Examples

```
## Not run:
otuqzafilename <- system.file("extdata", "table.qza",
                             package="MicrobiotaProcess")
otuqza <- read_qza(otuqzafilename)
str(otuqza)

## End(Not run)
```

scale_fill_diff_cladogram	<i>Create the scale of mp_plot_diff_cladogram.</i>
---------------------------	--

Description

Create the scale of mp_plot_diff_cladogram.

Usage

```
scale_fill_diff_cladogram(values, breaks = waiver(), na.value = "grey50", ...)
```

Arguments

values	a set of aesthetic values (different group (default)) to map data values to.
breaks	One of 'NULL' for no breaks, 'waiver()' for the default breaks, A character vector of breaks.
na.value	The aesthetic value to use for missing ('NA') values.
...	see also 'discrete_scale' of 'ggplot2'.

set_diff_boxplot_color

set the color scale of plot generated by mp_plot_diff_boxplot

Description

set the color scale of plot generated by mp_plot_diff_boxplot

Usage

```
set_diff_boxplot_color(.data, values, ...)
```

Arguments

.data	the aplot object generated by mp_plot_diff_boxplot.
values	the color vector, required.
...	additional parameters, see also the 'scale_fill_manual' of 'ggplot2'

set_scale_theme

adjust the color of heatmap of mp_plot_dist

Description

adjust the color of heatmap of mp_plot_dist

Usage

```
set_scale_theme(.data, x, aes_var)
```

Arguments

.data	the plot of heatmap of mp_plot_dist
x	the scale or theme
aes_var	character the variable (column) name of color or size.

```
show,diffAnalysisClass-method
      method extensions to show for diffAnalysisClass or alphasample ob-
      jects.
```

Description

method extensions to show for diffAnalysisClass or alphasample objects.

Usage

```
## S4 method for signature 'diffAnalysisClass'
show(object)

## S4 method for signature 'alphasample'
show(object)

## S4 method for signature 'MPSE'
show(object)
```

Arguments

object object, diffAnalysisClass or alphasample class

Value

print info

Author(s)

Shuangbin Xu

Examples

```
## Not run:
data(kostic2012crc)
kostic2012crc %<>% as.phyloseq()
head(phyloseq::sample_data(kostic2012crc),3)
kostic2012crc <- phyloseq::rarefy_even_depth(kostic2012crc, rngseed=1024)
table(phyloseq::sample_data(kostic2012crc)$DIAGNOSIS)
set.seed(1024)
diffres <- diff_analysis(kostic2012crc, classgroup="DIAGNOSIS",
                        mlfun="lda", filtermod="fdr",
                        firstcomfun = "kruskal.test",
                        firstalpha=0.05, strictmod=TRUE,
                        secondcomfun = "wilcox.test",
                        subclmin=3, subclwilc=TRUE,
                        secondalpha=0.01, lda=3)

show(diffres)
```

```
## End(Not run)
```

split_data

Split Large Vector or DataFrame

Description

Split large vector or dataframe to list class, which contain subset vectors or dataframe of origin vector or dataframe.

Usage

```
split_data(x, nums, chunks = NULL, random = FALSE)
```

Arguments

x	vector class or data.frame class.
nums	integer.
chunks	integer. use chunks if nums is missing. Note nums and chunks shouldn't concurrently be NULL, default is NULL.
random	bool, whether split randomly, default is FALSE, if you want to split data randomly, you can set TRUE, and if you want the results are reproducible, you should add seed before.

Value

the subset of x, vector or data.frame class.

Author(s)

Shuangbin Xu

Examples

```
data(iris)
irislist <- split_data(iris, 40)
dalist <- c(1:100)
dalist <- split_data(dalist, 30)
```



```
taxdf <- otuda[!sapply(otuda, is.numeric)]
taxdf <- split_str_to_list(taxdf)
head(taxdf)

## End(Not run)
```

taxonomy	<i>extract the taxonomy annotation in MPSE object</i>
----------	---

Description

extract the taxonomy annotation in MPSE object

Usage

```
taxonomy(x, ...)

## S4 method for signature 'MPSE'
taxonomy(x, ...)

## S4 method for signature 'tbl_mpse'
taxonomy(x, ...)

## S4 method for signature 'grouped_df_mpse'
taxonomy(x, ...)

mp_extract_taxonomy(x, ...)

## S4 method for signature 'MPSE'
mp_extract_taxonomy(x, ...)

## S4 method for signature 'tbl_mpse'
mp_extract_taxonomy(x, ...)

## S4 method for signature 'grouped_df_mpse'
mp_extract_taxonomy(x, ...)
```

Arguments

x	MPSE object
...	additional arguments

Value

data.frame contained taxonomy information
data.frame contained taxonomy annotation.

theme_taxbar	<i>theme_taxbar</i>
--------------	---------------------

Description

theme_taxbar

Usage

```
theme_taxbar(  
  axis.text.x = element_text(angle = -45, hjust = 0, size = 8),  
  legend.position = "bottom",  
  legend.box = "horizontal",  
  legend.text = element_text(size = 8),  
  legend.title = element_blank(),  
  strip.text.x = element_text(size = 12, face = "bold"),  
  strip.background = element_rect(colour = "white", fill = "grey"),  
  ...  
)
```

Arguments

axis.text.x	element_text, x axis tick labels.
legend.position	character, default is "bottom".
legend.box	character, arrangement of legends, default is "horizontal".
legend.text	element_text, legend labels text.
legend.title	element_text, legend title text
strip.text.x	element_text, strip text of x
strip.background	element_rect, the background of x
...	additional parameters

Value

updated ggplot object with new theme

See Also

[theme](#)

Examples

```
## Not run:
library(ggplot2)
data(test_otu_data)
test_otu_data %<>% as.phyloseq()
otubar <- ggbartax(test_otu_data, settheme=FALSE) +
  xlab(NULL) + ylab("relative abundance(%)") +
  theme_taxbar()

## End(Not run)
```


Index

- * **data**
 - data-hmp_aerobiosis_small, [9](#)
 - data-kostic2012crc, [9](#)
 - data-test_otu_data, [9](#)
 - mouse.time.mpse, [54](#)
- [,MPSE,ANY,ANY,ANY-method (MPSE-accessors), [55](#)
- addSpecies, [52](#)
- aggregate, [61](#)
- AlignSeqs, [7](#)
- alphasample-class, [4](#)
- as.MPSE, [5](#)
- as.mpse (as.MPSE), [5](#)
- as.phylo, [19](#), [22](#)
- as.phyloseq, [5](#)
- as.treedata.taxonomyTable, [6](#)
- as_phyloseq (as.phyloseq), [5](#)
- assignTaxonomy, [52](#)
- build_tree, [7](#)
- build_tree,character (build_tree), [7](#)
- build_tree,character-method (build_tree), [7](#)
- build_tree,DNAbin (build_tree), [7](#)
- build_tree,DNAbin-method (build_tree), [7](#)
- build_tree,DNAStringSet (build_tree), [7](#)
- build_tree,DNAStringSet-method (build_tree), [7](#)
- colData<- ,MPSE,DataFrame-method (MPSE-accessors), [55](#)
- colData<- ,MPSE,NULL-method (MPSE-accessors), [55](#)
- convert_to_treedata, [8](#)
- data-hmp_aerobiosis_small, [9](#)
- data-kostic2012crc, [9](#)
- data-test_otu_data, [9](#)
- decostand, [11](#), [19](#), [22](#), [25](#), [98](#)
- diff_analysis, [10](#), [10](#), [42](#), [45](#), [47](#)
- diffAnalysisClass-class, [10](#)
- distance, [22](#), [26](#)
- distanceMethodList, [22](#)
- diversity, [17](#)
- dmn, [109](#)
- dmngroup, [110](#)
- dr_extract, [14](#)
- drop_taxa, [13](#)
- drop_taxa,data.frame (drop_taxa), [13](#)
- drop_taxa,data.frame-method (drop_taxa), [13](#)
- drop_taxa,phyloseq (drop_taxa), [13](#)
- drop_taxa,phyloseq-method (drop_taxa), [13](#)
- extract_binary_offspring, [15](#)
- facet_wrap, [152](#)
- generalizedFC, [16](#)
- geom_boxplot, [41](#)
- geom_signif, [135](#), [146](#)
- geom_smooth, [152](#)
- geom_text_repel, [49](#)
- geom_tippoint, [39](#)
- get_alphaindex, [17](#)
- get_alphaindex,data.frame (get_alphaindex), [17](#)
- get_alphaindex,data.frame-method (get_alphaindex), [17](#)
- get_alphaindex,integer (get_alphaindex), [17](#)
- get_alphaindex,integer-method (get_alphaindex), [17](#)
- get_alphaindex,matrix (get_alphaindex), [17](#)
- get_alphaindex,matrix-method (get_alphaindex), [17](#)

- get_alphaindex, numeric
 - (get_alphaindex), 17
- get_alphaindex, numeric-method
 - (get_alphaindex), 17
- get_alphaindex, phyloseq
 - (get_alphaindex), 17
- get_alphaindex, phyloseq-method
 - (get_alphaindex), 17
- get_clust, 18
- get_coord (get_coord.pcoa), 20
- get_coord.pcoa, 20
- get_count, 20
- get_dist, 19, 21, 26
- get_mean_median, 23, 45
- get_NRI_NTI, 24
- get_NRI_NTI, data.frame (get_NRI_NTI), 24
- get_NRI_NTI, data.frame-method
 - (get_NRI_NTI), 24
- get_NRI_NTI, matrix (get_NRI_NTI), 24
- get_NRI_NTI, matrix-method
 - (get_NRI_NTI), 24
- get_NRI_NTI, phyloseq (get_NRI_NTI), 24
- get_NRI_NTI, phyloseq-method
 - (get_NRI_NTI), 24
- get_pca, 25
- get_pcoa, 26
- get_pvalue, 27
- get_rarecurve, 28
- get_rarecurve, data.frame
 - (get_rarecurve), 28
- get_rarecurve, data.frame-method
 - (get_rarecurve), 28
- get_rarecurve, phyloseq (get_rarecurve), 28
- get_rarecurve, phyloseq-method
 - (get_rarecurve), 28
- get_ratio (get_count), 20
- get_sampledflist, 29
- get_taxadf, 30
- get_taxadf, data.frame (get_taxadf), 30
- get_taxadf, data.frame-method
 - (get_taxadf), 30
- get_taxadf, phyloseq (get_taxadf), 30
- get_taxadf, phyloseq-method
 - (get_taxadf), 30
- get_upset, 31
- get_upset, data.frame (get_upset), 31
- get_upset, data.frame-method
 - (get_upset), 31
- get_upset, phyloseq (get_upset), 31
- get_upset, phyloseq-method (get_upset), 31
- get_varct (get_varct.pcoa), 33
- get_varct.pcoa, 33
- get_vennlist, 34
- get_vennlist, data.frame-method
 - (get_vennlist), 34
- get_vennlist, data.frame
 - (get_vennlist), 34
- get_vennlist, phyloseq (get_vennlist), 34
- get_vennlist, phyloseq-method
 - (get_vennlist), 34
- ggbartax, 35
- ggbartaxa (ggbartax), 35
- ggbox, 37
- ggbox, alphasample (ggbox), 37
- ggbox, alphasample-method (ggbox), 37
- ggbox, data.frame (ggbox), 37
- ggbox, data.frame-method (ggbox), 37
- ggclust, 39
- ggdiffbartaxa (ggdiffntaxbar), 44
- ggdiffbox, 40
- ggdiffbox, diffAnalysisClass
 - (ggdiffbox), 40
- ggdiffbox, diffAnalysisClass-method
 - (ggdiffbox), 40
- ggdiffclade, 42
- ggdiffntaxbar, 44
- ggdiffntaxbar, diffAnalysisClass
 - (ggdiffntaxbar), 44
- ggdiffntaxbar, diffAnalysisClass-method
 - (ggdiffntaxbar), 44
- ggdiffntaxbar.featureMeanMedian
 - (ggdiffntaxbar), 44
- ggeffectsize, 46
- ggordpoint, 48
- ggplot, 36
- ggplot2, 51
- ggrarecurve, 50
- ggtree, 39
- hclust, 146
- hmp_aerobiosis_small
 - (data-hmp_aerobiosis_small), 9
- import_dada2 (ImportDada2), 52
- import_qiime2 (ImportQiime2), 53

- ImportDada2, [52](#)
- ImportQiime2, [53](#)

- kostic2012crc (data-kostic2012crc), [9](#)

- mantel, [128](#)
- mclapply, [109](#), [110](#)
- mouse.time.mpse, [54](#)
- mp_adonis, [59](#)
- mp_adonis, grouped_df_mpse (mp_adonis), [59](#)
- mp_adonis, grouped_df_mpse-method (mp_adonis), [59](#)
- mp_adonis, MPSE (mp_adonis), [59](#)
- mp_adonis, MPSE-method (mp_adonis), [59](#)
- mp_adonis, tbl_mpse (mp_adonis), [59](#)
- mp_adonis, tbl_mpse-method (mp_adonis), [59](#)
- mp_aggregate, [61](#)
- mp_aggregate, MPSE (mp_aggregate), [61](#)
- mp_aggregate, MPSE-method (mp_aggregate), [61](#)
- mp_aggregate_clade, [62](#)
- mp_aggregate_clade, grouped_df_mpse (mp_aggregate_clade), [62](#)
- mp_aggregate_clade, grouped_df_mpse-method (mp_aggregate_clade), [62](#)
- mp_aggregate_clade, MPSE (mp_aggregate_clade), [62](#)
- mp_aggregate_clade, MPSE-method (mp_aggregate_clade), [62](#)
- mp_aggregate_clade, tbl_mpse (mp_aggregate_clade), [62](#)
- mp_aggregate_clade, tbl_mpse-method (mp_aggregate_clade), [62](#)
- mp_anosim, [64](#)
- mp_anosim, grouped_df_mpse (mp_anosim), [64](#)
- mp_anosim, grouped_df_mpse-method (mp_anosim), [64](#)
- mp_anosim, MPSE (mp_anosim), [64](#)
- mp_anosim, MPSE-method (mp_anosim), [64](#)
- mp_anosim, tbl_mpse (mp_anosim), [64](#)
- mp_anosim, tbl_mpse-method (mp_anosim), [64](#)
- mp_balance_clade, [66](#)
- mp_balance_clade, grouped_df_mpse (mp_balance_clade), [66](#)
- mp_balance_clade, MPSE (mp_balance_clade), [66](#)
- mp_balance_clade, MPSE-method (mp_balance_clade), [66](#)
- mp_balance_clade, tbl_mpse (mp_balance_clade), [66](#)
- mp_balance_clade, tbl_mpse-method (mp_balance_clade), [66](#)
- mp_cal_abundance, [68](#)
- mp_cal_abundance, grouped_df_mpse (mp_cal_abundance), [68](#)
- mp_cal_abundance, grouped_df_mpse-method (mp_cal_abundance), [68](#)
- mp_cal_abundance, MPSE (mp_cal_abundance), [68](#)
- mp_cal_abundance, MPSE-method (mp_cal_abundance), [68](#)
- mp_cal_abundance, tbl_mpse (mp_cal_abundance), [68](#)
- mp_cal_abundance, tbl_mpse-method (mp_cal_abundance), [68](#)
- mp_cal_alpha, [71](#)
- mp_cal_alpha, grouped_df_mpse (mp_cal_alpha), [71](#)
- mp_cal_alpha, grouped_df_mpse-method (mp_cal_alpha), [71](#)
- mp_cal_alpha, MPSE (mp_cal_alpha), [71](#)
- mp_cal_alpha, MPSE-method (mp_cal_alpha), [71](#)
- mp_cal_alpha, tbl_mpse (mp_cal_alpha), [71](#)
- mp_cal_alpha, tbl_mpse-method (mp_cal_alpha), [71](#)
- mp_cal_cca, [73](#)
- mp_cal_cca, grouped_df_mpse (mp_cal_cca), [73](#)
- mp_cal_cca, grouped_df_mpse-method (mp_cal_cca), [73](#)
- mp_cal_cca, MPSE (mp_cal_cca), [73](#)
- mp_cal_cca, MPSE-method (mp_cal_cca), [73](#)
- mp_cal_cca, tbl_mpse (mp_cal_cca), [73](#)
- mp_cal_cca, tbl_mpse-method (mp_cal_cca), [73](#)
- mp_cal_clust, [74](#)
- mp_cal_clust, grouped_df_mpse (mp_cal_clust), [74](#)
- mp_cal_clust, grouped_df_mpse-method (mp_cal_clust), [74](#)

- (mp_cal_clust), 74
- mp_cal_clust, MPSE (mp_cal_clust), 74
- mp_cal_clust, MPSE-method (mp_cal_clust), 74
- mp_cal_clust, tbl_mpse (mp_cal_clust), 74
- mp_cal_clust, tbl_mpse-method (mp_cal_clust), 74
- mp_cal_dca, 76
- mp_cal_dca, grouped_df_mpse (mp_cal_dca), 76
- mp_cal_dca, grouped_df_mpse-method (mp_cal_dca), 76
- mp_cal_dca, MPSE (mp_cal_dca), 76
- mp_cal_dca, MPSE-method (mp_cal_dca), 76
- mp_cal_dca, tbl_mpse (mp_cal_dca), 76
- mp_cal_dca, tbl_mpse-method (mp_cal_dca), 76
- mp_cal_dist, 77
- mp_cal_dist, grouped_df_mpse (mp_cal_dist), 77
- mp_cal_dist, grouped_df_mpse-method (mp_cal_dist), 77
- mp_cal_dist, MPSE (mp_cal_dist), 77
- mp_cal_dist, MPSE-method (mp_cal_dist), 77
- mp_cal_dist, tbl_mpse (mp_cal_dist), 77
- mp_cal_dist, tbl_mpse-method (mp_cal_dist), 77
- mp_cal_divergence, 80
- mp_cal_divergence, grouped_df_mpse (mp_cal_divergence), 80
- mp_cal_divergence, grouped_df_mpse-method (mp_cal_divergence), 80
- mp_cal_divergence, MPSE (mp_cal_divergence), 80
- mp_cal_divergence, MPSE-method (mp_cal_divergence), 80
- mp_cal_divergence, tbl_mpse (mp_cal_divergence), 80
- mp_cal_divergence, tbl_mpse-method (mp_cal_divergence), 80
- mp_cal_nmds, 82
- mp_cal_nmds, grouped_df_mpse (mp_cal_nmds), 82
- mp_cal_nmds, grouped_df_mpse-method (mp_cal_nmds), 82
- mp_cal_nmds, MPSE (mp_cal_nmds), 82
- mp_cal_nmds, MPSE-method (mp_cal_nmds), 82
- mp_cal_nmds, tbl_mpse (mp_cal_nmds), 82
- mp_cal_nmds, tbl_mpse-method (mp_cal_nmds), 82
- mp_cal_pca, 84
- mp_cal_pca, grouped_df_mpse (mp_cal_pca), 84
- mp_cal_pca, grouped_df_mpse-method (mp_cal_pca), 84
- mp_cal_pca, MPSE (mp_cal_pca), 84
- mp_cal_pca, MPSE-method (mp_cal_pca), 84
- mp_cal_pca, tbl_mpse (mp_cal_pca), 84
- mp_cal_pca, tbl_mpse-method (mp_cal_pca), 84
- mp_cal_pcoa, 86
- mp_cal_pcoa, grouped_df_mpse (mp_cal_pcoa), 86
- mp_cal_pcoa, grouped_df_mpse-method (mp_cal_pcoa), 86
- mp_cal_pcoa, MPSE (mp_cal_pcoa), 86
- mp_cal_pcoa, MPSE-method (mp_cal_pcoa), 86
- mp_cal_pcoa, tbl_mpse (mp_cal_pcoa), 86
- mp_cal_pcoa, tbl_mpse-method (mp_cal_pcoa), 86
- mp_cal_pd_metric, 88
- mp_cal_pd_metric, grouped_df_mpse (mp_cal_pd_metric), 88
- mp_cal_pd_metric, grouped_df_mpse-method (mp_cal_pd_metric), 88
- mp_cal_pd_metric, MPSE (mp_cal_pd_metric), 88
- mp_cal_pd_metric, MPSE-method (mp_cal_pd_metric), 88
- mp_cal_pd_metric, tbl_mpse (mp_cal_pd_metric), 88
- mp_cal_pd_metric, tbl_mpse-method (mp_cal_pd_metric), 88
- mp_cal_rarecurve, 90
- mp_cal_rarecurve, grouped_df_mpse (mp_cal_rarecurve), 90
- mp_cal_rarecurve, grouped_df_mpse-method (mp_cal_rarecurve), 90
- mp_cal_rarecurve, MPSE (mp_cal_rarecurve), 90
- mp_cal_rarecurve, MPSE-method (mp_cal_rarecurve), 90
- mp_cal_rarecurve, tbl_mpse

- 111
- mp_envfit, grouped_df_mpse-method (mp_envfit), 111
- mp_envfit, MPSE (mp_envfit), 111
- mp_envfit, MPSE-method (mp_envfit), 111
- mp_envfit, tbl_mpse (mp_envfit), 111
- mp_envfit, tbl_mpse-method (mp_envfit), 111
- mp_extract_abundance, 113
- mp_extract_abundance, grouped_df_mpse (mp_extract_abundance), 113
- mp_extract_abundance, grouped_df_mpse-method (mp_extract_abundance), 113
- mp_extract_abundance, MPSE (mp_extract_abundance), 113
- mp_extract_abundance, MPSE-method (mp_extract_abundance), 113
- mp_extract_abundance, tbl_mpse (mp_extract_abundance), 113
- mp_extract_abundance, tbl_mpse-method (mp_extract_abundance), 113
- mp_extract_assays, 114
- mp_extract_assays, grouped_df_mpse (mp_extract_assays), 114
- mp_extract_assays, grouped_df_mpse-method (mp_extract_assays), 114
- mp_extract_assays, MPSE (mp_extract_assays), 114
- mp_extract_assays, MPSE-method (mp_extract_assays), 114
- mp_extract_assays, tbl_mpse (mp_extract_assays), 114
- mp_extract_assays, tbl_mpse-method (mp_extract_assays), 114
- mp_extract_dist, 115
- mp_extract_dist, grouped_df_mpse (mp_extract_dist), 115
- mp_extract_dist, grouped_df_mpse-method (mp_extract_dist), 115
- mp_extract_dist, MPSE (mp_extract_dist), 115
- mp_extract_dist, MPSE-method (mp_extract_dist), 115
- mp_extract_dist, tbl_mpse (mp_extract_dist), 115
- mp_extract_dist, tbl_mpse-method (mp_extract_dist), 115
- mp_extract_feature, 116
- mp_extract_feature, grouped_df_mpse (mp_extract_feature), 116
- mp_extract_feature, grouped_df_mpse-method (mp_extract_feature), 116
- mp_extract_feature, MPSE (mp_extract_feature), 116
- mp_extract_feature, MPSE-method (mp_extract_feature), 116
- mp_extract_feature, tbl_mpse (mp_extract_feature), 116
- mp_extract_feature, tbl_mpse-method (mp_extract_feature), 116
- mp_extract_internal_attr, 117
- mp_extract_internal_attr, grouped_df_mpse (mp_extract_internal_attr), 117
- mp_extract_internal_attr, grouped_df_mpse-method (mp_extract_internal_attr), 117
- mp_extract_internal_attr, MPSE (mp_extract_internal_attr), 117
- mp_extract_internal_attr, MPSE-method (mp_extract_internal_attr), 117
- mp_extract_internal_attr, tbl_mpse (mp_extract_internal_attr), 117
- mp_extract_internal_attr, tbl_mpse-method (mp_extract_internal_attr), 117
- mp_extract_otutree (mp_extract_tree), 119
- mp_extract_rarecurve, 117
- mp_extract_rarecurve, grouped_df_mpse (mp_extract_rarecurve), 117
- mp_extract_rarecurve, grouped_df_mpse-method (mp_extract_rarecurve), 117
- mp_extract_rarecurve, MPSE (mp_extract_rarecurve), 117
- mp_extract_rarecurve, MPSE-method (mp_extract_rarecurve), 117
- mp_extract_rarecurve, tbl_mpse (mp_extract_rarecurve), 117
- mp_extract_rarecurve, tbl_mpse-method (mp_extract_rarecurve), 117
- mp_extract_refseq, 118
- mp_extract_refseq, grouped_df_mpse (mp_extract_refseq), 118
- mp_extract_refseq, grouped_df_mpse-method (mp_extract_refseq), 118
- mp_extract_refseq, MPSE (mp_extract_refseq), 118
- mp_extract_refseq, MPSE-method

- (mp_extract_refseq), 118
- mp_extract_refseq, tbl_mpse
 - (mp_extract_refseq), 118
- mp_extract_refseq, tbl_mpse-method
 - (mp_extract_refseq), 118
- mp_extract_sample, 119
- mp_extract_sample, grouped_df_mpse
 - (mp_extract_sample), 119
- mp_extract_sample, grouped_df_mpse-method
 - (mp_extract_sample), 119
- mp_extract_sample, MPSE
 - (mp_extract_sample), 119
- mp_extract_sample, MPSE-method
 - (mp_extract_sample), 119
- mp_extract_sample, tbl_mpse
 - (mp_extract_sample), 119
- mp_extract_sample, tbl_mpse-method
 - (mp_extract_sample), 119
- mp_extract_taxatree (mp_extract_tree), 119
- mp_extract_taxonomy (taxonomy), 166
- mp_extract_taxonomy, grouped_df_mpse
 - (taxonomy), 166
- mp_extract_taxonomy, grouped_df_mpse-method
 - (taxonomy), 166
- mp_extract_taxonomy, MPSE (taxonomy), 166
- mp_extract_taxonomy, MPSE-method
 - (taxonomy), 166
- mp_extract_taxonomy, tbl_mpse
 - (taxonomy), 166
- mp_extract_taxonomy, tbl_mpse-method
 - (taxonomy), 166
- mp_extract_tree, 119
- mp_extract_tree, grouped_df_mpse
 - (mp_extract_tree), 119
- mp_extract_tree, grouped_df_mpse-method
 - (mp_extract_tree), 119
- mp_extract_tree, MPSE (mp_extract_tree), 119
- mp_extract_tree, MPSE-method
 - (mp_extract_tree), 119
- mp_extract_tree, tbl_mpse
 - (mp_extract_tree), 119
- mp_extract_tree, tbl_mpse-method
 - (mp_extract_tree), 119
- mp_filter_taxa, 120
- mp_filter_taxa, grouped_df_mpse
 - (mp_filter_taxa), 120
- mp_filter_taxa, MPSE (mp_filter_taxa), 120
- mp_filter_taxa, MPSE-method
 - (mp_filter_taxa), 120
- mp_filter_taxa, tbl_mpse
 - (mp_filter_taxa), 120
- mp_filter_taxa, tbl_mpse-method
 - (mp_filter_taxa), 120
- mp_fortify, 122
- mp_import_biom, 122
- mp_import_dada2 (ImportDada2), 52
- mp_import_humann_regroup, 123
- mp_import_metaphlan, 124
- mp_import_qiime, 125
- mp_import_qiime2 (ImportQiime2), 53
- mp_mantel, 126
- mp_mantel, grouped_df_mpse (mp_mantel), 126
- mp_mantel, grouped_df_mpse-method
 - (mp_mantel), 126
- mp_mantel, MPSE (mp_mantel), 126
- mp_mantel, MPSE-method (mp_mantel), 126
- mp_mantel, tbl_mpse (mp_mantel), 126
- mp_mantel, tbl_mpse-method (mp_mantel), 126
- mp_mrpp, 128
- mp_mrpp, grouped_df_mpse (mp_mrpp), 128
- mp_mrpp, grouped_df_mpse-method
 - (mp_mrpp), 128
- mp_mrpp, MPSE (mp_mrpp), 128
- mp_mrpp, MPSE-method (mp_mrpp), 128
- mp_mrpp, tbl_mpse (mp_mrpp), 128
- mp_mrpp, tbl_mpse-method (mp_mrpp), 128
- mp_plot_abundance, 130
- mp_plot_abundance, grouped_df_mpse
 - (mp_plot_abundance), 130
- mp_plot_abundance, grouped_df_mpse-method
 - (mp_plot_abundance), 130
- mp_plot_abundance, MPSE
 - (mp_plot_abundance), 130
- mp_plot_abundance, MPSE-method
 - (mp_plot_abundance), 130
- mp_plot_abundance, tbl_mpse
 - (mp_plot_abundance), 130
- mp_plot_abundance, tbl_mpse-method
 - (mp_plot_abundance), 130

- mp_plot_upset, tbl_mpse (mp_plot_upset), 152
- mp_plot_upset, tbl_mpse-method (mp_plot_upset), 152
- mp_plot_venn, 153
- mp_plot_venn, grouped_df_mpse (mp_plot_venn), 153
- mp_plot_venn, grouped_df_mpse-method (mp_plot_venn), 153
- mp_plot_venn, MPSE (mp_plot_venn), 153
- mp_plot_venn, MPSE-method (mp_plot_venn), 153
- mp_plot_venn, tbl_mpse (mp_plot_venn), 153
- mp_plot_venn, tbl_mpse-method (mp_plot_venn), 153
- mp_rrarefy, 154
- mp_rrarefy, grouped_df_mpse (mp_rrarefy), 154
- mp_rrarefy, grouped_df_mpse-method (mp_rrarefy), 154
- mp_rrarefy, MPSE (mp_rrarefy), 154
- mp_rrarefy, MPSE-method (mp_rrarefy), 154
- mp_rrarefy, tbl_mpse (mp_rrarefy), 154
- mp_rrarefy, tbl_mpse-method (mp_rrarefy), 154
- mp_select_as_tip, 156
- mp_select_as_tip, grouped_df_mpse (mp_select_as_tip), 156
- mp_select_as_tip, grouped_df_mpse-method (mp_select_as_tip), 156
- mp_select_as_tip, MPSE (mp_select_as_tip), 156
- mp_select_as_tip, MPSE-method (mp_select_as_tip), 156
- mp_select_as_tip, tbl_mpse (mp_select_as_tip), 156
- mp_select_as_tip, tbl_mpse-method (mp_select_as_tip), 156
- mp_stat_taxa, 157
- mp_stat_taxa, grouped_df_mpse (mp_stat_taxa), 157
- mp_stat_taxa, grouped_df_mpse-method (mp_stat_taxa), 157
- mp_stat_taxa, MPSE (mp_stat_taxa), 157
- mp_stat_taxa, MPSE-method (mp_stat_taxa), 157
- mp_stat_taxa, tbl_mpse (mp_stat_taxa), 157
- mp_stat_taxa, tbl_mpse-method (mp_stat_taxa), 157
- MPSE, 54
- MPSE-accessors, 55
- MPSE-class, 58
- multi_compare, 158
- ordplotClass-class, 159
- otutree (MPSE-accessors), 55
- otutree, group_df_mpse (MPSE-accessors), 55
- otutree, MPSE (MPSE-accessors), 55
- otutree, MPSE-method (MPSE-accessors), 55
- otutree, tbl_mpse (MPSE-accessors), 55
- otutree, tbl_mpse-method (MPSE-accessors), 55
- otutree<- (MPSE-accessors), 55
- otutree<-, grouped_df_mpse (MPSE-accessors), 55
- otutree<-, grouped_df_mpse, NULL-method (MPSE-accessors), 55
- otutree<-, grouped_df_mpse, treedata-method (MPSE-accessors), 55
- otutree<-, MPSE (MPSE-accessors), 55
- otutree<-, MPSE, NULL-method (MPSE-accessors), 55
- otutree<-, MPSE, phylo-method (MPSE-accessors), 55
- otutree<-, MPSE, treedata-method (MPSE-accessors), 55
- otutree<-, tbl_mpse (MPSE-accessors), 55
- otutree<-, tbl_mpse, NULL-method (MPSE-accessors), 55
- otutree<-, tbl_mpse, treedata-method (MPSE-accessors), 55
- p.adjust, 150
- pcasample-class, 159
- prcomp, 25
- print, 160
- read_qza, 161
- refsequence (MPSE-accessors), 55
- refsequence, MPSE (MPSE-accessors), 55
- refsequence, MPSE-method (MPSE-accessors), 55
- refsequence<- (MPSE-accessors), 55
- refsequence<-, MPSE (MPSE-accessors), 55

- refsequence<- ,MPSE, NULL-method (MPSE-accessors), 55
- refsequence<- ,MPSE, XStringSet-method (MPSE-accessors), 55
- removeBimeraDenovo, 52
- rownames<- ,MPSE (MPSE-accessors), 55
- rownames<- ,MPSE-method (MPSE-accessors), 55
- scale_fill_diff_cladogram, 161
- separate, 165
- set_diff_boxplot_color, 162
- set_scale_theme, 162
- show, alphasample-method (show, diffAnalysisClass-method), 163
- show, diffAnalysisClass-method, 163
- show, MPSE-method (show, diffAnalysisClass-method), 163
- split_data, 164
- split_str_to_list, 165
- stat_ellipse, 150
- stat_signif, 37, 38
- SummarizedExperiment, 55, 58
- tax_table (MPSE-accessors), 55
- tax_table, grouped_df_mpse (MPSE-accessors), 55
- tax_table, grouped_df_mpse-method (MPSE-accessors), 55
- tax_table, MPSE (MPSE-accessors), 55
- tax_table, MPSE-method (MPSE-accessors), 55
- tax_table, tbl_mpse (MPSE-accessors), 55
- tax_table, tbl_mpse-method (MPSE-accessors), 55
- taxatree (MPSE-accessors), 55
- taxatree, grouped_df_mpse (MPSE-accessors), 55
- taxatree, grouped_df_mpse-method (MPSE-accessors), 55
- taxatree, MPSE (MPSE-accessors), 55
- taxatree, MPSE-method (MPSE-accessors), 55
- taxatree, tbl_mpse (MPSE-accessors), 55
- taxatree, tbl_mpse-method (MPSE-accessors), 55
- taxatree<- (MPSE-accessors), 55
- taxatree<- ,grouped_df_mpse (MPSE-accessors), 55
- taxatree<- ,grouped_df_mpse, NULL-method (MPSE-accessors), 55
- taxatree<- ,grouped_df_mpse, treedata-method (MPSE-accessors), 55
- taxatree<- ,MPSE (MPSE-accessors), 55
- taxatree<- ,MPSE, NULL-method (MPSE-accessors), 55
- taxatree<- ,MPSE, treedata-method (MPSE-accessors), 55
- taxatree<- ,tbl_mpse (MPSE-accessors), 55
- taxatree<- ,tbl_mpse, NULL-method (MPSE-accessors), 55
- taxatree<- ,tbl_mpse, treedata-method (MPSE-accessors), 55
- taxonomy, 166
- taxonomy, grouped_df_mpse (taxonomy), 166
- taxonomy, grouped_df_mpse-method (taxonomy), 166
- taxonomy, MPSE (taxonomy), 166
- taxonomy, MPSE-method (taxonomy), 166
- taxonomy, tbl_mpse (taxonomy), 166
- taxonomy, tbl_mpse-method (taxonomy), 166
- taxonomy<- (MPSE-accessors), 55
- taxonomy<- ,MPSE (MPSE-accessors), 55
- taxonomy<- ,MPSE, data.frame-method (MPSE-accessors), 55
- taxonomy<- ,MPSE, matrix-method (MPSE-accessors), 55
- taxonomy<- ,MPSE, NULL-method (MPSE-accessors), 55
- taxonomy<- ,MPSE, taxonomyTable-method (MPSE-accessors), 55
- test_otu_data (data-test_otu_data), 9
- theme, 167
- theme_taxbar, 167