

# Package: Rhtslib (via r-universe)

June 17, 2024

**Title** HTSlib high-throughput sequencing library as an R package

**Description** This package provides version 1.18 of the 'HTSlib' C library for high-throughput sequence analysis. The package is primarily useful to developers of other R packages who wish to make use of HTSlib. Motivation and instructions for use of this package are in the vignette, `vignette(package = `Rhtslib`, `Rhtslib`)`.

**biocViews** DataImport, Sequencing

**URL** <https://bioconductor.org/packages/Rhtslib>, <http://www.htslib.org/>

**BugReports** <https://github.com/Bioconductor/Rhtslib/issues>

**Version** 3.1.0

**License** LGPL (>= 2)

**Copyright** Unless otherwise noted in the file, all files outside `src/htslib-1.18` or `inst/include` copyright Bioconductor; for files inside `src/htslib-1.18` or `inst/include`, see file `src/htslib-1.18/LICENSE`.

**Encoding** UTF-8

**Imports** tools, zlibbioc

**LinkingTo** zlibbioc

**Suggests** knitr, rmarkdown, BiocStyle

**SystemRequirements** libbz2 & liblzma & libcurl (with header files), GNU make

**StagedInstall** no

**VignetteBuilder** knitr

**Repository** <https://bioc.r-universe.dev>

**RemoteUrl** <https://github.com/bioc/Rhtslib>

**RemoteRef** HEAD

**RemoteSha** 31b99ff89ff09fa92f9f63643c93417f082b9ee1

## Contents

Rhtslib-package . . . . .	2
pkgconfig . . . . .	3
<b>Index</b>	<b>4</b>

---

Rhtslib-package	<i>An R packaged HTSlib 1.18</i>
-----------------	----------------------------------

---

## Description

This package is interesting to package developers only, and provides a compiled HTSlib for developers to use in their own packages. See the vignette for instructions on use.

## Details

Instructions for use are in the vignette, available with `browseVignettes(package="Rhtslib")`

## Author(s)

Nathaniel Hayden [nhayden@fredhutch.org](mailto:nhayden@fredhutch.org)

## References

The HTSlib included in the package is based on release 1.18 of HTSlib found at <https://github.com/samtools/htslib/releases/>

## See Also

[pkgconfig](#)

## Examples

```
packageDescription('Rhtslib')
Rhtslib:::htsVersion()
```

---

`pkgconfig`*Compiler configuration arguments for use of Rhtslib*

---

**Description**

This function prints values for `PKG_LIBS` and `PKG_CPPFLAGS` variables for use in Makevars files. See `vignette("Rhtslib")` for details. The environment variable `RHTSLIB_RPATH` can be used to over-ride the inferred location of the installed package.

**Usage**

```
pkgconfig(opt = c("PKG_LIBS", "PKG_CPPFLAGS"))
```

**Arguments**

`opt` A scalar character from the list of available options; default is `PKG_LIBS`.

**Value**

The function prints the `PKG_LIBS` or `PKG_CPPFLAGS` value and returns an invisible `NULL`.

**Author(s)**

Nathaniel Hayden <mailto:nhayden@fredhutch.org>

**Examples**

```
pkgconfig("PKG_LIBS")
```

```
pkgconfig("PKG_CPPFLAGS")
```

# Index

\* **manip**

pkgconfig, [3](#)

\* **package**

Rhtslib-package, [2](#)

htsVersion (Rhtslib-package), [2](#)

pkgconfig, [2](#), [3](#)

Rhtslib (Rhtslib-package), [2](#)

Rhtslib-package, [2](#)