

# Package: RiboCrypt (via r-universe)

June 17, 2024

**Type** Package

**Title** Interactive visualization in genomics

**Version** 1.11.0

**License** MIT + file LICENSE

**Description** R Package for interactive visualization and browsing NGS data. It contains a browser for both transcript and genomic coordinate view. In addition a QC and general metaplots are included, among others differential translation plots and gene expression plots. The package is still under development.

**biocViews** Software, Sequencing, RiboSeq, RNASeq,

**Encoding** UTF-8

**LazyData** true

**BugReports** <https://github.com/m-swirski/RiboCrypt/issues>

**URL** <https://github.com/m-swirski/RiboCrypt>

**Depends** R (>= 3.6.0), ORFik (>= 1.13.12)

**Imports** bslib, BiocGenerics, BiocParallel, Biostrings, data.table, dplyr, GenomeInfoDb, GenomicFeatures, GenomicRanges, ggplot2, htmlwidgets, httr, IRanges, jsonlite, knitr, markdown, NGLVieweR, plotly, rlang, RCurl, shiny, shinycssloaders, shinyhelper, shinyjqui, stringr

**Suggests** testthat, rmarkdown, BiocStyle, BSgenome, BSgenome.Hsapiens.UCSC.hg19

**RoxygenNote** 7.2.3

**VignetteBuilder** knitr

**Repository** <https://bioc.r-universe.dev>

**RemoteUrl** <https://github.com/bioc/RiboCrypt>

**RemoteRef** HEAD

**RemoteSha** 6debd2833c07e5b7fdfe5ce15c9f080b1af5a2ea

## Contents

DEG_plot . . . . .	2
distanceToFollowing . . . . .	3
fetch_JS_seq . . . . .	4
fetch_summary . . . . .	5
multiOmicsPlot_animate . . . . .	5
multiOmicsPlot_list . . . . .	8
multiOmicsPlot_ORFikExp . . . . .	11
organism_input_select . . . . .	14
RiboCrypt_app . . . . .	14

  

<b>Index</b>	<b>16</b>
--------------	-----------

---

DEG_plot	<i>Differential expression plots (1D or 2D)</i>
----------	-------------------------------------------------

---

### Description

Gives you interactive 1D or 2D DE plots

### Usage

```
DEG_plot(
  dt,
  draw_non_regulated = FALSE,
  xlim = ifelse(two_dimensions, "bidir.max", "auto"),
  ylim = "bidir.max",
  xlab = ifelse(two_dimensions, "RNA fold change (log2)", "Mean counts (log2)"),
  ylab = ifelse(two_dimensions, "RFP fold change (log2)", "Fold change (log2)"),
  two_dimensions = ifelse("LFC" %in% colnames(dt), FALSE, TRUE),
  color.values = c(`No change` = "black", Significant = "red", Buffering = "purple",
    `mRNA abundance` = "darkgreen", Expression = "blue", Forwarded = "yellow", Inverse =
    "aquamarine", Translation = "orange4")
)
```

### Arguments

dt	a data.table with results from a differential expression run. Normally from: ORFik::DTEG.analysis(df1, df2)
draw_non_regulated	logical, default FALSE. Should non-regulated rows be included in the plot? Will make the plot faster to render if skipped (FALSE)
xlim	numeric vector or character preset, default: ifelse(two_dimensions, "bidir.max", "auto") (Equal in both + / - direction, using max value + 0.5 of meanCounts(in 1d) / rna(in 2d) column of dt). If you want ggplot to decide limit, set to "auto". For numeric vector, specify min and max x limit: like c(-5, 5)

ylim	numeric vector or character preset, default: "bidir.max" (Equal in both + / - direction, using max value + 0.5 of LFC(in 1d) / rfp(in 2d) column of dt). If you want ggplot to decide limit, set to "auto". For numeric vector, specify min and max x limit: like c(-5, 5)
xlab	character, default: ifelse(two_dimensions, "RNA fold change (log2)", "Mean counts (log2)")
ylab	character, default: ifelse(two_dimensions, "RFP fold change (log2)", "Fold change (log2)")
two_dimensions	logical, default: ifelse("LFC" %in% colnames(dt), FALSE, TRUE) Is this two dimensional, like: Ribo-seq vs RNA-seq. Alternative, FALSE: Then Log fold change vs mean counts
color.values	named character vector, default: c("No change" = "black", "Significant" = "red", "Buffering" = "purple", "mRNA abundance" = "darkgreen", "Expression" = "blue", "Forwarded" = "yellow", "Inverse" = "aquamarine", "Translation" = "orange4")

**Value**

plotly object

**Examples**

```
# Load experiment
df <- ORFik.template.experiment()
# 1 Dimensional analysis
dt <- DEG.analysis(df[df$libtype == "RNA",])
dt$Regulation[1] <- "Significant" # Fake sig level
DEG_plot(dt, draw_non_regulated = TRUE)
# 2 Dimensional analysis
dt_2d <- DTEG.analysis(df[df$libtype == "RFP",], df[df$libtype == "RNA",],
                        output.dir = NULL)
dt_2d$Regulation[4] <- "Translation" # Fake sig level
dt_2d$Regulation[5] <- "Buffering" # Fake sig level
DEG_plot(dt_2d, draw_non_regulated = TRUE)
```

distanceToFollowing    *Distance to following range*

**Description**

Distance to following range

**Usage**

```
distanceToFollowing(grl, grl2 = grl, ignore.strand = FALSE)
```

**Arguments**

gr1	a GRangesList
gr12	a GRangesList, default 'gr1'
ignore.strand	logical, default FALSE

**Value**

numeric vector of distance

<b>fetch_JS_seq</b>	<i>Fetch Javascript sequence</i>
---------------------	----------------------------------

**Description**

Fetch Javascript sequence

**Usage**

```
fetch_JS_seq(
  target_seq,
  nplots,
  distance = 50,
  display_dist,
  aa_letter_code = "one_letter"
)
```

**Arguments**

target_seq	the target sequence
nplots	number of plots
distance	numeric, default 50.
display_dist	display distance
aa_letter_code	"one_letter"

**Value**

a list of 2 lists, the nt list (per frame, total 3) and AA list (per frame, total 3)

---

fetch_summary	<i>Fetch summary of uniprot id</i>
---------------	------------------------------------

---

**Description**

Fetch summary of uniprot id

**Usage**

```
fetch_summary(qualifier, provider = "alphaFold")
```

**Arguments**

qualifier	uniprot ids
provider	"pdbe", alternatives: "alphaFold", "all"

**Value**

a character of json

---

---

multiOmicsPlot_animate	<i>Multi-omics animation using list input</i>
------------------------	-----------------------------------------------

---

**Description**

The animation will move with a play button, there is 1 transition per library given.

**Usage**

```
multiOmicsPlot_animate(  
  display_range,  
  annotation = display_range,  
  reference_sequence,  
  reads,  
  viewMode = c("tx", "genomic")[1],  
  custom_regions = NULL,  
  leader_extension = 0,  
  trailer_extension = 0,  
  withFrames = NULL,  
  frames_type = "lines",  
  colors = NULL,  
  kmers = NULL,  
  kmers_type = c("mean", "sum")[1],  
  ylabels = NULL,
```

```

lib_to_annotation_proportions = c(0.8, 0.2),
lib_proportions = NULL,
annotation_proportions = NULL,
width = NULL,
height = NULL,
plot_name = "default",
plot_title = NULL,
display_sequence = c("both", "nt", "aa", "none")[1],
seq_render_dist = 100,
aa_letter_code = c("one_letter", "three_letters")[1],
annotation_names = NULL,
start_codons = "ATG",
stop_codons = c("TAA", "TAG", "TGA"),
custom_motif = NULL,
BPPARAM = BiocParallel::SerialParam()
)

```

## Arguments

display_range	the whole region to visualize, a <a href="#">GRangesList</a> or <a href="#">GRanges</a> object
annotation	the whole annotation which your target region is a subset, a <a href="#">GRangesList</a> or <a href="#">GRanges</a> object
reference_sequence	the genome reference, a <a href="#">FaFile</a> or <a href="#">FaFile</a> convertible object
reads	the NGS libraries, as a list of <a href="#">GRanges</a> with or without score column for replicates.
viewMode	character, default "tx" (transcript coordinates, first position is 1, exons are merged into a single sequence) Alternative: "genomic" (genomic coordinates, first position is first position in display_range argument. Introns are displayed).
custom_regions	a GRangesList or NULL, default: NULL. The alternative annotation, like self defined uORFs etc. The vertical annotation bars will have a different color.
leader_extension	integer, default 0. (How much to extend view upstream)
trailer_extension	integer, default 0. (How much to extend view downstream)
withFrames	a logical vector, default NULL. Alternative: a length 1 or same length as list length of "reads" argument.
frames_type	character, default "lines". Alternative: - columns - stacks - area
colors	character, default NULL (automatic colouring). If "withFrames" argument is TRUE, colors are set to to c("red", "green", "blue") for the 3 frames. Alternative: Character vector of length 1 or length of "reads" list argument.
kmers	numeric (integer), bin positions into kmers.

kmers\_type character, function used for kmers sliding window. default: "mean", alternative: "sum"  
 ylabels character, default NULL. Name of libraries in "reads" list argument.  
 lib\_to\_annotation\_proportions numeric vector of length 2. relative sizes of profiles and annotation.  
 lib\_proportions numeric vector of length equal to displayed libs. Relative sizes of profiles displayed  
 annotation\_proportions numeric vector of length 3 (seq displayed), or 2 (seq not displayed). Relative sizes of annotation tracks.  
 width numeric, default NULL. Width of plot.  
 height numeric, default NULL. Height of plot.  
 plot\_name = character, default "default" (will create name from display\_range name). Alternative: custom name for region.  
 plot\_title character, default NULL. A title for plot.  
 display\_sequence character/logical, default c("both", "nt", "aa", "none")[1]. If TRUE or "both", display nucleotide and aa sequence in plot.  
 seq\_render\_dist integer, default 100. The sequences will appear after zooming below this threshold.  
 aa\_letter\_code character, when set to "three\_letters", three letter amino acid code is used. One letter by default.  
 annotation\_names character, default NULL. Alternative naming for annotation.  
 start\_codons character vector, default "ATG"  
 stop\_codons character vector, default c("TAA", "TAG", "TGA")  
 custom\_motif character vector, default NULL.  
 BPPARAM how many cores/threads to use? default: BiocParallel::SerialParam(). To see number of threads used for multicores, do BiocParallel::bparam()\$workers. You can also add a time remaining bar, for a more detailed pipeline.

## Value

the plot object

## Examples

```

library(RiboCrypt)
df <- ORFik.template.experiment()[9:10,]
cds <- loadRegion(df, "cds")
mrna <- loadRegion(df, "mrna")
# multiOmicsPlot_animate(mrna[1], annotation = cds[1], reference_sequence = findFa(df),
#                         frames_type = "columns", leader_extension = 30, trailer_extension = 30,
#                         reads = outputLibs(df, type = "pshifted", output.mode = "envirlist",
#                         naming = "full", BPPARAM = BiocParallel::SerialParam())

```

**multiOmicsPlot\_list** *Multi-omics plot using list input*

## Description

Customizable html plots for visualizing genomic data.

## Usage

```
multiOmicsPlot_list(
  display_range,
  annotation = display_range,
  reference_sequence,
  reads,
  viewMode = c("tx", "genomic")[1],
  custom_regions = NULL,
  leader_extension = 0,
  trailer_extension = 0,
  withFrames = NULL,
  frames_type = "lines",
  colors = NULL,
  kmers = NULL,
  kmers_type = c("mean", "sum")[1],
  ylabels = NULL,
  lib_to_annotation_proportions = c(0.8, 0.2),
  lib_proportions = NULL,
  annotation_proportions = NULL,
  width = NULL,
  height = NULL,
  plot_name = "default",
  plot_title = NULL,
  display_sequence = c("both", "nt", "aa", "none")[1],
  seq_render_dist = 100,
  aa_letter_code = c("one_letter", "three_letters")[1],
  annotation_names = NULL,
  start_codons = "ATG",
  stop_codons = c("TAA", "TAG", "TGA"),
  custom_motif = NULL,
  AA_code = Biostings::GENETIC_CODE,
  BPPARAM = BiocParallel::SerialParam(),
  summary_track = FALSE,
  summary_track_type = frames_type,
  export.format = "svg"
)
```

## Arguments

**display\_range** the whole region to visualize, a [GRangesList](#) or [GRanges](#) object

annotation	the whole annotation which your target region is a subset, a <a href="#">GRangesList</a> or <a href="#">GRanges</a> object
reference_sequence	the genome reference, a <a href="#">FaFile</a> or <a href="#">FaFile</a> convertible object
reads	the NGS libraries, as a list of <a href="#">GRanges</a> with or without score column for replicates.
viewMode	character, default "tx" (transcript coordinates, first position is 1, exons are merged into a single sequence) Alternative: "genomic" (genomic coordinates, first position is first position in <code>display_range</code> argument. Introns are displayed).
custom_regions	a <a href="#">GRangesList</a> or NULL, default: NULL. The alternative annotation, like self defined uORFs etc. The vertical annotation bars will have a different color.
leader_extension	integer, default 0. (How much to extend view upstream)
trailer_extension	integer, default 0. (How much to extend view downstream)
withFrames	a logical vector, default NULL. Alternative: a length 1 or same length as list length of "reads" argument.
frames_type	character, default "lines". Alternative: - columns - stacks - area
colors	character, default NULL (automatic colouring). If "withFrames" argument is TRUE, colors are set to to c("red", "green", "blue") for the 3 frames. Alternative: Character vector of length 1 or length of "reads" list argument.
kmers	numeric (integer), bin positions into kmers.
kmers_type	character, function used for kmers sliding window. default: "mean", alternative: "sum"
ylabels	character, default NULL. Name of libraries in "reads" list argument.
lib_to_annotation_proportions	numeric vector of length 2. relative sizes of profiles and annotation.
lib_proportions	numeric vector of length equal to displayed libs. Relative sizes of profiles displayed
annotation_proportions	numeric vector of length 3 (seq displayed), or 2 (seq not displayed). Relative sizes of annotation tracks.
width	numeric, default NULL. Width of plot.
height	numeric, default NULL. Height of plot.
plot_name	= character, default "default" (will create name from <code>display_range</code> name). Alternative: custom name for region.
plot_title	character, default NULL. A title for plot.

**display\_sequence**  
 character/logical, default c("both", "nt", "aa", "none")[1]. If TRUE or "both", display nucleotide and aa sequence in plot.

**seq\_render\_dist**  
 integer, default 100. The sequences will appear after zooming below this threshold.

**aa\_letter\_code** character, when set to "three\_letters", three letter amino acid code is used. One letter by default.

**annotation\_names**  
 character, default NULL. Alternative naming for annotation.

**start\_codons** character vector, default "ATG"

**stop\_codons** character vector, default c("TAA", "TAG", "TGA")

**custom\_motif** character vector, default NULL.

**AA\_code**  
 Genetic code for amino acid display. Default is SGC0 (standard: Vertebrate). See Biostrings::GENETIC\_CODE\_TABLE for options. To change to bacterial, do: Biostrings::getGeneticCode("11")

**BPPARAM**  
 how many cores/threads to use? default: BiocParallel::SerialParam(). To see number of threads used for multicores, do BiocParallel::bpparam()\$workers. You can also add a time remaining bar, for a more detailed pipeline.

**summary\_track** logical, default FALSE. Display a top track, that is the sum of all tracks.

**summary\_track\_type**  
 character, default is same as 'frames\_type' argument

**export.format** character, default: "svg". alternative: "png". when you click the top right image button export, what should it export as?

## Value

the plot object

## Examples

```
library(RiboCrypt)
df <- ORFik.template.experiment()[9:10,]
cds <- loadRegion(df, "cds")
mrna <- loadRegion(df, "mrna")
multiOmicsPlot_list(mrna[1], annotation = cds[1], reference_sequence = findFa(df),
  frames_type = "columns", leader_extension = 30, trailer_extension = 30,
  reads = outputLibs(df, type = "pshifted", output.mode = "envirlist",
  naming = "full", BPPARAM = BiocParallel::SerialParam())
```

---

**multiOmicsPlot\_ORFikExp**

*Multi-omics plot using ORFik experiment input*

---

**Description**

Customizable html plots for visualizing genomic data.

**Usage**

```
multiOmicsPlot_ORFikExp(  
  display_range,  
  df,  
  annotation = "cds",  
  reference_sequence = findFa(df),  
  reads = outputLibs(df, type = "pshifted", output.mode = "envirlist", naming = "full",  
    BPPARAM = BiocParallel::SerialParam()),  
  viewMode = c("tx", "genomic")[1],  
  custom_regions = NULL,  
  leader_extension = 0,  
  trailer_extension = 0,  
  withFrames = libraryTypes(df, uniqueTypes = FALSE) %in% c("RFP", "RPF", "LSU"),  
  frames_type = "lines",  
  colors = NULL,  
  kmers = NULL,  
  kmers_type = c("mean", "sum")[1],  
  ylabels = bamVarName(df),  
  lib_to_annotation_proportions = c(0.8, 0.2),  
  lib_proportions = NULL,  
  annotation_proportions = NULL,  
  width = NULL,  
  height = NULL,  
  plot_name = "default",  
  plot_title = NULL,  
  display_sequence = c("both", "nt", "aa", "none")[1],  
  seq_render_dist = 100,  
  aa_letter_code = c("one_letter", "three_letters")[1],  
  annotation_names = NULL,  
  start_codons = "ATG",  
  stop_codons = c("TAA", "TAG", "TGA"),  
  custom_motif = NULL,  
  BPPARAM = BiocParallel::SerialParam(),  
  input_id = "",  
  summary_track = FALSE,  
  summary_track_type = frames_type,  
  export.format = "svg"  
)
```

## Arguments

display_range	the whole region to visualize, a <code>GRangesList</code> or <code>GRanges</code> object
df	an ORFik <code>experiment</code> or a list containing ORFik experiments. Usually a list when you have split Ribo-seq and RNA-seq etc.
annotation	the whole annotation which your target region is a subset, a <code>GRangesList</code> or <code>GRanges</code> object
reference_sequence	the genome reference, default <code>ORFik::findFa(df)</code>
reads	the NGS libraries, as a list of <code>GRanges</code> with or without 'score' column for replicates. Can also be a <code>covRle</code> object of precomputed coverage. Default: <code>outputLibs(df, type = "pshifted", output.mode = "envirlist", naming = "full", BPPARAM = BiocParallel::SerialParam())</code>
viewMode	character, default "tx" (transcript coordinates, first position is 1, exons are merged into a single sequence) Alternative: "genomic" (genomic coordinates, first position is first position in <code>display_range</code> argument. Introns are displayed).
custom_regions	a <code>GRangesList</code> or <code>NULL</code> , default: <code>NULL</code> . The alternative annotation, like self defined uORFs etc. The vertical annotation bars will have a different color.
leader_extension	integer, default 0. (How much to extend view upstream)
trailer_extension	integer, default 0. (How much to extend view downstream)
withFrames	a logical vector, default <code>libraryTypes(df, uniqueTypes = FALSE) %in% c("RFP", "RPF", "LSU")</code> Alternative: a length 1 or same length as list length of "reads" argument.
frames_type	character, default "lines". Alternative: - columns - stacks - area
colors	character, default <code>NULL</code> (automatic colouring). If "withFrames" argument is <code>TRUE</code> , colors are set to <code>to c("red", "green", "blue")</code> for the 3 frames. Alternative: Character vector of length 1 or length of "reads" list argument.
kmers	numeric (integer), bin positions into kmers.
kmers_type	character, function used for kmers sliding window. default: "mean", alternative: "sum"
ylabels	character, default <code>bamVarName(df)</code> . Name of libraries in "reads" list argument.
lib_to_annotation_proportions	numeric vector of length 2. relative sizes of profiles and annotation.
lib_proportions	numeric vector of length equal to displayed libs. Relative sizes of profiles displayed
annotation_proportions	numeric vector of length 3 (seq displayed), or 2 (seq not displayed). Relative sizes of annotation tracks.

width numeric, default NULL. Width of plot.  
 height numeric, default NULL. Height of plot.  
 plot\_name character, default "default" (will create name from display\_range name).  
 plot\_title character, default NULL. A title for plot.  
 display\_sequence character/logical, default c("both", "nt", "aa", "none")[1]. If TRUE or "both", display nucleotide and aa sequence in plot.  
 seq\_render\_dist integer, default 100. The sequences will appear after zooming below this threshold.  
 aa\_letter\_code character, when set to "three\_letters", three letter amino acid code is used. One letter by default.  
 annotation\_names character, default NULL. Alternative naming for annotation.  
 start\_codons character vector, default "ATG"  
 stop\_codons character vector, default c("TAA", "TAG", "TGA")  
 custom\_motif character vector, default NULL.  
 BPPARAM how many cores/threads to use? default: BiocParallel::SerialParam(). To see number of threads used for multicores, do BiocParallel::bparam()\$workers. You can also add a time remaining bar, for a more detailed pipeline.  
 input\_id character path, default: "", id for shiny to display structures, should be "" for local users.  
 summary\_track logical, default FALSE. Display a top track, that is the sum of all tracks.  
 summary\_track\_type character, default is same as 'frames\_type' argument  
 export.format character, default: "svg". alternative: "png". when you click the top right image button export, what should it export as?

## Value

the plot object

## Examples

```

library(RiboCrypt)
df <- ORFik.template.experiment()[9,] #Use third library in experiment only
cds <- loadRegion(df, "cds")
multiOmicsPlot_ORFikExp(extendLeaders(extendTrailers(cds[1], 30), 30), df = df,
                        frames_type = "columns")

```

`organism_input_select` *Select box for organism*

### Description

Select box for organism

### Usage

```
organism_input_select(genomes, ns)
```

### Arguments

genomes	name of genomes, returned from <code>list.experiments()</code>
ns	the ID, for shiny session

### Value

`selectizeInput` object

`RiboCrypt_app` *Create RiboCrypt app*

### Description

Create RiboCrypt app

### Usage

```
RiboCrypt_app(
  validate.experiments = TRUE,
  options = list(launch.browser = ifelse(interactive(), TRUE, FALSE)),
  all_exp = list.experiments(validate = validate.experiments),
  browser_options = c(),
  init_tab_focus = "browser"
)
```

### Arguments

validate.experiments	logical, default TRUE, set to FALSE to allow starting the app with malformed experiments, be careful will crash if you try to load that experiment!
options	list of arguments, default <code>list("launch.browser" = ifelse(interactive(), TRUE, FALSE))</code>

`all_exp` a data.table, default: `list.experiments(validate = validate.experiments)`. Which experiments do you want to allow your app to see, default is all in your system config path.

`browser_options`

- named character vector of browser specific arguments:
- `default_experiment` : Which experiment to select, default: first one
- `default_gene` : Which genes to select, default: first one
- `default_libs` : Which libraries to select: first one, else a single string, where libs are separated by "|", like "RFP\_WT\_r1|RFP\_WT\_r2".
- `default_kmer` : K-mer windowing size, default: 1
- `default_frame_type` : Ribo-seq line type, default: "lines"
- `plot_on_start` : Plot when starting, default: "FALSE"

`init_tab_focus` character, default "browser". Which tab to open on init.

### Value

RiboCrypt shiny app

### Examples

```
## Default run
# RiboCrypt_app()
## Plot on start
# RiboCrypt_app(browser_options = c(plot_on_start = "TRUE"))
## Init with an experiment and gene (you must of course have the experiment)

#RiboCrypt_app(validate.experiments = FALSE,
#               browser_options = c(plot_on_start = "TRUE",
#                                   default_experiment = "human_all_merged_150",
#                                   default_gene = "ATF4-ENSG00000128272"))
```

# Index

DEG\_plot, 2  
distanceToFollowing, 3  
experiment, 12  
FaFile, 6, 9  
fetch\_JS\_seq, 4  
fetch\_summary, 5  
GRanges, 6, 8, 9, 12  
GRangesList, 6, 8, 9, 12  
multiOomicsPlot\_animate, 5  
multiOomicsPlot\_list, 8  
multiOomicsPlot\_ORFikExp, 11  
organism\_input\_select, 14  
RiboCrypt\_app, 14