

# Package: bacon (via r-universe)

September 28, 2024

**Type** Package

**Title** Controlling bias and inflation in association studies using the empirical null distribution

**Version** 1.33.0

**Author** Maarten van Iterson [aut, cre], Erik van Zwet [ctb]

**Maintainer** Maarten van Iterson <mviterson@gmail.com>

**Description** Bacon can be used to remove inflation and bias often observed in epigenome- and transcriptome-wide association studies. To this end bacon constructs an empirical null distribution using a Gibbs Sampling algorithm by fitting a three-component normal mixture on z-scores.

**License** GPL (>= 2)

**Encoding** UTF-8

**Depends** R (>= 3.3), methods, stats, ggplot2, graphics, BiocParallel, ellipse

**Suggests** BiocStyle, knitr, rmarkdown, testthat, roxygen2

**biocViews** ImmunoOncology, StatisticalMethod, Bayesian, Regression, GenomeWideAssociation, Transcriptomics, RNASeq, MethylationArray, BatchEffect, MultipleComparison

**RoxygenNote** 7.3.1

**Collate** 'BaconClass.R' 'BaconMethods.R' 'bacon.R' 'normmixture.R'

**VignetteBuilder** knitr

**NeedsCompilation** yes

**Repository** <https://bioc.r-universe.dev>

**RemoteUrl** <https://github.com/bioc/bacon>

**RemoteRef** HEAD

**RemoteSha** b34506f93a9de1c3b70cc45da663a7bc8f1bbc0d

Contents

bacon . . . . .	2
Bacon-class . . . . .	4
bias . . . . .	5
dnormmix . . . . .	5
es . . . . .	6
estimates . . . . .	7
fit . . . . .	8
inflation . . . . .	9
meta . . . . .	9
plot,Bacon-method . . . . .	10
plotnormmix . . . . .	11
posteriors . . . . .	12
pval . . . . .	13
rnormmix . . . . .	14
se . . . . .	14
topTable . . . . .	15
traces . . . . .	16
tstat . . . . .	17
<b>Index</b>	<b>18</b>

---

bacon	<i>Gibbs sampler</i>
-------	----------------------

---

Description

Gibbs Sampler Algorithm to fit a three component normal mixture to z-scores

Usage

```
bacon(  
  teststatistics = NULL,  
  effectsizes = NULL,  
  standarderrors = NULL,  
  niter = 5000L,  
  nburnin = 2000L,  
  nbins = 1000,  
  trim = 0.999,  
  level = 0.05,  
  na.exclude = FALSE,  
  verbose = FALSE,  
  priors = list(sigma = list(alpha = 1.28, beta = 0.36), mu = list(lambda = c(0, 3, -3),  
    tau = c(1000, 100, 100)), epsilon = list(gamma = c(90, 5, 5))),  
  globalSeed = 42,  
  parallelSeed = 42  
)
```

**Arguments**

teststatistics	numeric vector or matrix of test-statistics
effectsizes	numeric vector or matrix of effect-sizes
standarderrors	numeric vector or matrix of standard errors
niter	number of iterations
nburnin	length of the burnin period
nbins	default 1000 else bin test-statistics
trim	default 0.999 trimming test-statistics
level	significance level used to determine prop. null for starting values
na.exclude	see ?na.exclude
verbose	default FALSE
priors	list of parameters for the prior distributions
globalSeed	default 42 global seed. If set to NULL, randomization will occur for sequential and parallel bacon calls
parallelSeed	default 42 BiocParallel RNGseed. If input statistics are a matrix and globalSeed=NULL, setting parallelSeed=NULL will allow randomization across parallel processes within a bacon call and across separate calls to bacon.

**Value**

object of class-Bacon

**Author(s)**

mvaniterson

**References**

Implementation is based on a version from Zihui Liu <https://macsphere.mcmaster.ca/handle/11375/9368>

**Examples**

```
##simulate some test-statistic from a normal mixture
##and run bacon
y <- rnormmix(2000, c(0.9, 0, 1, 0, 4, 1))
bc <- bacon(y)
##extract all estimated mixture parameters
estimates(bc)
##extract inflation
inflation(bc)
##extract bias
bias(bc)

##extract bias and inflation corrected test-statistics
head(tstat(bc))
```

```

##inspect the Gibbs Sampling output
traces(bc)
posteriors(bc)
fit(bc)

##simulate multiple sets of test-statistic from a normal mixture
##and run bacon
y <- matrix(rnormmix(10*2000, c(0.9, 0, 1, 0, 4, 1)), ncol=10)
bc <- bacon(y)
##extract all estimated mixture parameters
estimates(bc)
##extract only the inflation
inflation(bc)
##extract only the bias
bias(bc)
##extract bias and inflation corrected P-values
head(pval(bc))
##extract bias and inflation corrected test-statistics
head(tstat(bc))

```

---

Bacon-class

*An S4 class container for storing Gibbs Sampler input and output*


---

## Description

An S4 class container for storing Gibbs Sampler input and output

## Slots

teststatistics numeric vector or matrix of test-statistics  
 effectsizes numeric vector or matrix of effect-sizes  
 standarderrors numeric vector or matrix of standard errors  
 traces array of Gibbs Sampler traces  
 estimates vector or matrix of parameter estimates  
 priors list of parameters of for the prior distributions  
 niter number of iterations  
 nburnin length of the burnin period

---

bias	<i>Method to extract the estimated bias from the 'bacon'-object</i>
------	---

---

**Description**

Method to extract the estimated bias from the 'bacon'-object

**Usage**

```
bias(object)

## S4 method for signature 'Bacon'
bias(object)
```

**Arguments**

object                'bacon'-object

**Value**

vector or matrix of inflation

**See Also**

[bacon](#)

**Examples**

```
y <- rnormmix(2000, c(0.9, 0, 1, 0, 4, 1))
##nbins = 100 to speed up the calculations
bc <- bacon(y, nbins=100)
bias(bc)
```

---

dnormmix	<i>density of a k-component normal mixture</i>
----------	--

---

**Description**

density of a k-component normal mixture

**Usage**

```
dnormmix(x, theta)
```

**Arguments**

`x`                      `x` like `dnorm(x, ...`  
`theta`                    parameters of the mixture proportion, mean and sd

**Details**

details follow

**Value**

density of a k-component normal mixture

**Author(s)**

mvaniterson

**Examples**

```
n <- 2000
theta <- c(0.8, 0, 1, 0, 4, 1)
x <- rnormmix(n, theta)
hist(x, freq=FALSE, n=100)
curve(dnormmix(x, theta), add=TRUE, lwd=2)
```

---

es

*Method to extract inflation- and bias-corrected effect-sizes*

---

**Description**

Method to extract inflation- and bias-corrected effect-sizes

**Usage**

```
es(object, corrected = TRUE)

## S4 method for signature 'Bacon'
es(object, corrected = TRUE)
```

**Arguments**

`object`                'bacon'-object  
`corrected`            optional return uncorrected

**Value**

vector or matrix of effect-sizes

**See Also**[bacon](#)**Examples**

```
es <- replicate(6, rnormmix(2000, c(0.9, 0, 1, 0, 4, 1)))
se <- replicate(6, 0.8*sqrt(4/rchisq(2000,df=4)))
bc <- bacon(NULL, es, se)
head(es(bc))
```

---

estimates*Method to extract the estimated parameters from the 'bacon'-object*

---

**Description**

Method to extract the estimated parameters from the 'bacon'-object

**Usage**

```
estimates(object)
```

```
## S4 method for signature 'Bacon'
estimates(object)
```

**Arguments**

object            'bacon'-object

**Value**

vector or matrix of estimates

**See Also**[bacon](#)**Examples**

```
y <- rnormmix(2000, c(0.9, 0, 1, 0, 4, 1))
##nbins = 100 to speed up the calculations
bc <- bacon(y, nbins=100)
estimates(bc)
```

---

fit	<i>Method to plot mixture fit</i>
-----	-----------------------------------

---

## Description

Method to plot mixture fit

## Usage

```
fit(object, index = 1, ...)  
  
## S4 method for signature 'Bacon'  
fit(object, index, col = "grey75", border = "grey75", ...)
```

## Arguments

object	'bacon'-object
index	if multiple sets of test-statistics where provided
...	additional plotting parameters
col	line color default 'grey75'
border	border color 'grey75'

## Value

plot of the Gibbs Sampler mixture fit

## See Also

[bacon](#)

## Examples

```
y <- rnormmix(2000, c(0.9, 0, 1, 0, 4, 1))  
##nbins = 100 to speed up the calculations  
bc <- bacon(y, nbins=100)  
fit(bc)
```



---

inflation	<i>Method to extract the estimated inflation from the 'bacon'-object</i>
-----------	--

---

**Description**

Method to extract the estimated inflation from the 'bacon'-object

**Usage**

```
inflation(object)

## S4 method for signature 'Bacon'
inflation(object)
```

**Arguments**

object                'bacon'-object

**Value**

vector or matrix of inflation

**See Also**

[bacon](#)

**Examples**

```
y <- rnormmix(2000, c(0.9, 0, 1, 0, 4, 1))
##nbins = 100 to speed up the calculations
bc <- bacon(y, nbins=100)
inflation(bc)
```

---

meta	<i>fixed meta-analysis</i>
------	----------------------------

---

**Description**

Perform fixed meta-analysis using inflation and bias corrected effect-sizes and standard errors

**Usage**

```
meta(object, corrected = TRUE, ...)

## S4 method for signature 'Bacon'
meta(object, corrected = TRUE, ...)
```

**Arguments**

object	'bacon'-object
corrected	optional return uncorrected
...	additional arguments

**Details**

TODO maybe add idea's from [http://www.netstorm.be/home/meta\\_analysis#metaAnalysisU](http://www.netstorm.be/home/meta_analysis#metaAnalysisU)

**Value**

object of class 'bacon' with added fixed-effect meta-analysis test-statistics, effect-sizes and standard-errors

**See Also**

[bacon](#)

**Examples**

```
es <- replicate(6, rnormmix(2000, c(0.9, 0, 1, 0, 4, 1)))
se <- replicate(6, 0.8*sqrt(4/rchisq(2000,df=4)))
bc <- bacon(NULL, es, se)
mbc <- meta(bc)
```

---

plot,Bacon-method	<i>plot hist or qq</i>
-------------------	------------------------

---

**Description**

simple ggplot2 plotting function for 'bacon'-object

**Usage**

```
## S4 method for signature 'Bacon'
plot(x, y, type = c("hist", "qq"))
```

**Arguments**

x	'bacon'-object
y	NULL
type	hist or qq

**Value**

either qq-plot of P-values or histogram of Test-statistics

---

plotnormmix	<i>plot normal mixtures</i>
-------------	-----------------------------

---

**Description**

plot normal mixtures

**Usage**

```
plotnormmix(x, theta, ...)
```

**Arguments**

x	vector of test statistics
theta	parameters describing the mixture components
...	arguments passed to hist

**Details**

details follow

**Value**

return plot with histogram of the data and mixture and individual components

**Author(s)**

mvaniterson

**Examples**

```
n <- 2000
theta <- c(0.8, 0, 1, 0, 4, 1)
x <- rnormmix(n, theta)
plotnormmix(x, theta)
```

---

posteriors

---

*Method to plot posterior distribution*


---

## Description

Method to plot posterior distribution

## Usage

```
posteriors(
  object,
  thetas = c("sigma.0", "p.0"),
  index = 1,
  alphas = c(0.95, 0.9, 0.75),
  xlab = "",
  ylab = "",
  ...
)

## S4 method for signature 'Bacon'
posteriors(
  object,
  thetas = c("sigma.0", "p.0"),
  index = 1,
  alphas = c(0.95, 0.9, 0.75),
  xlab = "",
  ylab = "",
  ...
)
```

## Arguments

object	'bacon'-object
thetas	which thetas to plot
index	if multiple sets of test-statistics where provided
alphas	significance level confidence ellipses
xlab	optional xlab
ylab	optional ylab
...	additional plotting parameters

## Value

plot of the Gibbs Sampler posterior probabilities

**See Also**[bacon](#)**Examples**

```

y <- rnormmix(2000, c(0.9, 0, 1, 0, 4, 1))
##nbins = 100 to speed up the calculations
bc <- bacon(y, nbins=100)
posteriors(bc)

```

pval

*Method to extract inflation- and bias-corrected P-values***Description**

Method to extract inflation- and bias-corrected P-values

**Usage**

```

pval(object, corrected = TRUE)

## S4 method for signature 'Bacon'
pval(object, corrected = TRUE)

```

**Arguments**

object	'bacon'-object
corrected	optional return uncorrected

**Value**

vector or matrix of P-values

**See Also**[bacon](#)**Examples**

```

y <- rnormmix(2000, c(0.9, 0, 1, 0, 4, 1))
bc <- bacon(y, nbins=100) #nbins = 100 to speed up the calculations
head(pval(bc))

```

---

rnormmix	<i>sample from a normal mixture</i>
----------	-------------------------------------

---

**Description**

sample from a normal mixture

**Usage**

```
rnormmix(n, theta, shuffle = TRUE)
```

**Arguments**

n	size
theta	parameters
shuffle	shuffle return vectors or keep nulls and alternative ordered (null, alts)

**Details**

details follow

**Value**

n samples from a normal mixture with parameters theta

**Author(s)**

mvaniterson

**Examples**

```
n <- 2000
theta <- c(0.8, 0, 1, 0, 4, 1)
x <- rnormmix(n, theta)
```

---

se	<i>Method to extract inflation- and bias-corrected standard errors</i>
----	--

---

**Description**

Method to extract inflation- and bias-corrected standard errors

**Usage**

```
se(object, corrected = TRUE)

## S4 method for signature 'Bacon'
se(object, corrected = TRUE)
```

**Arguments**

```
object          'bacon'-object
corrected       optional return uncorrected
```

**Value**

vector or matrix of standard-errors

**See Also**

[bacon](#)

**Examples**

```
es <- replicate(6, rnormmix(2000, c(0.9, 0, 1, 0, 4, 1)))
se <- replicate(6, 0.8*sqrt(4/rchisq(2000,df=4)))
bc <- bacon(NULL, es, se)
head(se(bc))
```

---

topTable

*topTable*


---

**Description**

Extract top features after meta analysis

**Usage**

```
topTable(
  object,
  number = 10,
  adjust.method = "bonf",
  sort.by = c("pval", "eff.size")
)

## S4 method for signature 'Bacon'
topTable(
  object,
  number = 10,
  adjust.method = "bonf",
  sort.by = c("pval", "eff.size")
)
```

**Arguments**

object                'bacon'-object  
number                return specified number of top features, n=-1 return all features  
adjust.method        P-value multiple testing adjustment method default bonferroni  
sort.by                order results by pval or eff.size

**Value**

table with top features

**See Also**

[bacon](#)

**Examples**

```
es <- replicate(6, rnormmix(2000, c(0.9, 0, 1, 0, 4, 1)))  
se <- replicate(6, 0.8*sqrt(4/rchisq(2000,df=4)))  
bc <- bacon(NULL, es, se)  
mbc <- meta(bc)  
topTable(mbc)
```

---

traces	<i>Method to plot Gibbs sampling traces</i>
--------	---

---

**Description**

Method to plot Gibbs sampling traces

**Usage**

```
traces(object, burnin = TRUE, index = 1)  
  
## S4 method for signature 'Bacon'  
traces(object, burnin = TRUE, index = 1)
```

**Arguments**

object                'bacon'-object  
burnin                include burnin period default true  
index                 if multiple sets of test-statistics where provided

**Value**

plot of the Gibbs Sampler traces



**See Also**[bacon](#)**Examples**

```

y <- rnormmix(2000, c(0.9, 0, 1, 0, 4, 1))
##nbins = 100 to speed up the calculations
bc <- bacon(y, nbins=100)
traces(bc)

```

tstat

*Method to extract inflation- and bias-corrected test-statistics***Description**

Method to extract inflation- and bias-corrected test-statistics

**Usage**

```
tstat(object, corrected = TRUE)
```

```
## S4 method for signature 'Bacon'
```

```
tstat(object, corrected = TRUE)
```

**Arguments**

object            'bacon'-object

corrected        optional return uncorrected

**Value**

vector or matrix of test-statistics

**See Also**[bacon](#)**Examples**

```

y <- rnormmix(2000, c(0.9, 0, 1, 0, 4, 1))
##nbins = 100 to speed up the calculations
bc <- bacon(y, nbins=100)
head(tstat(bc))

```

# Index

bacon, [2](#), [5](#), [7–10](#), [13](#), [15–17](#)  
Bacon-class, [4](#)  
bias, [5](#)  
bias, Bacon-method (bias), [5](#)  
  
dnormmix, [5](#)  
  
es, [6](#)  
es, Bacon-method (es), [6](#)  
estimates, [7](#)  
estimates, Bacon-method (estimates), [7](#)  
  
fit, [8](#)  
fit, Bacon-method (fit), [8](#)  
  
inflation, [9](#)  
inflation, Bacon-method (inflation), [9](#)  
  
meta, [9](#)  
meta, Bacon-method (meta), [9](#)  
  
plot, Bacon-method, [10](#)  
plotnormmix, [11](#)  
posteriors, [12](#)  
posteriors, Bacon-method (posteriors), [12](#)  
pval, [13](#)  
pval, Bacon-method (pval), [13](#)  
  
rnormmix, [14](#)  
  
se, [14](#)  
se, Bacon-method (se), [14](#)  
  
topTable, [15](#)  
topTable, Bacon-method (topTable), [15](#)  
traces, [16](#)  
traces, Bacon-method (traces), [16](#)  
tstat, [17](#)  
tstat, Bacon-method (tstat), [17](#)