

Package: martini (via r-universe)

September 28, 2024

Type Package

Title GWAS Incorporating Networks

Version 1.25.0

Description martini deals with the low power inherent to GWAS studies by using prior knowledge represented as a network. SNPs are the vertices of the network, and the edges represent biological relationships between them (genomic adjacency, belonging to the same gene, physical interaction between protein products). The network is scanned using SConES, which looks for groups of SNPs maximally associated with the phenotype, that form a close subnetwork.

License GPL-3

LazyData TRUE

Imports igraph (>= 1.0.1), Matrix, memoise (>= 2.0.0), methods (>= 3.3.2), Rcpp (>= 0.12.8), snpStats (>= 1.20.0), stats, utils,

Suggests biomaRt (>= 2.34.1), circlize (>= 0.4.11), STRINGdb (>= 2.2.0), httr (>= 1.2.1), IRanges (>= 2.8.2), S4Vectors (>= 0.12.2), knitr, testthat, readr, rmarkdown

Depends R (>= 4.0)

LinkingTo Rcpp, RcppEigen (>= 0.3.3.5.0)

RoxygenNote 7.2.3

Encoding UTF-8

biocViews Software, GenomeWideAssociation, SNP, GeneticVariability, Genetics, FeatureExtraction, GraphAndNetwork, Network

VignetteBuilder knitr

URL <https://github.com/hclimente/martini>

BugReports <https://github.com/hclimente/martini/issues>

Repository <https://bioc.r-universe.dev>

RemoteUrl <https://github.com/bioc/martini>

RemoteRef HEAD

RemoteSha 4e7b18c632ab49c713d8f710c4510a54afe510f1

Contents

get_GI_network	2
get_GM_network	3
get_GS_network	4
gwas2bed	5
ldweight_edges	5
maxflow	6
mincut_c	7
minigwas	7
minippi	8
minisnpMapping	8
plot_ideogram	8
scones	9
scones.cv	10
scones.cv_	12
scones_	12
search_cones	13
sigmod	15
sigmod.cv	16
sigmod.cv_	17
sigmod_	18
simulate_causal_snps	19
simulate_phenotype	19
subvert	21
wrap_Xy	21
Index	22

get_GI_network	<i>Get gene-interaction network.</i>
----------------	--------------------------------------

Description

Creates a network of SNPs where each SNP is connected as in the **GM** network and, in addition, to all the other SNPs pertaining to any interactor of the gene it is mapped to. Corresponds to the gene-interaction (GI) network described by Azencott et al.

Usage

```
get_GI_network(
  gwas,
  organism = 9606,
  snpMapping = snp2ensembl(gwas, organism),
  ppi = get_gxg("biogrid", organism, flush),
  col_ppi = c("gene1", "gene2"),
  col_genes = c("snp", "gene"),
  flush = FALSE
)
```

Arguments

gwas	A SnpMatrix object with the GWAS information.
organism	Tax ID of the studied organism. The default is 9606 (human).
snpMapping	A data.frame informing how SNPs map to genes. It contains minimum two columns: SNP id and a gene it maps to. Each row corresponds to one gene-SNP mapping. Unless column names are specified using col_genes, involved columns must be named 'snp' and 'gene'.
ppi	A data.frame describing protein-protein interactions with at least two columns. Gene ids must be the contained in snpMapping. Unless column names are specified using col_ppi, involved columns must be named gene1 and gene2.
col_ppi	Optional, length-2 character vector with the names of the two columns involving the protein-protein interactions.
col_genes	Optional, length-2 character vector with the names of the two columns involving the SNP-gene mapping. The first element is the column of the SNP, and the second is the column of the gene.
flush	Remove cached results? Boolean value.

Value

An igraph network of the GI network of the SNPs.

References

Azencott, C. A., Grimm, D., Sugiyama, M., Kawahara, Y., & Borgwardt, K. M. (2013). Efficient network-guided multi-locus association mapping with graph cuts. *Bioinformatics*, 29(13), 171-179. <https://doi.org/10.1093/bioinformatics/btt238>

Examples

```
get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
```

get_GM_network	<i>Get gene membership network.</i>
----------------	-------------------------------------

Description

Creates a network of SNPs where each SNP is connected as in the [GS](#) network and, in addition, to all the other SNPs pertaining to the same gene. Corresponds to the gene membership (GM) network described by Azencott et al.

Usage

```
get_GM_network(  
  gwas,  
  organism = 9606,  
  snpMapping = snp2ensembl(gwas, organism),  
  col_genes = c("snp", "gene")  
)
```

Arguments

gwas	A SnpMatrix object with the GWAS information.
organism	Tax ID of the studied organism. The default is 9606 (human).
snpMapping	A data.frame informing how SNPs map to genes. It contains minimum two columns: SNP id and a gene it maps to. Each row corresponds to one gene-SNP mapping. Unless column names are specified using col_genes, involved columns must be named 'snp' and 'gene'.
col_genes	Optional, length-2 character vector with the names of the two columns involving the SNP-gene mapping. The first element is the column of the SNP, and the second is the column of the gene.

Value

An igraph network of the GM network of the SNPs.

References

Azencott, C. A., Grimm, D., Sugiyama, M., Kawahara, Y., & Borgwardt, K. M. (2013). Efficient network-guided multi-locus association mapping with graph cuts. *Bioinformatics*, 29(13), 171-179. <https://doi.org/10.1093/bioinformatics/btt238>

Examples

```
get_GM_network(minigwas, snpMapping = minisnpMapping)
```

get_GS_network	<i>Get genomic sequence network</i>
----------------	-------------------------------------

Description

Creates a network of SNPs where each SNP is connected to its adjacent SNPs in the genome sequence. Corresponds to the genomic sequence (GS) network described by Azencott et al.

Usage

```
get_GS_network(gwas)
```

Arguments

gwas	A SnpMatrix object with the GWAS information.
------	---

Value

An igraph network of the GS network of the SNPs.

References

Azencott, C. A., Grimm, D., Sugiyama, M., Kawahara, Y., & Borgwardt, K. M. (2013). Efficient network-guided multi-locus association mapping with graph cuts. *Bioinformatics*, 29(13), 171-179. <https://doi.org/10.1093/bioinformatics/btt238>

Examples

```
get_GS_network(minigwas)
```

gwas2bed	<i>Converts a MAP data.frame to a BED data.frame</i>
----------	--

Description

Takes a map file and:

- column 1: Used as the chromosome column in the BED file.
- column 4: Used as start and end in the BED data.frame (as we work with SNPs).

Usage

```
gwas2bed(gwas)
```

Arguments

`gwas` A SnpMatrix object with the GWAS information.

Value

A BED data.frame.

ldweight_edges	<i>Include linkage disequilibrium information in the network.</i>
----------------	---

Description

Include linkage disequilibrium information in the SNP network. The weight of the edges will be lower the higher the linkage is.

Usage

```
ldweight_edges(net, ld, method = "inverse")
```

Arguments

net	A SNP network.
ld	A dsCMatrix or dgCMatrix containing linkage disequilibrium measures, like the output of <code>ld</code> .
method	How to incorporate linkage-disequilibrium values into the network.

Value

An copy of net where the edges weighted according to linkage disequilibrium.

Examples

```
ld <- snpStats::ld(minigwas[['genotypes']], depth = 2, stats = "R.squared")
# don't weight edges for which LD cannot be calculated
ld[is.na(ld)] <- 0
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
ldGi <- ldweight_edges(gi, ld)
```

maxflow

Maxflow algorithm

Description

Run the maxflow algorithm.

Usage

```
maxflow(A, As, At)
```

Arguments

A	A sparse matrix with the connectivity.
As	A vector containing the edges to the source.
At	A vector containing the edges to the sink.

Value

A list with vector indicating if the feature was selected and the objective score.

mincut_c	<i>Min-cut algorithm</i>
----------	--------------------------

Description

Run the mincut algorithm.

Usage

```
mincut_c(c, eta, lambda, W)
```

Arguments

c	A vector with the association of each SNP with the phenotype.
eta	A numeric with the value of the eta parameter.
lambda	A numeric with the value of the eta parameter.
W	A sparse matrix with the connectivity.

Value

A list with vector indicating if the feature was selected and the objective score.

minigwas	<i>Description of the minigwas dataset.</i>
----------	---

Description

Small GWAS example.

Format

A list with 3 items:

genotypes Genotype and phenotype information.

fam Simulated network.

map Result of running find_cones with gwas and net.

Examples

```
data(minigwas)

# access different elements
minigwas[["genotypes"]]
minigwas[["map"]]
minigwas[["fam"]]
```

minippi	<i>PPIs for the minigwas dataset.</i>
---------	---------------------------------------

Description

data.frame describing pairs of proteins that interact for minigwas.

Examples

```
data(minippi)
```

```
head(minippi)
```

minisnpMapping	<i>Genes for the minigwas dataset.</i>
----------------	--

Description

data.frame that maps SNPs from minigwas to their gene.

Examples

```
data(minisnpMapping)
```

```
head(minisnpMapping)
```

plot_ideogram	<i>Ideogram of SConES results.</i>
---------------	------------------------------------

Description

Create a circular ideogram of the a network results using the circlize package (Gu et al., 2014).

Usage

```
plot_ideogram(gwas, net, covars = data.frame(), genome = "hg19")
```

Arguments

gwas	A SnpMatrix object with the GWAS information.
net	An igraph network that connects the SNPs.
covars	A data frame with the covariates. It must contain a column 'sample' containing the sample IDs, and an additional columns for each covariate.
genome	Abbreviations of the genome to use: hg19 for human (default), mm10 for mouse, etc.

Value

A circular ideogram, including the manhattan plot, and the interactions between the selected SNPs.

References

Gu, Z., Gu, L., Eils, R., Schlesner, M., & Brors, B. (2014). *circlize* Implements and enhances circular visualization in R. *Bioinformatics* (Oxford, England), 30(19), 2811-2. <https://doi.org/10.1093/bioinformatics/btu393>

scones

Find connected explanatory SNPs

Description

Finds the SNPs maximally associated with a phenotype while being connected in an underlying network.

Usage

```
scones(
  gwas,
  net,
  eta,
  lambda,
  covars = data.frame(),
  score = c("chi2", "glm", "r2"),
  family = c("binomial", "poisson", "gaussian", "gamma"),
  link = c("logit", "log", "identity", "inverse")
)
```

Arguments

<code>gwas</code>	A <code>SnpMatrix</code> object with the GWAS information.
<code>net</code>	An <code>igraph</code> network that connects the SNPs.
<code>eta</code>	Value of the <code>eta</code> parameter.
<code>lambda</code>	Value of the <code>lambda</code> parameter.
<code>covars</code>	A data frame with the covariates. It must contain a column 'sample' containing the sample IDs, and an additional columns for each covariate.
<code>score</code>	Association score to measure association between genotype and phenotype. Possible values: <code>chi2</code> (default), <code>glm</code> .
<code>family</code>	A string defining the generalized linear model family. This should match one of "binomial", "poisson", "gaussian" or "gamma". See snp.rhs.tests for details.
<code>link</code>	A string defining the link function for the GLM. This should match one of "logit", "log", "identity" or "inverse". See snp.rhs.tests for details.

Value

A copy of the `SnpMatrix$map` data.frame, with the following additions:

- `c`: contains the univariate association score for every single SNP.
- `selected`: logical vector indicating if the SNP was selected by SConES or not.
- `module`: integer with the number of the module the SNP belongs to.

References

Azencott, C. A., Grimm, D., Sugiyama, M., Kawahara, Y., & Borgwardt, K. M. (2013). Efficient network-guided multi-locus association mapping with graph cuts. *Bioinformatics*, 29(13), 171-179. <https://doi.org/10.1093/bioinformatics/btt238>

Examples

```
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
scones(minigwas, gi, 10, 1)
```

scones.cv

Find connected explanatory SNPs.

Description

Finds the SNPs maximally associated with a phenotype while being connected in an underlying network. Select the hyperparameters by cross-validation.

Usage

```
scones.cv(  
  gwas,  
  net,  
  covars = data.frame(),  
  score = c("chi2", "glm", "r2"),  
  criterion = c("stability", "bic", "aic", "aicc", "global_clustering",  
    "local_clustering"),  
  etas = numeric(),  
  lambdas = numeric(),  
  family = c("binomial", "poisson", "gaussian", "gamma"),  
  link = c("logit", "log", "identity", "inverse"),  
  max_prop_snp = 0.5  
)
```

Arguments

<code>gwas</code>	A <code>SnpMatrix</code> object with the GWAS information.
<code>net</code>	An <code>igraph</code> network that connects the SNPs.
<code>covars</code>	A data frame with the covariates. It must contain a column 'sample' containing the sample IDs, and an additional columns for each covariate.
<code>score</code>	Association score to measure association between genotype and phenotype. Possible values: <code>chi2</code> (default), <code>glm</code> .
<code>criterion</code>	String with the function to measure the quality of a split.
<code>etas</code>	Numeric vector with the <code>etas</code> to explore in the grid search. If omitted, it's automatically created based on the association scores.
<code>lambdas</code>	Numeric vector with the <code>lambdas</code> to explore in the grid search. If omitted, it's automatically created based on the association scores.
<code>family</code>	A string defining the generalized linear model family. This should match one of "binomial", "poisson", "gaussian" or "gamma". See snp.rhs.tests for details.
<code>link</code>	A string defining the link function for the GLM. This should match one of "logit", "log", "identity" or "inverse". See snp.rhs.tests for details.
<code>max_prop_snp</code>	Maximum proportion of SNPs accepted in the model (between 0 and 1). Larger solutions will be discarded.

Value

A copy of the `SnpMatrix$map` data.frame, with the following additions:

- `c`: contains the univariate association score for every single SNP.
- `selected`: logical vector indicating if the SNP was selected by SConES or not.
- `module`: integer with the number of the module the SNP belongs to.

References

Azencott, C. A., Grimm, D., Sugiyama, M., Kawahara, Y., & Borgwardt, K. M. (2013). Efficient network-guided multi-locus association mapping with graph cuts. *Bioinformatics*, 29(13), 171-179. <https://doi.org/10.1093/bioinformatics/btt238>

Examples

```
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
scones.cv(minigwas, gi)
scones.cv(minigwas, gi, score = "glm")
```

scones.cv_ *Find connected explanatory features*

Description

Finds the features maximally associated with a phenotype while being connected in an underlying network. Select the hyperparameters by cross-validation.

Usage

```
scones.cv_(X, y, featnames, net)
```

Arguments

X	n x d design matrix
y	Vector of length n with the outcomes
featnames	Vector of length d with the feature names
net	An igraph network that connects the SNPs.

Value

A copy of the `SnpMatrix$map` data.frame, with the following additions:

- `c`: contains the univariate association score for every single SNP.
- `selected`: logical vector indicating if the SNP was selected by SConES or not.
- `module`: integer with the number of the module the SNP belongs to.

Examples

```
X <- as(minigwas[['genotypes']], 'numeric')
X <- X + matrix(rnorm(2500, sd = 0.1), nrow(X), ncol(X))
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
scones.cv_(X, minigwas[['fam']]$affected, minigwas[['map']]$snp, gi)
```

scones_ *Find connected explanatory features*

Description

Finds the features maximally associated with a phenotype while being connected in an underlying network.

Usage

```
scones_(X, y, featnames, net, eta, lambda)
```

Arguments

X	n x d design matrix
y	Vector of length n with the outcomes
featnames	Vector of length d with the feature names
net	An igraph network that connects the SNPs.
eta	Value of the eta parameter.
lambda	Value of the lambda parameter.

Value

A copy of the `SnpMatrix$map` data.frame, with the following additions:

- `c`: contains the univariate association score for every single SNP.
- `selected`: logical vector indicating if the SNP was selected by SConES or not.
- `module`: integer with the number of the module the SNP belongs to.

Examples

```
X <- as(minigwas[['genotypes']], 'numeric')
X <- X + matrix(rnorm(2500, sd = 0.1), nrow(X), ncol(X))
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
scones_(X, minigwas[['fam']]$affected, minigwas[['map']]$snp, gi, 10, 1)
```

search_cones

Find connected explanatory SNPs.

Description

Finds the SNPs maximally associated with a phenotype while being connected in an underlying network (Azencott et al., 2013).

Usage

```
search_cones(
  gwas,
  net,
  encoding = "additive",
  sigmod = FALSE,
  covars = data.frame(),
  associationScore = c("chi2", "glm"),
  modelScore = c("stability", "bic", "aic", "aicc", "global_clustering",
    "local_clustering"),
  etas = numeric(),
  lambdas = numeric()
)
```

Arguments

gwas	A SnpMatrix object with the GWAS information.
net	An igraph network that connects the SNPs.
encoding	SNP encoding (unused argument).
sigmoid	Boolean. If TRUE, use the Sigmoid variant of SConES, meant to prioritize tightly connected clusters of SNPs.
covars	A data frame with the covariates. It must contain a column 'sample' containing the sample IDs, and an additional columns for each covariate.
associationScore	Association score to measure association between genotype and phenotype.
modelScore	String with the function to measure the quality of a split.
etas	Numeric vector with the etas to explore in the grid search. If omitted, it's automatically created based on the association scores.
lambdas	Numeric vector with the lambdas to explore in the grid search. If omitted, it's automatically created based on the association scores.

Value

A copy of the `SnpMatrix$map` data.frame, with the following additions:

- `c`: contains the univariate association score for every single SNP.
- `selected`: logical vector indicating if the SNP was selected by SConES or not.
- `module`: integer with the number of the module the SNP belongs to.

References

Azencott, C. A., Grimm, D., Sugiyama, M., Kawahara, Y., & Borgwardt, K. M. (2013). Efficient network-guided multi-locus association mapping with graph cuts. *Bioinformatics*, 29(13), 171-179. <https://doi.org/10.1093/bioinformatics/btt238>

Examples

```
## Not run: gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
search_cones(minigwas, gi)
search_cones(minigwas, gi, encoding = "recessive")
search_cones(minigwas, gi, associationScore = "skat")
## End(Not run)
```

sigmod	<i>Find connected explanatory SNPs</i>
--------	--

Description

Finds the SNPs maximally associated with a phenotype while being connected in an underlying network.

Usage

```
sigmod(
  gwas,
  net,
  eta,
  lambda,
  covars = data.frame(),
  score = c("chi2", "glm", "r2"),
  family = c("binomial", "poisson", "gaussian", "gamma"),
  link = c("logit", "log", "identity", "inverse")
)
```

Arguments

gwas	A SnpMatrix object with the GWAS information.
net	An igraph network that connects the SNPs.
eta	Value of the eta parameter.
lambda	Value of the lambda parameter.
covars	A data frame with the covariates. It must contain a column 'sample' containing the sample IDs, and an additional columns for each covariate.
score	Association score to measure association between genotype and phenotype. Possible values: chi2 (default), glm.
family	A string defining the generalized linear model family. This should match one of "binomial", "poisson", "gaussian" or "gamma". See snp.rhs.tests for details.
link	A string defining the link function for the GLM. This should match one of "logit", "log", "identity" or "inverse". See snp.rhs.tests for details.

Value

A copy of the `SnpMatrix$map` data frame, with the following additions:

- `c`: contains the univariate association score for every single SNP.
- `selected`: logical vector indicating if the SNP was selected by SConES or not.
- `module`: integer with the number of the module the SNP belongs to.

References

Liu, Y., Brossard, M., Roqueiro, D., Margerite-Jeannin, P., Sarnowski, C., Bouzigon, E., Demenais, F. (2017). SigMod: an exact and efficient method to identify a strongly interconnected disease-associated module in a gene network. *Bioinformatics*, 33(10), 1536–1544. <https://doi.org/10.1093/bioinformatics/btx004>

Examples

```
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
sigmod(minigwas, gi, 10, 1)
```

sigmod.cv

Find connected explanatory SNPs.

Description

Finds the SNPs maximally associated with a phenotype while being connected in an underlying network. Select the hyperparameters by cross-validation.

Usage

```
sigmod.cv(
  gwas,
  net,
  covars = data.frame(),
  score = c("chi2", "glm", "r2"),
  criterion = c("stability", "bic", "aic", "aicc", "global_clustering",
    "local_clustering"),
  etas = numeric(),
  lambdas = numeric(),
  family = c("binomial", "poisson", "gaussian", "gamma"),
  link = c("logit", "log", "identity", "inverse"),
  max_prop_snp = 0.5
)
```

Arguments

gwas	A SnpMatrix object with the GWAS information.
net	An igraph network that connects the SNPs.
covars	A data frame with the covariates. It must contain a column 'sample' containing the sample IDs, and an additional columns for each covariate.
score	Association score to measure association between genotype and phenotype. Possible values: chi2 (default), glm.
criterion	String with the function to measure the quality of a split.
etas	Numeric vector with the etas to explore in the grid search. If omitted, it's automatically created based on the association scores.

lambdas	Numeric vector with the lambdas to explore in the grid search. If omitted, it's automatically created based on the association scores.
family	A string defining the generalized linear model family. This should match one of "binomial", "poisson", "gaussian" or "gamma". See snp.rhs.tests for details.
link	A string defining the link function for the GLM. This should match one of "logit", "log", "identity" or "inverse". See snp.rhs.tests for details.
max_prop_snp	Maximum proportion of SNPs accepted in the model (between 0 and 1). Larger solutions will be discarded.

Value

A copy of the `SnpMatrix$map` data.frame, with the following additions:

- `c`: contains the univariate association score for every single SNP.
- `selected`: logical vector indicating if the SNP was selected by SConES or not.
- `module`: integer with the number of the module the SNP belongs to.

References

Liu, Y., Brossard, M., Roqueiro, D., Margaritte-Jeannin, P., Sarnowski, C., Bouzigon, E., Demenais, F. (2017). SigMod: an exact and efficient method to identify a strongly interconnected disease-associated module in a gene network. *Bioinformatics*, 33(10), 1536–1544. <https://doi.org/10.1093/bioinformatics/btx004>

Examples

```
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
sigmod.cv(minigwas, gi)
sigmod.cv(minigwas, gi, score = "glm")
```

sigmod.cv_ *Find connected explanatory features*

Description

Finds the features maximally associated with a phenotype while being connected in an underlying network. Select the hyperparameters by cross-validation.

Usage

```
sigmod.cv_(X, y, featnames, net)
```

Arguments

<code>X</code>	<code>n x d</code> design matrix
<code>y</code>	Vector of length <code>n</code> with the outcomes
<code>featnames</code>	Vector of length <code>d</code> with the feature names
<code>net</code>	An igraph network that connects the SNPs.

Value

A copy of the `SnpMatrix$map` data.frame, with the following additions:

- `c`: contains the univariate association score for every single SNP.
- `selected`: logical vector indicating if the SNP was selected by SConES or not.
- `module`: integer with the number of the module the SNP belongs to.

Examples

```
X <- as(minigwas[['genotypes']], 'numeric')
X <- X + matrix(rnorm(2500, sd = 0.1), nrow(X), ncol(X))
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
sigmod.cv_(X, minigwas[['fam']]$affected, minigwas[['map']]$snp, gi)
```

sigmod_

Find connected explanatory features

Description

Finds the features maximally associated with a phenotype while being connected in an underlying network.

Usage

```
sigmod_(X, y, featnames, net, eta, lambda)
```

Arguments

<code>X</code>	<code>n x d</code> design matrix
<code>y</code>	Vector of length <code>n</code> with the outcomes
<code>featnames</code>	Vector of length <code>d</code> with the feature names
<code>net</code>	An igraph network that connects the SNPs.
<code>eta</code>	Value of the eta parameter.
<code>lambda</code>	Value of the lambda parameter.

Value

A copy of the `SnpMatrix$map` data.frame, with the following additions:

- `c`: contains the univariate association score for every single SNP.
- `selected`: logical vector indicating if the SNP was selected by SConES or not.
- `module`: integer with the number of the module the SNP belongs to.

Examples

```
X <- as(minigwas[['genotypes']], 'numeric')
X <- X + matrix(rnorm(2500, sd = 0.1), nrow(X), ncol(X))
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
sigmod_(X, minigwas[['fam']]$affected, minigwas[['map']]$snp, gi, 10, 1)
```

simulate_causal_snps *Simulate causal SNPs*

Description

Selects randomly interconnected genes as causal, then selects a proportion of them as causal.

Usage

```
simulate_causal_snps(net, ngenes = 20, pcausal = 1)
```

Arguments

net	An igraph gene-interaction (GI) network that connects the SNPs.
ngenes	Number of causal genes.
pcausal	Number between 0 and 1, proportion of the SNPs in causal genes that are causal themselves.

Value

A vector with the ids of the simulated causal SNPs.

Examples

```
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
simulate_causal_snps(gi, ngenes=2)
```

simulate_phenotype *Simulate phenotype*

Description

Simulates a phenotype from a GWAS experiment and a specified set of causal SNPs. If the data is qualitative, only controls are used.

Usage

```
simulate_phenotype(
  gwas,
  snps,
  h2,
  model = "additive",
  effectSize = rnorm(length(snps)),
  qualitative = FALSE,
  ncases,
  ncontrols,
  prevalence
)
```

Arguments

<code>gwas</code>	A <code>SnpMatrix</code> object with the GWAS information.
<code>snps</code>	Character vector with the SNP ids of the causal SNPs. Must match SNPs in <code>gwas[["map"]][["snp.name"]]</code> .
<code>h2</code>	Heritability of the phenotype (between 0 and 1).
<code>model</code>	String specifying the genetic model under the phenotype. Accepted values: "additive".
<code>effectSize</code>	Numeric vector with the same length as the number of causal SNPs. It indicates the effect size of each of the SNPs; if absent, they are sampled from a normal distribution.
<code>qualitative</code>	Bool indicating if the phenotype is qualitative or not (quantitative).
<code>ncases</code>	Integer specifying the number of cases to simulate in a qualitative phenotype. Required if <code>qualitative = TRUE</code> .
<code>ncontrols</code>	Integer specifying the number of controls to simulate in a qualitative phenotype. Required if <code>qualitative = TRUE</code> .
<code>prevalence</code>	Value between 0 and 1 specifying the population prevalence of the disease. Note that <code>ncases</code> cannot be greater than <code>prevalence * number of samples</code> . Required if <code>qualitative = TRUE</code> .

Value

A copy of the GWAS experiment with the new phenotypes in `gwas[["fam"]][["affected"]]`.

References

Inspired from GCTA simulation tool: <http://cnsgenomics.com/software/gcta/Simu.html>.

Examples

```
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
causal <- simulate_causal_snps(gi, ngenes = 2)
simulate_phenotype(minigwas, causal, h2 = 1)
```

subvert	<i>Vertices with an attribute</i>
---------	-----------------------------------

Description

Returns the nodes matching some condition.

Usage

```
subvert(net, attr, values, affirmative = TRUE)
```

Arguments

net	An igraph network.
attr	An attribute of the vertices.
values	Possible values of attr
affirmative	Logical. States if a condition must be its affirmation (e.g. all nodes with gene name "X"), or its negation (all nodes not with gene name "X").

Value

The vertices with attribute equal to any of the values in values.

Examples

```
gi <- get_GI_network(minigwas, snpMapping = minisnpMapping, ppi = minippi)
martini:::subvert(gi, "gene", "A")
martini:::subvert(gi, "name", c("1A1", "1A3"))
```

wrap_Xy	<i>Make pseudo SnpMatrix object</i>
---------	-------------------------------------

Description

Wrap design matrix and outcome vector into a pseudo SnpMatrix object.

Usage

```
wrap_Xy(X, y, featnames, net)
```

Arguments

X	n x d design matrix
y	Vector of length n with the outcomes
featnames	Vector of length d with the feature names
net	An igraph network that connects the SNPs.

Index

`get_GI_network`, 2
`get_GM_network`, 3
`get_GS_network`, 4
GM, 2
GS, 3
`gwas2bed`, 5

`ld`, 6
`ldweight_edges`, 5

`maxflow`, 6
`mincut_c`, 7
`minigwas`, 7
`minippi`, 8
`minisnpMapping`, 8

`plot_ideogram`, 8

`scones`, 9
`scones.cv`, 10
`scones.cv_`, 12
`scones_`, 12
`search_cones`, 13
`sigmoid`, 15
`sigmoid.cv`, 16
`sigmoid.cv_`, 17
`sigmoid_`, 18
`simulate_causal_snps`, 19
`simulate_phenotype`, 19
`snp.rhs.tests`, 9, 11, 15, 17
`subvert`, 21

`wrap_Xy`, 21