

# Package: scPassport (via r-universe)

May 30, 2026

**Title** Passport System for Single-Cell Objects

**Version** 1.1.0

**Description** Stamps Seurat, SingleCellExperiment, and SummarizedExperiment objects with a persistent metadata passport. For Seurat objects the passport is stored in the misc slot; for SingleCellExperiment and SummarizedExperiment objects it is stored in the metadata slot. Tracks animal info, experiment details, lineage (parent/child relationships), RDS registry numbers, processing logs, and custom fields. Includes an interactive Shiny gadget to fill and update the passport, and a read mode to print the full passport to console. The passport persists inside the RDS file with no external files needed.

**License** MIT + file LICENSE

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.2

**Depends** R (>= 4.3)

**Imports** shiny, miniUI, Rcpp, S4Vectors

**LinkingTo** Rcpp

**Suggests** Seurat, SingleCellExperiment, SummarizedExperiment, knitr, rmarkdown, testthat (>= 3.0.0)

**biocViews** SingleCell, DataImport, Visualization, Infrastructure

**VignetteBuilder** knitr

**Config/testthat/edition** 3

**BugReports** <https://github.com/sedatkacar56/scPassport/issues>

**URL** <https://github.com/sedatkacar56/scPassport>

**Config/pak/sysreqs** cmake make libuv1-dev zlib1g-dev

**Repository** <https://bioc.r-universe.dev>

**Date/Publication** 2026-04-28 13:06:46 UTC

**RemoteUrl** <https://github.com/bioc/scPassport>

**RemoteRef** HEAD

**RemoteSha** b4e92ef543eb8123f0086dcad523c4c3d06afb54

## Contents

log_step . . . . .	2
read_passport . . . . .	3
scPassport . . . . .	4
<b>Index</b>	<b>8</b>

---

log_step	<i>Log a Processing Step to a Seurat, SingleCellExperiment, or SummarizedExperiment Object</i>
----------	------------------------------------------------------------------------------------------------

---

## Description

Appends a processing step entry to the object's processing log. For Seurat objects the log is stored in @misc\$processing\_log; for SingleCellExperiment and SummarizedExperiment objects it is stored in metadata(obj)\$processing\_log. Each entry records the step name, timestamp, cell count, gene count, and any parameters you pass.

## Usage

```
log_step(obj, step, params = list())
```

## Arguments

obj	A Seurat, SingleCellExperiment, or SummarizedExperiment object.
step	A character string describing the processing step (e.g. "NormalizeData", "ScaleData", "Subset cluster 1").
params	A named list of parameters used in this step. Default is an empty list.

## Value

The same object with the new log entry appended to its processing log.

## See Also

[scPassport](#), [read\\_passport](#)

## Examples

```
# Log a step on a minimal SummarizedExperiment object
if (requireNamespace("SummarizedExperiment", quietly = TRUE)) {
  se <- SummarizedExperiment::SummarizedExperiment()
  se <- log_step(se, "example step")
}

# Log steps on a Seurat object (requires an existing Seurat object 'seu')
# seu <- log_step(seu, "QC filter",
#               params = list(min_cells = 3, min_features = 200))
#
# seu <- NormalizeData(seu)
# seu <- log_step(seu, "NormalizeData",
#               params = list(method = "LogNormalize", scale_factor = 10000))
#
# seu <- RunPCA(seu)
# seu <- log_step(seu, "RunPCA", params = list(npcs = 30))
#
# read_passport(seu)
```

---

read_passport	<i>Read the Passport of a Seurat, SingleCellExperiment, or Summarized-Experiment Object</i>
---------------	---------------------------------------------------------------------------------------------

---

## Description

Prints the full passport stored in the object's passport slot to the console, including all known fields, any custom fields, and the processing log. Works with Seurat (`@misc$passport`), SingleCellExperiment, and SummarizedExperiment (`metadata(obj)$passport`) objects.

## Usage

```
read_passport(obj)
```

## Arguments

obj	A Seurat, SingleCellExperiment, or SummarizedExperiment object with a passport stamped via <a href="#">scPassport</a> .
-----	-------------------------------------------------------------------------------------------------------------------------

## Value

Invisibly returns NULL. Output is printed to console.

## See Also

[scPassport](#), [log\\_step](#)

## Examples

```
# Read passport on an unstamped object (prints "No passport found")
if (requireNamespace("SummarizedExperiment", quietly = TRUE)) {
  se <- SummarizedExperiment::SummarizedExperiment()
  read_passport(se)
}

# Read passport on a stamped Seurat object (requires existing object 'WTHeme')
# read_passport(WTHeme)
#
# Or via scPassport with read = TRUE:
# scPassport(WTHeme, read = TRUE)
```

---

scPassport

*scPassport: Passport System for Single-Cell Objects*

---

## Description

Stamps Seurat, SingleCellExperiment, and SummarizedExperiment objects with a persistent metadata passport. For Seurat objects the passport is stored in @misc\$passport; for SingleCellExperiment and SummarizedExperiment objects it is stored in metadata(obj)\$passport. Tracks animal info, experiment details, lineage (parent/child relationships), RDS registry numbers, processing logs, and custom fields. Includes an interactive Shiny popup to fill and update the passport, and a read mode to print it to console.

Opens an interactive Shiny popup that allows you to fill in metadata (animal info, experiment details, lineage, RDS numbers, and custom fields) and stamps it directly into the object's passport slot. For Seurat objects the passport is stored in @misc\$passport; for SingleCellExperiment and SummarizedExperiment objects it is stored in metadata(obj)\$passport. All information persists inside the object when saved as .rds.

If a passport already exists in the object, all previously filled fields are pre-loaded into the popup so you only need to update what changed.

## Usage

```
scPassport(obj, parent = NULL, read = FALSE)
```

## Arguments

obj	A Seurat, SingleCellExperiment, or SummarizedExperiment object to stamp. Must not be NULL.
parent	A parent object of the same class that this object was subset from. If provided, parent_id and lineage are automatically populated from the parent's passport - no typing needed. Default is NULL (root object).
read	Logical. If TRUE, prints the existing passport to the console instead of opening the popup. Default is FALSE.

## Details

The passport contains the following fields:

### Identity:

- `object_id` -Name/ID of this object (e.g. "WTHeme")
- `rds_self` -RDS registry number of this object (e.g. 224)
- `created` -Timestamp of when passport was stamped

### Animal Info:

- `animal_id` -Individual animal identifier (e.g. "M01")
- `species` -Species name (e.g. "Mus musculus")
- `sex` -Sex of the animal (e.g. "male", "female")
- `age` -Age of the animal (e.g. "P60")
- `condition` -Experimental condition (e.g. "control", "treated")
- `tissue` -Tissue of origin (e.g. "prefrontal cortex")

### Experiment Info:

- `project` -Project name (e.g. "memory\_study")
- `researcher` -Name of the researcher
- `date` -Date of the experiment
- `notes` -Any free-text notes

### Lineage:

- `parent_id` -Object ID of the direct parent (or "root")
- `rds_parent` -RDS number of the parent object (or "root")
- `lineage` -Full ancestry chain as a character vector
- `children` -Object IDs of children subset from this object
- `rds_children` -RDS numbers of children objects

**Custom Fields:** Any additional fields typed into the Custom Fields section of the popup are automatically appended to the passport and displayed when `read = TRUE`.

**Safety:** The function will never overwrite your object with NULL. Cancelling the popup or any error returns the original object unchanged.

## Value

The same object with its passport slot filled in. If cancelled or an error occurs, the original object is returned unchanged

- it will never return NULL.

## Main Functions

- `scPassport` — Open popup to fill/update passport
- `read_passport` — Print passport to console
- `log_step` — Log a processing step

## Typical Workflow

```
# 1. Stamp your root object
WTHeme <- scPassport(WTHeme)

# 2. Log processing steps
WTHeme <- NormalizeData(WTHeme)
WTHeme <- log_step(WTHeme, "NormalizeData")

# 3. Subset and stamp child, linking to parent
EndofrHeme <- subset(WTHeme, subset = cell_type == "Endothelial")
EndofrHeme <- scPassport(EndofrHeme, parent = WTHeme)

# 4. Read passport anytime
read_passport(EndofrHeme)
```

## Author(s)

**Maintainer:** Sedat Kacar <sedatkacar56@gmail.com> ([ORCID](#))

## See Also

Useful links:

- <https://github.com/sedatkacar56/scPassport>
- Report bugs at <https://github.com/sedatkacar56/scPassport/issues>

[read\\_passport](#), [log\\_step](#)

## Examples

```
# Read passport on an unstamped object (prints "No passport found")
if (requireNamespace("SummarizedExperiment", quietly = TRUE)) {
  se <- SummarizedExperiment::SummarizedExperiment()
  scPassport(se, read = TRUE)
}

# Stamp a root object (requires an existing Seurat object 'WTHeme')
# WTHeme <- scPassport(WTHeme)

# Stamp a child subset, linking to parent automatically
# EndofrHeme <- scPassport(EndofrHeme, parent = WTHeme)

# Read existing passport without opening popup
```

```
# scPassport(WTHeme, read = TRUE)

# Or use the dedicated read function
# read_passport(WTHeme)
```

# Index

`log_step`, [2](#), [3](#), [6](#)

`read_passport`, [2](#), [3](#), [6](#)

`scPassport`, [2](#), [3](#), [4](#), [6](#)

`scPassport-package (scPassport)`, [4](#)